

Type TPK-R
Class CC - Current Limiting
Branch Circuit Protection
Time Delay - 13/32”x 1-1/2”



www.optifuse.com

(619) 593-5050

For use as branch circuit protection in general purpose, lighting, solenoid, and control transformer applications. This fuse provides high current limiting capabilities and a rejection style ferrule.

Electrical:

600VAC – 100mA - 30A


300VDC – 100mA - 30A

Interrupt Ratings:

200,000A @ 600VAC (100mA-30A)

100,000A @ 300VDC (100mA-30A)

Mechanical Dimensions:



Part Number	Ampere Rating
TPK-R-100mA	100mA
TPK-R-125mA	125mA
TPK-R-187mA	187mA
TPK-R-200mA	200mA
TPK-R-250mA	250mA
TPK-R-300mA	300mA
TPK-R-400mA	400mA
TPK-R-500mA	500mA
TPK-R-600mA	600mA
TPK-R-750mA	750mA
TPK-R-800mA	800mA
TPK-R-1A	1A
TPK-R-1.125A	1.125A
TPK-R-1.25A	1.25A
TPK-R-1.4A	1.4A
TPK-R-1.5A	1.5A
TPK-R-1.6A	1.6A
TPK-R-1.8A	1.8A
TPK-R-2A	2A
TPK-R-2.25A	2.25A
TPK-R-2.5A	2.5A
TPK-R-2.8A	2.8A
TPK-R-3A	3A
TPK-R-3.2A	3.2A
TPK-R-3.5A	3.5A
TPK-R-4A	4A
TPK-R-4.5A	4.5A
TPK-R-5A	5A
TPK-R-5.6A	5.6A
TPK-R-6A	6A
TPK-R-6.25A	6.25A
TPK-R-7A	7A
TPK-R-7.5A	7.5A
TPK-R-8A	8A
TPK-R-9A	9A
TPK-R-10A	10A
TPK-R-12A	12A
TPK-R-15A	15A
TPK-R-17.5A	17.5A
TPK-R-20A	20A
TPK-R-25A	25A
TPK-R-30A	30A

Warning:



-Operation beyond the specified maximum ratings or improper use may result in damage and possible electrical arcing and/or flame.


-Avoid contact of fuse with chemical solvent. Prolonged contact may damage the device performance.

Type TPK-R
Class CC - Current Limiting
Branch Circuit Protection
Time Delay - 13/32”x 1-1/2”



www.optifuse.com (619) 593-5050

Time Current Curve Graph




Type TPK-R
Class CC - Current Limiting
Branch Circuit Protection
Time Delay - 13/32”x 1-1/2”



www.optifuse.com

(619) 593-5050

Time Current Curve Graph




Note: All specifications subject to change without notice.

Type TPK-R
Class CC - Current Limiting
Branch Circuit Protection
Time Delay - 13/32”x 1-1/2”



www.optifuse.com (619) 593-5050

Time Current Curve Graph




Note: All specifications subject to change without notice.

Type TPK-R
Class CC - Current Limiting
Branch Circuit Protection
Time Delay - 13/32”x 1-1/2”



www.optifuse.com (619) 593-5050

Peak Let-Thru Current Graph




Note: All specifications subject to change without notice.

Type TPK-R
Class CC - Current Limiting
Branch Circuit Protection
Time Delay - 13/32”x 1-1/2”



www.optifuse.com (619) 593-5050

Peak Let-Thru Current Graph



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Industrial & Electrical Fuses](#) category:

Click to view products by [Optifuse](#) manufacturer:

Other Similar products are found below :

[MTH-4](#) [MTH-8](#) [BP/NON-30](#) [NLN2](#) [NLN25](#) [KTN-R-10](#) [LPS-RK-2SP](#) [ABU-35](#) [FLSR100](#) [BLF6](#) [KLK003](#) [LPS-RK-100](#) [LPS-RK-15](#) [LPS-RK-20](#) [LPS-RK-70](#) [LPS-RK-90](#) [NLS10](#) [FRN-R-30ID](#) [FRS-R-20ID](#) [KLK015](#) [CHSF-80](#) [LDFJ350.X](#) [FUSE](#) [5A/32V](#) [FK-1](#) [381455](#) [384515](#) [371050](#) [371055](#) [371060](#) [381050](#) [442015](#) [491315](#) [491335](#) [492138](#) [004184220](#) [004184223](#) [004184228](#) [004184230](#) [004184232](#) [004185224](#) [004181214](#) [432001](#) [FPK-10A](#) [FPK-12A](#) [FPK-15A](#) [FPK-1A](#) [FPK-20A](#) [FPK-25A](#) [FPK-2A](#) [FPK-30A](#) [FPK-3A](#)