

# Type TXG Subminiature Time Delay Fuse



www.optifuse.com (619) 593-5050

## Agency Standards and Listings:



## Time Characteristics:

| 100%    | 200%    | 300%      | 400%      |
|---------|---------|-----------|-----------|
| 4 h Min | 1s Min  | 200ms Min | 20ms Min  |
|         | 60s Max | 3s Max    | 100ms Max |

## Interrupt Rating:

375mA~7A 30A at 250VAC


## Packaging in Bulk:

No suffix – ammo pack – 4000 pcs  
TR suffix – Tape and Reel – 4000 pcs, EIA-296

## Part number:

TXG-XX – Ammo pack  
TXG-XX-TR – Tape and Reel

## Mechanical Dimensions: Inches[mm]



| Part Number | Amperage | I <sup>2</sup> T Reference A <sup>2</sup> Sec. |     | Rated Voltage (VAC) |         |
|-------------|----------|--|-----|---------------------|---------|
|             |          | CCC  | CQC |                     | Voltage |
| TXG-375mA   | 375mA    |  |     | 0.203               | 250V    |
| TXG-400mA   | 400mA    |  |     | 0.218               |         |
| TXG-500mA   | 500mA    | •  |     | 0.360               |         |
| TXG-600mA   | 600mA    |  |     | 0.382               |         |
| TXG-630mA   | 630mA    | •  |     | 0.396               |         |
| TXG-750mA   | 750mA    |  |     | 0.810               |         |
| TXG-800mA   | 800mA    | •  |     | 0.836               |         |
| TXG-1A      | 1A       | •  |     | 1.690               |         |
| TXG-1.2A    | 1.2A     |  |     | 2.078               |         |
| TXG-1.25A   | 1.25A    | •  |     | 2.465               |         |
| TXG-1.5A    | 1.5A     |  |     | 4.000               |         |
| TXG-1.6A    | 1.6A     | •  |     | 5.645               |         |
| TXG-2A      | 2A       | •  |     | 7.290               |         |
| TXG-2.5A    | 2.5A     | •  |     | 14.44               |         |
| TXG-3A      | 3A       |  |     | 26.18               |         |
| TXG-3.15A   | 3.15A    | •  |     | 18.75               |         |
| TXG-3.5A    | 3.5A     |  |     | 19.59               |         |
| TXG-4A      | 4A       | •  |     | 39.08               |         |
| TXG-5A      | 5A       |  | •   | 57.76               |         |
| TXG-6A      | 6A       |  |     | 94.40               |         |
| TXG-6.3A    | 6.3A     |  | •   | 95.95               |         |
| TXG-7A      | 7A       |  |     | 98.01               |         |

• for Approved

## Warning:



-Operation beyond the specified maximum ratings or improper use may result in damage and possible electrical arcing and/or flame.

-Avoid contact of Fuse device with chemical solvent. Prolonged contact may damage the device performance.

Note: All specifications subject to change without notice.


Rev C 02/2014 - Page: 1/2  
Code: H01-01H

**Type TXG  
Subminiature  
Time Delay Fuse**



www.optifuse.com (619) 593-5050

**Time Current Curve Graph**



Note: All specifications subject to change without notice.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Optifuse manufacturer](#):*

Other Similar products are found below :

[FSC-3.5A](#) [TSA-250MA](#) [BLR-304](#) [BLR-504](#) [BLC-05-GTA](#) [BLR-I-504](#) [BLM-304](#) [CBW57-EL4-10A](#) [FPK-10A](#) [FPK-1A](#) [FPK-30A](#) [LPM-08](#)  
[LPX-23B-08R-LOOP](#) [FPK-12A](#) [FPK-15A](#) [FPK-20A](#) [FPK-25A](#) [FPK-2A](#) [FPK-3A](#) [FPK-4A](#) [FPK-5A](#) [FPK-6A](#) [FPK-7A](#) [FPK-8A](#) [FPK-R-](#)  
[1.5A](#) [FPK-R-10A](#) [FPK-R-15A](#) [FPK-R-1A](#) [FPK-R-20A](#) [FPK-R-25A](#) [FPK-R-2A](#) [FPK-R-30A](#) [FPK-R-3A](#) [FPK-R-4A](#) [FPK-R-5A](#) [FPK-R-6A](#)  
[FPK-R-8A](#) [PMG-KB-01-Q2S](#) [LPM-01B-12R](#) [ACB-12-V-50A](#) [LPR-13C-10R](#) [ACBP4-PM-5A](#) [BLR-306](#) [ACB-12-V-30A](#) [CBW57-EL4-5A](#)  
[CBW57-ES-5A](#) [CBW57-PB-10A-5X](#) [CBW57-PS-10A-5X](#) [CBW57-PS-3A-1X](#) [CBW28-1A](#)