




uszczelnienia techniczne

V-rings



Description:

- VA type seals are classified as rotary shaft seals and, unlike simmering rings, it seals in the axial direction on the face of the seat (bearings - fixed element), while it rotates on its own thanks to the circumferential clamp..

Materials:

- NBR
- FPM

Work parameters:

- Peripheral speed:
NBR: ≤ 8 m/s
FPM: $\leq 6,5$ m/s
- Temperature:
NBR: $-40^{\circ}\text{C} \div +100^{\circ}\text{C}$
FPM: $-30^{\circ}\text{C} \div +200^{\circ}\text{C}$
- Pressure:
NBR, FPM: $\leq 0,03$ MPa

Symbol	Inner diameter of the ring [mm]	Height [mm]	Shaft diameter [mm]	Material
VA-7X3.4X5.5N10	7	5,5	9,5-11,5	NBR
VA-10.5X3.4X5.5N12	10,5	5,5	11,5-12,5	NBR
VA-12.5X3X5.5N14	12,5	5,5	13,5-15,5	NBR
VA-14X3X5.5N16	14	5,5	15,7-17	NBR
VA-16X3X5.5N18	16	5,5	17,5-19	NBR
VA-18X4X7.5N20	18	7,5	19-21	NBR
VA-20X4X7.5N22	20	7,5	21-24	NBR
VA-22X4X7.5N25	22	7,5	24-27	NBR
VA-25X4X7.5N28	25	7,5	27-29	NBR
VA-27X4.0X7.5N30	27	7,5	29-31	NBR
VA-29X4X7.5N32	29	7,5	31-33	NBR
VA-31X4X7.5N35	31	7,5	33-36	NBR
VA-34X4X7.5N38	34	7,5	36-38	NBR
VA-36X5X9N40	36	9	38-43	NBR
VA-40X5X9N45	40	9	43-48	NBR
VA-45X5X9N50	45	9	48-53	NBR
VA-49X5X9N55	49	9	53-58	NBR
VA-54X5X9N60	54	9	58-63	NBR
VA-58X5X9N65	58	9	63-68	NBR
VA-63X6X11N70	63	11	68-73	NBR
VA-67X6X11N75	67	11	73-78	NBR
VA-72X6X11N80	72	11	78-83	NBR
VA-76X6X11N85	76	11	83-88	NBR
VA-81X6X11N90	81	11	88-93	NBR
VA-85X6X11N95	85	11	93-98	NBR
VA-90X6X11N100	90	11	98-105	NBR
VA-99X7X12.8N110	99	12,8	105-115	NBR
VA-108X7X12.8N120	108	12,8	115-125	NBR
VA-117X7X12.8N130	117	12,8	125-135	NBR
VA-126X7X12.8N140	126	12,8	135-145	NBR
VA-135X7X12.8N150	135	12,8	145-155	NBR
VA-144X8X14.5N160	144	14,5	155-165	NBR
VA-153X8X14.5N170	153	14,5	165-175	NBR
VA-162X8X14.5N180	162	14,5	175-185	NBR
VA-171X8X14.5N190	171	14,5	185-195	NBR
VA-180X8X14.5N199	180	14,5	195-210	NBR
VA-180X15X25N200	180	25	190-210	NBR
VA-198X15X25N220	198	25	210-235	NBR
VA-225X15X25N250	225	25	235-265	NBR
VA-247X15X25N275	247	25	265-290	NBR
VA-270X15X25N300	270	25	290-310	NBR
VA-292X15X25N325	292	25	310-335	NBR
VA-315X15X25N350	315	25	335-365	NBR
VA-405X15X25N450	405	25	430-480	NBR
VA-450X15X25N500	450	25	480-530	NBR
VA-495X15X25N550	495	25	530-580	NBR
VA-540X15X25N600	540	25	580-630	NBR
VA-630X15X25N700	630	25	665-705	NBR
VA-705X15X25N750	705	25	745-785	NBR
VA-785X15X25N850	785	25	830-875	NBR
VA-865X15X25N950	865	25	920-965	NBR

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Conduit Fittings & Accessories](#) category:

Click to view products by [ORING](#) manufacturer:

Other Similar products are found below :

[M3231GAB](#) [M3231GAC](#) [M3231GAE](#) [M3231GL](#) [M3231GN](#) [M3231GT](#) [VC-937-16/RED](#) [VC-562-16/RED](#) [VC-1125-16/RED](#) [DM0240-1/2A](#) [3408B](#) [G6002](#) [M4340GAE](#) [G6003](#) [C2016-P](#) [C2012-P](#) [3407B](#) [1660-P](#) [561-87BG11BLK](#) [561-75BG11B](#) [1.511.1601.14](#) [BVBV-P366](#) [VC-687-16/RED](#) [2276](#) [2663-P](#) [3405B](#) [C2070-P](#) [3582V](#) [2643-P](#) [4975](#) [2644-P](#) [920296](#) [2955](#) [M50](#) [2404-P](#) [C2008-P](#) [2723-P](#) [2291](#) [2133-P](#) [3048F](#) [VC12516](#) [RC156-0500](#) [DM0523-1/2A](#) [1035A](#) [DMS0250-1A](#) [DMS0313-1A](#) [1040A](#) [1050A](#) [R1/8A](#) [DMPC0490-1/2A](#) [DMPC0521-1/2A](#)