




uszczelnienia techniczne

Oring rope



Description:

- Oring rope is a flexible seal designed for sealing static or operating sealing nodes.

Material:

- NBR
- Silikon
- FPM
- EPDM
- PU
- Microrubber (porous rubber)

Tolerance:

- Accuracy class / tolerance according to DIN 7715 class E2

Diameter of the rope d [mm]	DIN 7715: E2 [+/- mm]
do 2,5	0,35
2,5 – 4	0,40
4 – 6,3	0,50
6,3 – 10	0,70
10 – 16	0,80
16,0 – 25,0	1,00
25,0 – 40,0	1,30



uszczelnienia techniczne

Symbol	d [mm]	Length [M]	Material	Hardness [Sha]
OR-1-70-5M-NBR	1	5	NBR	70
OR-1.5-70-5M-NBR	1,5	5	NBR	70
OR-2-70-5M-NBR	2	5	NBR	70
OR-2.5-70-5M-NBR	2,5	5	NBR	70
OR-3-70-5M-NBR	3	5	NBR	70
OR-3.5-70-5M-NBR	3,5	5	NBR	70
OR-4-70-5M-NBR	4	5	NBR	70
OR-4.5-70-5M-NBR	4,5	5	NBR	70
OR-5-70-5M-NBR	5	5	NBR	70
OR-6-70-5M-NBR	6	5	NBR	70
OR-7-70-5M-NBR	7	5	NBR	70
OR-8-70-5M-NBR	8	5	NBR	70
OR-9-70-5M-NBR	9	5	NBR	70
OR-10-70-5M-NBR	10	5	NBR	70
OR-12-70-5M-NBR	12	5	NBR	70
OR-13-70-5M-NBR	13	5	NBR	70
OR-14-70-5M-NBR	14	5	NBR	70
OR-15-70-5M-NBR	15	5	NBR	70
OR-16-70-5M-NBR	16	5	NBR	70
OR-18-70-5M-NBR	18	5	NBR	70
OR-19-70-5M-NBR	19	5	NBR	70
OR-20-70-5M-NBR	20	5	NBR	70

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Conduit Fittings & Accessories](#) category:

Click to view products by [ORING](#) manufacturer:

Other Similar products are found below :

[M3231GAB](#) [M3231GAC](#) [M3231GAE](#) [M3231GL](#) [M3231GN](#) [M3231GT](#) [VC-937-16/RED](#) [VC-1125-16/RED](#) [DM0240-1/2A](#) [3408B](#) [G6002](#)
[M4340GAE](#) [C2016-P](#) [C2012-P](#) [3407B](#) [1660-P](#) [561-87BG11BLK](#) [561-75BG11B](#) [1.511.1601.14](#) [1.533.1201.50](#) [1.533.1601.51](#) [1.533.2001.51](#)
[1.533.4001.50](#) [1.533.5001.50](#) [BVNV-P428](#) [BVBV-P366](#) [2276](#) [2663-P](#) [3405B](#) [C2070-P](#) [3582V](#) [2643-P](#) [4975](#) [2644-P](#) [2955](#) [M50](#) [2404-P](#)
[C2008-P](#) [2723-P](#) [2291](#) [2133-P](#) [3048F](#) [VC12516](#) [RC156-0500](#) [DM0523-1/2A](#) [1035A](#) [DMS0250-1A](#) [DMS0313-1A](#) [1040A](#) [1050A](#) [R1/8A](#)