

Product data			
Product code	<b>VG03-0054</b>	STK-code	<b>1914359</b>
Product name	OJL-connector 135 Green	EAN-code	<b>6430051860331</b>
Wires	IN 1x(Al/Cu) 2,5-35 mm <sup>2</sup> / 1x (Al/Cu) 2,5-10 mm <sup>2</sup> OUT: 4x (Cu) 2,5-16mm <sup>2</sup> / 2x (Cu) 2,5-10 mm <sup>2</sup>	ETIM class	<b>EC000276</b>


Technical data			
Nominal current (IEC)	Cu	<b>135</b>	A
	Al	<b>120</b>	A
Nominal voltage (IEC)		<b>1000</b>	V
		-	
		-	
Number of poles		<b>1</b>	pcs
Max. Cross section		<b>35</b>	mm <sup>2</sup>
Tightening torque			
	2,5-16 mm <sup>2</sup> (M6)	<b>3</b>	Nm
	25-35 mm <sup>2</sup> (M8)	<b>6</b>	Nm
		-	
		-	
Input	<b>1x Al/Cu 2,5-35 mm<sup>2</sup>, 1x Al/Cu 2,5-10 mm<sup>2</sup></b>		
Output	<b>4x Cu 2,5-16 mm<sup>2</sup>, 2x Cu 2,5-10 mm<sup>2</sup></b>		
		-	
Operating temperature		<b>80</b>	°C
Weight		<b>75</b>	g
IP-protection		<b>IP20</b>	
Standards	<b>EN 61238-1:2003; EN 60947-7-1:2009</b>		
Color / Material	<b>Green Cover PC, Grey Housing RAL 7035 PA66/V0, Connector part tin plated aluminium</b>		
Mounting / Connection	<b>Din rail and 2x screw (M5) mounting</b>		



**Description**

The single pole distribution block for branching connection. Distribution block with 2 inputs and it will distribute the current through 6 output cables. Connector is made from tin plated aluminium and housing is PA66 V0.

**Drawing**



Package			
Package	<b>Box</b>	Pcs / Package	<b>20</b>
		Weight [kg]	<b>1,50</b>
Length [mm]	<b>300</b>	Width [mm]	<b>205</b>
		Height [mm]	<b>100</b>

**Ouneva Oy**  
Teollisuustie 21  
FI-82730 Tuupovaara  
Finland

Tel. +358 400 179 750  
[info@ouneva.fi](mailto:info@ouneva.fi)

[www.ounevagroup.fi](http://www.ounevagroup.fi)  
[www.ounevaproducs.fi](http://www.ounevaproducs.fi)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [DIN Rail Terminal Blocks](#) category:*

*Click to view products by [Ouneva](#) manufacturer:*

Other Similar products are found below :

[00110420202](#) [8WA1011-1BH23](#) [9123140000](#) [RBO 5-T-B-HEX](#) [HSL-TB64-DIN](#) [90.070](#) [90.202](#) [912314](#) [260-301\\_NR](#) [280-560](#) [280-564](#)  
[281-611/281-542](#) [281-673/281-411](#) [281-994](#) [283-317](#) [283-607](#) [264-724](#) [264-726](#) [280-530](#) [280-555](#) [280-619](#) [281-610](#) [281-622/281-417](#) [284-](#)  
[317](#) [2907033](#) [35956](#) [USK 10](#) [102510](#) [5520682](#) [EMH 25-ZE30](#) [1SNK705210R0000](#) [1SNK705151R0000](#) [1SNK705020R0000](#)  
[1SNK506066R0000](#) [1SNK506061R0000](#) [1SNK506012R0000](#) [1SNK505060R0000](#) [UM 45-SEFE M.NUT BK](#) [1SNK506013R0000](#)  
[1SNK506030R0000](#) [1SNK506062R0000](#) [1SNK506065R0000](#) [1SNK508062R0000](#) [1SNK508065R0000](#) [1SNK508066R0000](#)  
[1SNK705010R0000](#) [1SNK705012R0000](#) [1SNK705150R0000](#) [1SNK705152R0000](#) [1SNK705310R0000](#)