




# DIMENSIONS - CONTINUED

Bare cell Model No.	Dimensions / mm (inch)	
<p><b>BR-2/3A</b> Two batteries in series (6V, 1200mAh)</p>	 <p>Connector: made by Bahgu Housing: P/N65039-033 Terminal: P/N47565</p> <p><b>BR-E3C3</b></p>	 <p><b>BR-P2</b></p>


# INDIVIDUAL DATA SHEETS

## BR-2/3A


Discharging under 30 kΩ  
(equivalent to approx. 100μA)




Discharging under 150 kΩ  
(equivalent to approx. 20μA)



High temperature discharge under 150 kΩ  
(equivalent to approx. 20μA)




Operational voltage vs. Discharge current




## BR-E3C3C, BR-P2


(BR-2/3A Two batteries in series)  
Discharge characteristics



Discharge characteristics



Operational voltage vs. Discharge current



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Consumer Battery & Photo Battery category](#):*

*Click to view products by [Panasonic manufacturer](#):*

Other Similar products are found below :

[6LR61AD/B](#) [CR-123APA/1B](#) [LR20XWA/B12](#) [LR14XWA/B12](#) [LR20XWA/B](#) [LR03XWA/B2](#) [LR6XWA/3SB](#) [6LF22XWA/B12](#)

[6LF22XWA/B](#) [LR03XWA/B](#) [LR03XWA/B24](#) [LR14XWA/B](#) [LR6XWA/B](#) [LR6XWA/B2](#) [LR6XWA/B24](#)