

### Metallized Polyester Film Capacitor

Type: **ECQUY [Class Y]**

In accordance with UL/CSA and European safety regulations class Y


#### ■ Features

- Compact
- Overvoltage stress withstanding
- Flame-retardant epoxy resin coating
- RoHS directive compliant

#### ■ Recommended Applications

- Interference suppressors

#### ■ Explanation of Part Numbers



#### ■ Applicable Standard & Approval Number

UL	UL 1414	Across-The-Line Capacitors Antenna-Coupling and Line-By-Pass Components
CSA	CSA C22.2 No.1	Across-the-line capacitors Antenna-Isolation and line-by-pass capacitors
SEMKO	IEC 60384-14 EN 132400	Class Y3/X2
DEMKO		
NEMKO		
FIMKO		
VDE		
SEV		

\*When applying this capacitor to European and American safety standards, please use type designation and rating such as ECO-UY, 0.01  $\mu$ F”.


\*Approval number (File No.) of safety regulations are subject to revision without notice. Ask factory for a copy of the latest file No.

#### ■ Specifications

Category temp. range	-40 °C to +100 °C (+85 °C max. on UL/CSA spec.)
Rated voltage	250 VAC
Capacitance range	0.0010 $\mu$ F to 0.047 $\mu$ F (E12)
Capacitance tolerance	$\pm 10\%$ (K), $\pm 20\%$ (M)
Dissipation factor ( $\tan\delta$ )	$\tan\delta \leq 1.0\%$ (20°C, 1kHz)
Withstand voltage	Between terminals : 2000 VDC, 60 s Between terminals to enclosure : 2000 VAC 60 s
Insulation resistance (IR)	$IR \geq 15000 M\Omega$ (20 °C, 100 VDC, 60 s), $IR \geq 2000 M\Omega$ (20 °C, 500 VDC, 60 s)

\* Use of this capacitor is limited to AC voltage (50 Hz or 60 Hz sine wave).

### ■Dimensions in mm (not to scale)



### ■Packaging Specifications for Bulk Package

Packing quantity: 100 pcs./bag

### ■Rating & Dimensions

● Capacitance tolerance :  $\pm 10\%$  (K),  $\pm 20\%$  (M)

Part No.	Cap. ( $\mu$ F)	Dimensions (mm)						$\phi d$
		Lmax.	Tmax.	H <sup>max.</sup>		F	S	
				Straight	Crimped lead			
ECQU2A102 □Y( )	0.0010	12.0	6.0	11.5	16.5	10.0	7.5	0.60
ECQU2A122 □Y( )	0.0012	12.0	6.0	11.5	16.5	10.0	7.5	0.60
ECQU2A152 □Y( )	0.0015	12.0	6.5	11.5	16.5	10.0	7.5	0.60
ECQU2A182 □Y( )	0.0018	12.0	6.5	11.5	16.5	10.0	7.5	0.60
ECQU2A222 □Y( )	0.0022	12.0	6.5	11.5	16.5	10.0	7.5	0.60
ECQU2A272 □Y( )	0.0027	12.0	6.5	11.5	16.5	10.0	7.5	0.60
ECQU2A332 □Y( )	0.0033	12.0	7.0	12.0	17.0	10.0	7.5	0.60
ECQU2A392 □Y( )	0.0039	12.0	7.0	12.5	17.5	10.0	7.5	0.60
ECQU2A472 □Y( )	0.0047	12.0	7.5	13.5	18.5	10.0	7.5	0.60
ECQU2A562 □Y( )	0.0056	12.0	8.5	14.0	19.0	10.0	7.5	0.60
ECQU2A682 □Y( )	0.0068	18.5	7.5	13.0	18.0	15.0	7.5	0.80
ECQU2A822 □Y( )	0.0082	18.5	7.5	13.5	18.5	15.0	7.5	0.80
ECQU2A103 □Y( )	0.010	18.5	7.5	15.0	20.0	15.0	7.5	0.80
ECQU2A123 □Y( )	0.012	18.5	8.5	15.5	20.5	15.0	7.5	0.80
ECQU2A153 □Y( )	0.015	18.5	9.0	16.5	21.5	15.0	7.5	0.80
ECQU2A183 □Y( )	0.018	18.5	10.0	17.5	22.5	15.0	7.5	0.80
ECQU2A223 □Y( )	0.022	18.5	11.0	18.0	23.0	15.0	7.5	0.80
ECQU2A273 □Y( )	0.027	23.5	9.5	16.5	21.5	20.0	15.0	0.80
ECQU2A333 □Y( )	0.033	23.5	10.0	17.5	22.5	20.0	15.0	0.80
ECQU2A393 □Y( )	0.039	23.5	11.0	18.5	23.5	20.0	15.0	0.80
ECQU2A473 □Y( )	0.047	23.5	12.0	20.0	25.0	20.0	15.0	0.80

Suffix for lead crimped  
 Cap. tol.code

Style D: 0.0010  $\mu$ F to 0.0056  $\mu$ F  
 Style B: 0.0068  $\mu$ F to 0.047  $\mu$ F

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Film Capacitors](#) category:*

*Click to view products by [Panasonic](#) manufacturer:*

Other Similar products are found below :

[F339X134748MIP2T0](#) [750-1018](#) [FKP1-1000160010P15](#) [FKP1-1500160010P15](#) [FKP1R031507E00JYSD](#) [FKP1U024707E00KYSD](#)  
[82DC4100CK60J](#) [82EC1100DQ50K](#) [PFR5101J100J11L16.5TA18](#) [PME261JB5220KR19T0](#) [A451GK223M040A](#) [A521HH333M035C](#)  
[A561ED221M450A](#) [QXJ2E474KTPT](#) [QXL2B333KTPT](#) [R49AN347000A1K](#) [EEC2G505HQA406](#) [B25668A6676A375](#) [B25673A4282E140](#)  
[BFC233868148](#) [BFC2370GC222](#) [C3B2AD44400B20K](#) [950CQW5H-F](#) [SCD105K122A3-22](#) [SCD155K162A3X44-F](#) [2N3155](#)  
[A571EH331M450A](#) [FKP1-2202KV5P15](#) [FKS3-680040010P10](#) [QXL2E473KTPT](#) [445450-1](#) [B25669A3996J375](#) [46KI322000M1M](#)  
[46KR415050M1K](#) [4BSNBX4100ZBFJ](#) [MKP383510063JKP2T0](#) [MKPY2-.02230020P15](#) [MKT 1813-368-015](#) [4055292001](#) [46KN410000N1K](#)  
[EEC2E106HQA405](#) [EEC2G205HQA402](#) [EEC2G805HQA415](#) [82EC2150DQ50K](#) [288P22494H101](#) [PHE841ED6150MR17T0](#)  
[B25620B118K883](#) [B25620B158K883](#) [BFC2370GC223](#) [BFC237022472](#)