
Mono Faders for Audio Mixers Slide Potentiometers Japan Malaysia

Type: **EVANF**



- Features
- Slim-type fader series: Width=9.0 mm, Height=8.0 mm
- Excellent cost performance for mid and low level audio mixers
- Recommended Applications
- Fade control for audio mixers (popular type)
- MTR (Multi-track recorders)
- Paper position sensors (detectors) for PPC

■ Explanation of Part Numbers



■ Specifications

	Taper	Taper B	Others
Power Rating	100.0 mm Type	0.5 W	0.25 W
	Max. Operating Voltage: 30 Vac		
Resistance *	5 kΩ, 10 kΩ, 20 kΩ	±20 %	+40 % -20 %
Taper *	A, B, D, Y		
Maximum Attenuation	100 dB min. (Except taper B)		
Operating Force	0.1 N to 1.0 N		
Operating Life	50000 cycles min.		
Minimum Quantity/Packing Unit	100 pcs. (Tray Pack)		
Quantity/Carton	500 pcs.		

Note: Customer's design for Lever Shape can be also negotiable.

■ Dimensions in mm (not to scale)

● 100.0 mm Travel, Single ······EVANF 0.40±0.15 No Tap Screw 9.0 8.0±0.3 14.5 100.0±1.0(Travel) 120.0±0.2 128.0±1.0 127.5±0.1 (127.1) (0.96) (77.0) 96.0±0.1 2-\phi 2.0 \(^{+0.1}_0\) 1.2±0.1 3.5±0.1 1.75±0.10 ф 3-\phi_1.5 \(^{+0.1}_{0}\) Recommended PWB piercing plan (Pitch tolerance: ±0.1) View from mounting side

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Slide Potentiometers category:

Click to view products by Panasonic manufacturer:

Other Similar products are found below:

M22 MHS133K MSS12A MSSA22 M42A MSS42G SS-4928 RSA0K11A901L SLB124145 SLB1340R45 RA6020F-10-20D1-B50K RA4520F-10-20D1-B50K TSS11AGPC X22205CAAF 448XC2103BDN X22205A-437W T22205BAAE SS-22J08-G5 X22205AAAL K22208EAAG PS15-10PC1BR10K 1101M1S3ZQI2 1201M1S1ZBE2 1101M2S4AGE2 1101M2S6ABE2 1201M1S3ZBE2 EVA-JQKR15Y14 EVA-NADR15A14 EVA-NADR15D14 EVA-NE4R15A14 EVB-NADR15Y14 ASE1D ASE1E ASE2D MFP113D MFP130 MFP1323 MFP1424 MFP161D MFP2220R MFP231P MFP261N MMP1010DRA1 MMP131 L202021MS02Q MFP120 MFP 130 R MFP1323R MFP140 MFP140-R