Panasonic

Over Travel Light Touch Switches

Type: **EVQP0**


Features

- External dimensions : 6.2 mm×6.2 mm, Height 7.45 mm
- Comfortable for long-time operation due to over-travel
- Excellent light-touch operational feel

Recommended Applications

- Operating switches for other electronic equipment
- Operation switches for PC mouse

Explanation of Part Numbers



Specifications


Туре		Snap action / Push-on type SPST	
Electrical	Rating	10 µA 2 V DC to 50 mA 30 V DC (Resistive load)	
	Contact Resistance	100 m Ω max. (1 Ω max. after life test)	
	Insulation Resistance	100 MΩ min. (at 100 V DC)	
	Dielectric Withstanding Voltage	600 V AC for 1 minute	
	Bouncing	3 ms max. (ON), 8 ms max. (OFF)	
Mechanical	Operating Force (OF)	EVQP0E : 0.74 N max.	EVQP0D : 1.3 N max.
	Returning Force (RF)	0.1 N min.	
	Pre-travel (PT)	0.5 mm max.	
	Movement Differential (MD)	0.12 mm max.	
	Over Travel (OT)	0.2 mm max.	
Endurance	Operating Life	EVQP0E : 5,000,000 cycles min.	EVQP0D : 1,000,000 cycles min.
Operating Temperature		-25 °C to +65 °C	
Storage Temperature		-45 °C to +85 °C	
Minimum Quantity/Packing Unit		500 pcs. Polyethylene Bag (Bulk)	
Quantity/Carton		10,000 pcs.	

Design and specifications are each subject to change without notice. Ask factory for the current technical specifications before purchase and/or use. Should a safety concern arise regarding this product, please be sure to contact us immediately.

2017.03 industrial.panasonic.com/ac/e/

Panasonic

Dimensions in mm (not to scale)



Design and specifications are each subject to change without notice. Ask factory for the current technical specifications before purchase and/or use. Should a safety concern arise regarding this product, please be sure to contact us immediately.

-2-

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tactile Switches category:

Click to view products by Panasonic manufacturer:

Other Similar products are found below :

5GTH92001 5GTH9202242 1-1977120-4 ADTSA62RV ADTSA63KV ADTSA644NV ADTSMW66NV ADTSMW67RV B3F-3123 B3F-6055A B3F-B32-01-KIT 1977177-8 1977266-1 ADTS644KV ADTSA61RV ADTSA62KV ADTSA63NV ADTSA63RV ADTSM21NSVTR ADTSM32NVTR ADTSM63SVTR ADTSM644KVTR ADTSMW64RV ADTSMW69NV FSMRA4JHA04 GS4.70F300QP 3ESH9R 506E00201 MJTP1164TR 3FTL600RAS 3FTL640RAS Y96K132V0FPLFS 101-TS5022T1601-EV 5GSH92001 KSJ0A231 80SH LFG EVQ-P1D05K MJTP1162TR ADTSM63KV 2-1977120-7 TSJW-5.2-260-TR KMT011MNGJLHS B3WN6002S ADTSA648RV 70-201.0 ADTSM62KSVTR ATA600VTR ADTSG66RV ADTS61NV ADTSM62KVTR ADTSM25KSVB