Panasonic RP-SDF

FX Series

SD Memory Card, Industrial SLC Model

■ Product Outline

FX series are SD/SDHC memory cards adopting built-in industrial SLC type NAND flash memory and is suitable for industrial applications where frequent writes are required. They are adequate for the applications, where large data load are written, such as security camera, factory automation, broadcast equipment and drive recorders. They are formatted complying with SD card specification.

■ **Product Specification** (specifications and appearances may be changed without notice.)

_	-	2GB	4GB	8GB
Appearance		Panasonic S © C C C C C C C C C C C C	Panasonic © George George	Panasonic © GB SLC
Part Number		RP-SDF02G	RP-SDF04G	RP-SDF08G
Capacity	Available user data area capacity*1)	2,014,445,568 byte	3,955,195,904 byte	8,048,836,608 byte
Compliant Specifiction	SD Physical Specification	Ver. 3.01		
	SD speed class	CLASS(E)	CLASS(10)	
	UHS speed grade	-	IJ	
	Speed mode	High Speed, Default Speed	High Speed, Default Speed SDR104, SDR50, DDR50, SDR25, SDR12	
Backside mark	Control Code	R2B9		
Read/Write Performance (up to)	Read	22MB/s (High Speed)	90MB/s (SDR104)	95MB/s (SDR104)
	Write	20MB/s (High Speed)	40MB/s (SDR104)	80MB/s (SDR104)
Absolute Maximum Ratings	Supply Voltage	Min: -0.3V Max: 4.6V		
	Input Voltage	Min: -0.3V Max: VDD+0.3V		
	Output Voltage	Min: -0.3V Max: VDD+0.3V		
	Output Current	Min: -24mA Max: 24mA		
Environmental Specification	Operating Temperature	-40 degree C to 85 degree C -40 degree C to 85 degree C		
	Storage Temperature Humidity	-40 degree C to 85 degree C		
	Vibration	15 Gp-p		
	Shock	1000 G		
	Mating Cycles	10,000 cycles		
			, -,	

^{*1)} Free area capacity after formatted


Absolute maximum ratings are the values of limitation, which do not damage the card. Those values do not define the operational range.

Products comply with EU RoHS directives.

Specification Number: PSD113ADA10

Panasonic RP-SDF

■Laser Mark on the Back-side (example; 2GB)



"0000" Control Code (Defined as product parts combination)
"00YM0000000" Serial Number
Y Last digit of Manufacture year
M Manufacture month (January->A, February->B,)
"2GB" Card Capacity
"F" Series name
"MADE IN JAPAN" Country of origin

■ System Reliability

- a. Powerful error detect and corrective function
- b. Static wear leveling
- c. Data recovery at power failure in writing
- d. Automatic refresh function to prevent uncorrectable error
- e. Bad block management

■ Notice and Caution

If you think about the usage for which special quality or reliability of the products is needed and failure or malfunction of the products may directly threaten life or injury for the special usage (aeronautic or cosmic usage, military usage, combustion machine, life support applications or safety applications), please counsel with our contacts in advance.

Write frequency and storage temperature will affect data retention time. Please make a backup for important data.

■ Warranty

If the product cannot be used because of failure which is determined as defect in design or production of the product, it is replaced by same product or equivalent one within 12 months from the delivery date of product.

Specification Number: PSD113ADA10

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Memory Cards category:

Click to view products by Panasonic manufacturer:

Other Similar products are found below:

SQF-ISDS1-8G-21C SQF-S10M2-256G-S9E SQF-P10M1-4G-P9C CAE1B256GTFDWB00EAA0 1061701 CAE1B064GTFDWB00EAA0 CAE1B128GTFDWB00EAA0 LMEX1L128GG2 LMEX1L256GG2 LNEX1L016GG4 LNEX1L032GG4 LNEX1L064GG4 LMEX1L016GG4 LNEX1L064GG4 LNEX1L064GG4 LMEX1L016GG4 LNEX1L064GG4 LNEX1L064GG4 LMEX1L016GG4 LNEX1L064GG4 LNEX1L064GG4 LMEX1L016GG4 LNEX1L064GG4 SDU11-1283SG SDU11-10643SG SDU11-1283SG SDU11-0643SG SDU11-1283SG SDU11-0643SG SDU11-1283SG SDU11-0643SG SDU11-1283SG SDU11-0643SG SDU11-0643SG SDU11-1283SG SDU11-0643SG SDU11-0643SG SDU11-1283SG SDU11-0643SG SDU11-0643SG SDU11-1283SG SDU11-0643SG SDU11-0643SG SDU11-1283SG SDSDU11-0643SG SDU11-1283SG SDSDU11-0643SG SDU11-1283SG SDSDU11-0643SG SDU11-0643SG SDU11-1283SG SDSDU11-0643SG SDU11-0643SG SDU11-1283SG SDSDU11-0643SG SDU11-1283SG SDSDU11-0643SG SDU11-1283SG SDSDU11-0643SG SDU11-1283SG SDSDU11-0643SG SDSDU11-1283SG SDSDU11-0643SG SDU11-1283SG SDSDU11-1283SG SDSD