G Series

SD Memory Card, Industrial MLC Model

Product Outline

G series are SDHC memory cards adopting built-in industrial type MLC NAND flash memory and are suitable for industrial applications where large data storage and high speed writes are required. They are adequate for the applications, where large data load are written, such as Broadcast Equipment, Security Camera, Car Navigation Systems and Drive Recorders. They are formatted complying with SD card specification.

■ **Product Specification** (specifications and appearances may be changed without notice.)

		16GB	32GB
Appearance Part Number		Panasonic © I I I RP-SDGD16DA2	Panasonic
Capacity	Available user data area capacity *1)	16,198,369,280 byte	31,629,213,696 byte
Memory	Flash Memory Type	MLC 64Gbit x2	MLC 64Gbit x4
Compliant Specification	SD Physical Specification	Ver. 3.01	
	SD Speed Class	CLASS	
	UHS Speed Grade	1	
	Speed mode	Default Speed, High Speed, SDR12, SDR25, SDR50	
Absolute Maximum Ratings *2)	Supply Voltage	Min : -0.3 V ; Max : +4.6 V	
	Input Voltage	Min : -0.3 V ; Max : VDD +0.3 V	
	Output Voltage	Min : -0.3 V ; Max : VDD +0.3 V	
	Output Current	Min : -24 mA ; Max : +24 mA	
Environmental Specification	Operating Temperature	-40 °C to +85 °C	
	Storage Temperature	-40 °C to +85 °C	
	Humidity	5 % RH to 95 % RH	
	Vibration	15 Gр-р	
	Shock	1,000 G	
	Mating Cycles	10,000 cycles	

*1) Free area capacity after formatted.


*2) Absolute Maximum Ratings are the values of limitation, which do not damage the card. So those values do not define the operational range.

- Absolute Maximum Ratings are the values of limitation, which do not damage the card. Those values do not define the operational range.
- Products comply with EU RoHS directives.

Panasonic

RP-SDGDxxDA2

■Laser Mark on the Back-side (example; 32GB)



"0000"

"0000000000" Serial Number 3rd digit Last digit of Manufacture year 4th digit Manufacture month (January->A, February->B,)

Control Code

"RP-SDGD32"

Product Name

"MADE IN JAPAN" Country of Origin

System Reliability

- a. Powerful error detect and corrective function
- b. Static wear leveling
- c. Data recovery at power failure in writing
- d. Automatic refresh function to prevent uncorrectable error
- e. Bad block management

Notice and Caution

If you think about the usage for which special quality or reliability of the products is needed and failure or malfunction of the products may directly threaten life or injury for the special usage (aeronautic or cosmic usage, military usage, combustion machine, life support applications or safety applications), please counsel with our contacts in advance.

Write frequency and storage temperature will affect data retention time. Please make a backup for important data.

Warranty

If the product cannot be used because of failure which is determined as defect in design or production of the product, it is replaced by same product or equivalent one within 12 months from the delivery date of product.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Memory Cards category:

Click to view products by Panasonic manufacturer:

Other Similar products are found below :

SQF-ISDS1-8G-21C_USDCOEM-32GB_CAE1B256GTFDWB00EAA0_CAE1B064GTFDWB00EAA0_CAE1B128GTFDWB00EAA0 LMEX1L128GG2_LMEX1L256GG2_LMEX1L016GG2_LMEX1L032GG2_LMEX1L064GG2_SDSDQAF4-032G-I_SDSDQAF4-256G-I_AP-CF016GKBNS-ETNRG_CFLSH-002PDG_CFLSH-016SDG_MS-C6-8G_HMC-EF283_SDCFXPS-032G-X46_SDCFXSB-128G-G46 5788667-1-CUT-TAPE_RP-SMLE32DA1_SDC4GDPGRB_2729389_VTDCFBPI004G_SDSDAF3-016G-XI_2403484_VTDS41PI008G SDSDAF3-016G-I_VSFCS2CC060G_SDSDAF3-032G-XI_SDSDAD-016G_SDSDAF3-008G-XI_SDSDAF3-008G-I_SDSDQAB-016G-J VTDCFBPI008G_M1A0-0160R12_M1A0-0320R12_M1A4-0160R12_M1A4-0320R12_M1AA-0160R12_M1AA-0320R12_M1AA-1280R12 SDCFXPS-256G-X46_SDSDXPK-128G-GN4IN_SDSDXXY-064G-GN4IN_SDSDXXY-128G-GN4IN_SDSDXXY-256G-GN4IN SDSDXXY-512G-GN4IN_SDSQXA1-128G-GN6MA_SDSQXA1-256G-GN6MA