Panasonic RP-SMKC

## **KC** Series

## microSD Memory Card, Industrial MLC Model

#### ■ Product Outline

KC series are SDHC memory cards adopting built-in industrial MLC type NAND flash memory and suitable for industrial applications. They are adequate for the applications such as automotive use, security camera, factory automation, broadcast equipment, servers etc. They are formatted complying SD card specification.

■ **Product Specification** (specifications and appearances may be changed without notice.)

		4GB	8GB	16GB
Appearance		Panasonic  III I  00 4GB  Made in Japan 00YM0000000	Panasonic  Micro  I  00 8GB  Made in Japan 00YM0000000	Panasonic  Micro  I I  00 16GB  Made in Japan 00YM0000000
Part Number		RP-SMKC04	RP-SMKC08	RP-SMKC16
Capacity	Available user data area capacity*1)	3,955,195,904 byte	7,998,504,960 byte	16,194,174,976 byte
Compliant Specifiction	SD Physical Specification	Ver. 3.01		
	SD speed class	CLASSE		
	UHS speed grade	UHS speed grade 0		
	Speed mode	High speed mode, Default speed mode, SDR50, DDR50, SDR25, SDR12		
Backside mark	Control Code			
Read/Write Performance (up to)	Read	45MB/s (SDR50, DDR50)	45MB/s (SDR50, DDR50)	45MB/s (SDR50, DDR50)
	Write	$\begin{array}{c} 6MB/s \\ \text{(High Speed, SDR50, DDR50)} \end{array}$	$\begin{array}{c} 6MB/s \\ \text{(High Speed, SDR50, DDR50)} \end{array}$	$\begin{array}{c} 6MB/s \\ \text{(High Speed, SDR50, DDR50)} \end{array}$
Absolute Maximum Ratings	Supply Voltage	Min: -0.3V Max: 4.6V		
	Input Voltage	Min: -0.3V Max: VDD+0.3V		
	Output Voltage	Min: -0.3V Max: VDD+0.3V		
	Output Current	Min: -24mA Max: 24mA		
Environmental Specification	Operating Temperature	-40 degree C to 85 degree C		
	Storage Temperature	-40 degree C to 85 degree C		
	Humidity Vibration	5 % to 95 %		
	Shock	15 Gp-p 1000 G		
	Mating Cycles	10,000 cycles		
	maning Cycles	10,000 cycles		

<sup>\*1)</sup> Free area capacity after formatted

Absolute Maximum Ratings are the values of limitation, which do not damage the card. So those values do not define the operational range.

Products comply with EU RoHS directives.

Panasonic RP-SMKC

### ■ Marking Specification (example; 4GB)



"4GB" Card Capacity
"00" Internal control code
"MADE IN JAPAN" Country of origin
"00YM0000000" Serial Number
Y Last digit of Manufacture year
M Manufacture month (January->A, February->B,

#### ■ System Reliability

- a. Powerful error detect and corrective function
- b. Static wear leveling
- c. Data recovery at power failure in writing
- d. Automatic refresh function to prevent uncorrectable error
- e. Bad block management

#### ■ Notice and Caution

If you think about the usage for which special quality or reliability of the products is needed and failure or malfunction of the products may directly threaten life or injury for the special usage (aeronautic or cosmic usage, military usage, combustion machine, life support applications or safety applications), please counsel with our contacts in advance. Write frequency and storage temperature will affect data retention time. Please make a backup for important data.

#### **■** Warranty

If the product cannot be used because of failure which is determined as defect in design or in production of the product, it is replaced by same product or equivalent one within 12 months from the delivery date of product.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Memory Cards category:

Click to view products by Panasonic manufacturer:

Other Similar products are found below:

SQF-ISDS1-8G-21C USDCOEM-32GB CAE1B256GTFDWB00EAA0 CAE1B064GTFDWB00EAA0 CAE1B128GTFDWB00EAA0 LMEX1L128GG2 LMEX1L256GG2 LMEX1L016GG2 LMEX1L032GG2 LMEX1L064GG2 SDSDQAF4-032G-I SDSDQAF4-256G-I AP-CF016GKBNS-ETNRG CFLSH-002PDG CFLSH-016SDG MS-C6-8G HMC-EF283 SDCFXPS-032G-X46 SDCFXSB-128G-G46 SDU4GDPGRB 5788667-1-CUT-TAPE RP-SMLE32DA1 SDC4GDPGRB 2729389 VTDCFBPI004G SDSDAF3-016G-XI 2403484 VTDS41PI008G SDSDAF3-016G-I VSFCS2CC060G SDSDAF3-032G-XI SDSDAD-016G SDSDAF3-008G-XI SDSDAF3-008G-I SDSDQAB-016G-J VTDCFBPI008G M1A0-0160R12 M1A0-0320R12 M1A4-0160R12 M1A4-0320R12 M1AA-0160R12 M1AA-0320R12 M1AA-1280R12 SDCFXPS-256G-X46 SDSDXPK-128G-GN4IN SDSDXXY-064G-GN4IN SDSDXXY-128G-GN4IN SDSDXXY-256G-GN4IN SDSDXXY-512G-GN4IN SDSQXA1-128G-GN6MA