SC Series

microSDHC Memory Card, Industrial SLC Model

Product Outline

SC series are microSD/SDHC memory cards adopting built-in industrial type SLC NAND flash memory and is suitable for industrial applications where frequent writes are required. They are adequate for the applications, where large data load are written, such as measurement equipment (hand held terminals, seismic sensors, factory automation, data loggers and meters). They are formatted complying with SD card specification.

■ **Product Specification** (Specifications and appearances may be changed without notice.)

	CION (Specifications and ap)	2GB	4GB	8GB
Appearance		Panasonic Micro 2 GB SEC Made in Japan	Panasonic Micro 4 E I GB SLC Made in Japan	Panasonic Micro 8 Circ I GB SIC Made in Japan
Part Number		RP-SMSC02DA1	RP-SMSC04DA1	RP-SMSC08DA1
Capacity	Available user data area capacity *1)	1,981,480,960 byte	3,971,973,120 byte	7,960,756,224 byte
Memory	Flash Memory Type	SLC 16Gbit x1	SLC 16Gbit x2	SLC 16Gbit x4
Compliant Specification	SD Physical Specification	Ver. 3.01	Ver. 4.20	
	SD Speed Class	CLASSE	CLASS	
	UHS Speed Grade		3	
	Speed mode	Default Speed High Speed	Default Speed, High Speed, SDR12, SDR25, SDR50, DDR50, SDR104 *2)	
Read/Write Performance (up to)	Read	22MB/s (High Speed)	90MB/s (SDR104) *2)	
	Write	20MB/s (High Speed)	40MB/s (SDR104) *2)	
Absolute Maximum Ratings	Supply Voltage	Min : -0.3 V ; Max : +4.6 V		
	Input Voltage	Min : -0.3 V ; Max : VDD +0.3 V		
	Output Voltage	Min : -0.3 V ; Max : VDD +0.3 V		
	Output Current	Min : -24 mA ; Max : +24 mA		
Environmental Specification	Operating Temperature	-40 degree C to +85 degree C		
	Storage Temperature	-40 degree C to +85 degree C		
	Humidity	5 % RH to 95 % RH		
	Vibration	15 Gр-р		
	Shock	1,000 G		
	Mating Cycles	10,000 cycles		

*1) Free area capacity after formatted.

*2) SDR104 mode is not supported when using microSD adapter.

- Absolute Maximum Ratings are the values of limitation, which do not damage the card. Those values do not define the operational range.
- Products comply with EU RoHS directives.

Panasonic

■ Marking Specification (example: 4GB)



"4GB"	Card Capacity
"Made in Japan"	Country of origin
"00YM0000000"	Serial Number
Y	Last digit of Manufacture year
M	Manufacture month (Jan->A, Feb->B,)

System Reliability

- a. Powerful error detect and corrective function
- b. Static wear leveling
- c. Data recovery at power failure in writing
- d. Automatic refresh function to prevent uncorrectable error
- e. Bad block management

Notice and Caution

If you think about the usage for which special quality or reliability of the products is needed and failure or malfunction of the products may directly threaten life or injury for the special usage (aeronautic or cosmic usage, military usage, combustion machine, life support applications or safety applications), please counsel with our contacts in advance.

Write frequency and storage temperature will affect data retention time. Please make a backup for important data.

Warranty

If the product cannot be used because of failure which is determined as defect in design or in production of the product, it is replaced by same product or equivalent one within 12 months from the delivery date of product.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Memory Cards category:

Click to view products by Panasonic manufacturer:

Other Similar products are found below :

SQF-ISDS1-8G-21C_USDCOEM-32GB_CAE1B256GTFDWB00EAA0_CAE1B064GTFDWB00EAA0_CAE1B128GTFDWB00EAA0 LMEX1L128GG2_LMEX1L256GG2_LMEX1L016GG2_LMEX1L032GG2_LMEX1L064GG2_SDSDQAF4-032G-I_SDSDQAF4-256G-I_AP-CF016GKBNS-ETNRG_CFLSH-002PDG_CFLSH-016SDG_MS-C6-8G_HMC-EF283_SDCFXPS-032G-X46_SDCFXSB-128G-G46 5788667-1-CUT-TAPE_RP-SMLE32DA1_SDC4GDPGRB_2729389_VTDCFBPI004G_SDSDAF3-016G-XI_2403484_VTDS41PI008G SDSDAF3-016G-I_VSFCS2CC060G_SDSDAF3-032G-XI_SDSDAD-016G_SDSDAF3-008G-XI_SDSDAF3-008G-I_SDSDQAB-016G-J VTDCFBPI008G_M1A0-0160R12_M1A0-0320R12_M1A4-0160R12_M1A4-0320R12_M1AA-0160R12_M1AA-0320R12_M1AA-1280R12 SDCFXPS-256G-X46_SDSDXPK-128G-GN4IN_SDSDXXY-064G-GN4IN_SDSDXXY-128G-GN4IN_SDSDXXY-256G-GN4IN SDSDXXY-512G-GN4IN_SDSQXA1-128G-GN6MA_SDSQXA1-256G-GN6MA