


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



PANDUIT PART NO.*	DESCRIPTION	WEIGHT
DP245E88TV25	24 PORT 4 PAIR CAT5E RJ21 PATCH PANEL	1.0 lb (466g)

NOTES:

- SEE CURRENT CATALOG FOR VARIOUS APPLICATIONS WITH THIS WIRING SYSTEM AS WELL AS OPTIONAL SNAP-IN LABEL HOLDERS.
- 24 PORT PATCH PANEL ALL PAIR WIRED 8 POSITION RJ45 MODULE ALL POSITIONS WIRED.
- THE PATCH PANEL IS DESIGNED FOR MOUNTING TO 19" UNIVERSAL RACKS.
- FOUR (4) 12-24 X 1/2" ROUND HEAD SCREWS AND (4) METRIC M6x1x15MM SCREWS ARE PROVIDED FOR FASTENING TO RACKS.
- DIMENSIONS IN PARENTHESSES ARE IN METRIC.
- MATERIALS- STAMPING: CRS
MODULE: V-O ABS

MODEL FILENAME	M02829AC_4PAIR_5E_24PORT_00	SIZE	A
DRAWING FILENAME	M02829AC_DC13_00C.PRT		

TITLE
24 PORT 4 PAIR CAT 5e RJ21 PATCH PANEL CUSTOMER DRAWING



<p>PANDUITTM CORP. TINLEY PARK, ILL 60477</p>	I.I. NUMBER
	PRODUCT SPEC
<p>THIRD ANGLE PROJECTION</p>	WORK INSTRUCTION
	SCALE NONE
DRAWN BY NER	REVIEW DRAWING NUMBERS
DATE 8-17-07	
CHK'D MKY	PART NO. DP245E88TV25
	DRAWING NO. 02829-13 SHEET 1 OF 2

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
2	12-13-07	MDJr	MKY	C. ADDED 2 MISSING DIMENSIONS.	02829-13	MKY			MKY
1	10-31-07	MDJr	MKY	B. ADDED (4 PLACES). A. LABEL PART# WAS DPLT.	02829-13	MKY	RDE		MKY
R	8-17-07	NER	CEF	RELEASED TO PRODUCTION	02829-13	CEF	CEF		CEF

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

WIRING CHART (PORTS 1-3)			
RJ21 POSITIONS	RJ45 PLUG POSITION	PAIRS	PORT
26	5	PAIR 1	PORT 1
1	4		
27	1	PAIR 2	
2	2	PAIR 3	
28	3		
3	6	PAIR 4	
29	7		
4	8	PAIR 5	PORT 2
30	5		
5	4	PAIR 6	
31	1		
6	2	PAIR 7	
32	3		
7	6	PAIR 8	
33	7		
8	8	PAIR 9	PORT 3
34	5		
9	4	PAIR 10	
35	1		
10	2	PAIR 11	
36	3		
11	6	PAIR 12	
37	7		
12	8		

WIRING CHART (PORTS 4-6)			
RJ21 POSITIONS	RJ45 PLUG POSITION	PAIRS	PORT
38	5	PAIR 13	PORT 4
13	4		
39	1	PAIR 14	
14	2	PAIR 15	
40	3		
15	6	PAIR 16	
41	7		
16	8	PAIR 17	PORT 5
42	5		
17	4	PAIR 18	
43	1		
18	2	PAIR 19	
44	3		
19	6	PAIR 20	
45	7		
20	8	PAIR 21	PORT 6
46	5		
21	4	PAIR 22	
47	1		
22	2	PAIR 23	
48	3		
23	6	PAIR 24	
49	7		
24	8	PAIR 25	
50	NONE		
25			

MODEL FILENAME		SIZE
DRAWING FILENAME M02829AC_DC13_00C.PRT		A
24 PORT 4 PAIR CAT 5e RJ21 PATCH PANEL CUSTOMER DRAWING		
 PANDUIT ™ CORP. TINLEY PARK, ILL 60477		I.I. NUMBER
		PRODUCT SPEC/ PKG SPEC
 ALL DIMENSIONS ARE GIVEN IN INCHES, UNLESS OTHERWISE SPECIFIED. DIMENSIONAL TOLERANCES ARE: (.X) ±.03 (.XXX) ±.005 (.XX) ±.01 ANGLES ± 1°		ASSY METHOD/ TEST METHOD
		SCALE NONE
DRAWN BY NER		PART NO. SEE SHEET 1
DATE 8-17-07		DRAWING NO. 02829-13 SHEET 2 OF 2
CHK'D MKY		

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
2	12-13-07	MDJr	MKY	SEE SHEET 1 FOR REVISIONS	02829-13	MKY			MKY
1	10-31-07	MDJr	MKY	SEE SHEET 1 FOR REVISIONS	02829-13	MKY	RDE		MKY
R	8-17-07	NER	CEF	SEE SHEET 1 FOR REVISIONS	02829-13	CEF	CEF		CEF

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Modular Connectors](#) / [Ethernet Connectors](#) category:

Click to view products by [Panduit](#) manufacturer:

Other Similar products are found below :

[8949-H88/06BLKA/SN](#) [74441-0010/BKN](#) [MP1010RX-1000](#) [MP44RX-1000](#) [PHJ-4P4C-1-V-4](#) [PHP-6P6C-5](#) [GAX-3-66](#) [GAX-8-62](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-N-66](#) [GDLX-S-66](#) [GDLX-S-88K](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-N-1010M-BLK](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GSGX-N-2-88](#) [GSGX-N-4-88](#) [GSX-NS2-88-3.05](#) [GSX-NS2-88-3.05-50](#) [GSX-NS-88-3.05-50](#) [PT-108A-8C-UL](#) [PT-J951-8C](#) [PTS-J531-8CS-50UL](#) [1-1775629-2](#) [A-2014-0-4](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [DC-1021-8-WH-6](#) [1300530003](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1413235](#) [MP88X-1000](#) [MPS88RX-5000](#) [E5288-S000K3-L](#) [E5908-15A242-L](#) [155302-001](#)