


B

А

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



ΥĻ

2

NUTES: 1. CABLE ASSEMBLY (WITH CONNECTORS): A. SEE SHEET 2 FOR PART NUMBER MATRIX. B. CANNOT BE LESS THAN THE LENGTH SPECIFIED IN THE PART NUMBER. C. THE MAXIMUM CABLE LENGTH IS NOT TO EXCEED 10cm (4") OVER SPECIFIED LENGTH FOR LESS THAN 10 METER; AND +1%/-0% GREATER THAN 10 METERS

В

## CONNECTOR INSERTION/RETURN LOSS SPECIFICATIONS

XIMUM INSERTION LOSS (PER CONNECTOR)			MINIMUM RETURN LOSS (PER CONNECTOR)		
FANDARD M (PC)	OPTIMIZED MM (PC)	ULTRA-LOW (OM4 & OM4+)	SM (UPC)	MM (PC)	
).25dB	0.15dB	0.10dB	55dB	26dB	
).25dB	0.15dB	0.10dB	55dB	26dB	
).25dB	0.15dB	0.10dB	55dB	26dB	

TLE				
JACKETE		IJPI FX	FIBER PATCH	
0/10/12/12				
		CORDS	)	
	Cl	JSTOMER DRA	WING	
EM REVISION NAME				
M02779DX/00				
TASET FILE NAME			FANDUI	
M02779DX_DC/00B				
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]			MATERIAL:	
.× ± .03 [ .762 ] .×× ± .01 [ .25 ]	.XXX ±			
	тш	IRD ANGLE	DRAWING NUMBER:	
		OJECTION	M02779DX-D	)C
AWN BY DATE	СНК	SCALE		SIZE
GAT 01-04-16	RWB	NONE	SHT 1 OF 2	В
1				

2

B

 $\langle -$ 

A

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

st POSITION - FIBER PRODUCT		f
F - FIBER	2nd POSITION - FIBER TYPE 9 - SINGLEMODE 5 - SIG-CORE (OM4+)	
d POSITION - FIBER COUNT	X - OM3 Z - OM4	
2 - 2 FIBER		
	E - 1,6mm DUPLEX	
	3 - 3mm DUPLEX (SC-SC ONLY)	
P - PLENUM R - RISER	6th POSITIONS - CONNECTOR (END A)	
LSZH	Q - PUSH PULL DUPLEX LC	
	L - LC DUPLEX S - SC DUPLEX	
TH POSITIONS - CONNECTOR VARIANT		
I - PUSH PULL DUPLEX LC N - NO VARIANT	8th POSITION - CONNECTOR (END B)	
	Q - PUSH PULL DUPLEX LC L - LC DUPLEX	
	S - SC DUPLEX	
TH POSITIONS - CONNECTOR VARIANT		
I - PUSH PULL DUPLEX LC N - NO VARIANT	10th POSITION - PERFORMANCE/POLARITY	
	S - STANDARD IL T - STANDARD IL PAIR FLIPPED	
	0 - OPTIMIZED IL P - OPTIMIZED IL PAIR FLIPPED	
th POSITION - PULLING EYE	N - ULTRA LOW IL (OM4 & OM4+ ONLY)	
N - NO PULLING EYE	LOLL DOCITION UNIT OF MEACURE	
	F - FEET	
	M - METERS	
Bth, 14th, AND 15th POSITIONS - ASSEMBLY LENGTH		
- 001-050 FEET		
M - 001-050 METERS		

01 07-06-16 SAT RWB MMN SEE SHEET 1 FOR REVISION HISTORY.

DESCRIPTION


 $\overline{\mathbf{v}}$ 

BY CHK APR

2

REV

DATE



M02779DX-DC

ECN

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fibre Optic Cable Assemblies category:

Click to view products by Panduit manufacturer:

Other Similar products are found below :

7-21002-9 760-1518 FA04390-50-M-72-LC-N MLB 501 V RED MLB 501 V YELLOW 1-3636-600-5208 2061529-7 1-6693182-0 1754898-1 21055-6 FXBSCSCE2LM002 3000005 3-21053-2 MLB 200/1 V BLACK MLB 2001 V RED MLB 2001 V YELLOW MLB 501 V BLACK 5492011-6 106284-7000 5492011-5 5492011-8 5492011-9 8-21007-5 2123524-2 2123524-1 106386-4447 DFSM-SCSC-2M 2123909-4 2123909-8 106273-0629 2125046-1 2821236-3 2821310-2 2821310-3 2821313-4 FX2ERLNLNSNM0.5 CF-980062-074 CF-901200-394 CF-980062-073 CF-980062-071 CF-980062-075 CF-980062-072 17-300310-100 2821236-2 2821313-1 G-FC-FC-S-002.0-DX-A-18-Y G-E2A-E2A-S-003.0-SX-A-18-Y 956-322-502214 FA04474 1083665