



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

TECHNICAL SPECIFICATIONS		
PATCH CORD QUALITY RATING	MAX IL	MIN RL
STANDARD	0.25dB	26dB

NOTES:


1. DUPLEX MSFP HYBRID AND JUMPER PATCHCORDS
2. VISIT WWW.PANDUIT.COM FOR PATCH CORD LENGTHS AND PACKAGE QUANTITIES.
3. PATCH CORD ROUTING CONFIGURATION A TO B
4. TESTED TO EIA/TIA 568-C.3
5. DUST CAPS NOT SHOWN BUT INCLUDED
6. DIMENSIONS SHOWN ARE IN MILLIMETERS WITH INCHES IN BRACKETS AND AS REFERENCE.
7. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS, (EUROPEAN DIRECTIVE 2002/95/EC ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.



DUPLEX MSFP HYBRID AND JUMPER PATCHCORDS
CUSTOMER DRAWING



PANDUIT™
CORP.
TINLEY PARK, ILL 60477



ALL DIMENSIONS ARE GIVEN IN INCHES, UNLESS OTHERWISE SPECIFIED.
DIMENSIONAL TOLERANCES ARE:
(.X) (.XXX) ± .010 (0.3)
(.XX) ± .03 (0.8) ANGLES

DRAWING FILENAME
F70150BA_DC/03A

SCALE
NONE

DRAWN BY
EFK

REVIEW DRAWING NUMBERS

PART NO. AS CONFIGURED (SHEET 2)

DATE
09-28-11

CHK'D
MTV

DRAWING NO.
F70150BA-DC
SHEET 1 OF 2

SIZE
A

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
01	02-01-12	EFK	MTV	RELEASED FOR PRODUCTION	F70150BA-DC	MTV	RWB		

PANDUIT MSFP HYBRID AND JUMPER PATCHCORDS PART NUMBERING MATRIX

F N M L E 2

FIBER SIZE

X - 10GbE OM3
Z - 10GbE OM4

QUALITY

N - STANDARD

CONNECTOR TYPE #1

LC - LC DUPLEX WITH 1.6mm AQUA BOOT
ML - MSFP (LC DUPLEX) WITH 1.6mm AQUA BOOT

CONNECTOR TYPE #2

ML - MSFP (LC DUPLEX) WITH 1.6mm AQUA BOOT

JACKET DIAMETER

E - 1.6mm AQUA JACKET

FIBER COUNT

2 - DUPLEX ZIP

JACKET RATING

R - OFNR (RISER)
P - OFNP (PLENUM)
L - LSZH (LOW SMOKE-ZERO HALOGEN)

UNIT OF MEASURE

F - FEET
M - METERS


LENGTH

01-999

DUPLEX MSFP HYBRID AND JUMPER PATCHCORDS CUSTOMER DRAWING



PANDUITTM
CORP.
TINLEY PARK, ILL 60477



ALL DIMENSIONS ARE GIVEN IN INCHES,
UNLESS OTHERWISE SPECIFIED.
DIMENSIONAL TOLERANCES ARE:
(.X) (.XXX) ± .010 (0.3)
(.XX) ± .03 (0.8) ANGLES

DRAWING FILENAME	
F70150BA_DC/03A	
SCALE	
NONE	
PART NO. AS CONFIGURED (THIS SHEET)	
DRAWING NO.	SIZE
F70150BA-DC	A
SHEET 2 OF 2	

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
01	02-01-12	EFK	MTV	RELEASED FOR PRODUCTION	F70150BA-DC	MTV	RWB		

DRAWN BY	EFK
DATE	09-28-11
CHK'D	MTV

REVIEW DRAWING NUMBERS

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Wire Ducting](#) category:

Click to view products by [Panduit](#) manufacturer:

Other Similar products are found below :

[66200A-10](#) [CVED32VEPG](#) [CVED40VEPG](#) [F512D5-5F140Y](#) [F512D5-5F200Y](#) [F512D5-5F26Y](#) [F512D5-5F30Y](#) [F512D5-5F33Y](#) [F512D5-5F34Y](#) [F512D5-5F45Y](#) [F512D5-5F50Y](#) [F512D5-5F54Y](#) [F512D5-5F66Y](#) [F512D5-5F70Y](#) [F512D5-5F75Y](#) [F512D5-5F90Y](#) [F612D5-5F100Y](#) [F612D5-5F130Y](#) [F612D5-5F50Y](#) [F612D5-5F56Y](#) [F612D5-5F58Y](#) [F6L12D5-5F46](#) [F912D5-5F11Y](#) [F912D5-5F170Y](#) [F912D5-5F175Y](#) [F912D5-5F230Y](#) [F912D5-5F300Y](#) [F912D5-5F55Y](#) [F912D5-5F56Y](#) [F912D5-5F63Y](#) [F912D5-5F6Y](#) [F912D5-5F75Y](#) [F912D5-5F85Y](#) [F912D5-5F86Y](#) [F912D5-5F88Y](#) [F912D5-5F96Y](#) [FAP0047WBLMTP](#) [FAP12WBRDRDDLZ](#) [FAP12WDYLYLDLZ](#) [FAP12WEORORDLZ](#) [FAP6WEORORDLZ](#) [FAP6WFDBDBDLZ](#) [FAP8WEORORDLZ](#) [FCE2UWCL](#) [800A-LB](#) [802A-ECSP](#) [802I-ICSP](#) [FJQADH](#) [FJQFXT](#) [PED10](#)