

# Aluminum Signs

## specifications

Aluminum signs shall be designed for use in light indoor or harsh outdoor environments. These signs shall be constructed of nominal 0.040" aluminum material and shall have an outdoor durability rating of 5 - 8 years. These signs shall be temperature rated to -40°F to 230°F (-40°C to 110°C) for reliability in the most demanding environments.



## technical information

<b>Material:</b>	Nominal 0.040" aluminum
<b>Type:</b>	3000 series aluminum or similar
<b>Thickness:</b>	(ASTM D 1593) Total = 0.035" (0.89mm)
<b>Durability:</b>	5 – 8 years outdoor
<b>Abrasion resistance:</b>	(Method 5306 of U.S. Federal Test Method Std. No. 191A) CS-10 wheels, 1000g Legend withstands up to 650 cycles.
<b>Service temperature:</b>	-40°F to 230°F (-40°C to 110°C)

## key features and benefits

<b>Strong aluminum material</b>	Designed for use with medium and larger size signs for enhanced reliability
<b>Pre-printed legends with overlamine</b>	Delivers excellent durability to withstand high temperatures and harsh conditions; ideal for indoor and outdoor use
<b>Available in sizes up to 24.00"W X 18.00"H</b>	Provides larger fonts for quick visual identification in the workplace
<b>Custom print options</b>	Allows aluminum signs to be created with customized headers and legends in four different sizes

## applications

Panduit Aluminum Signs can be used in any industrial, utility, commercial, or institutional environment to visually identify the workplace.

These can be used as safety, utility, information, and/or equipment warning signs to help achieve workplace safety.

### Aluminum Signs

<b>10.00" W x 7.00" H</b> (254.0mm x 177.8mm)	PAS0710D72
<b>14.00" W x 10.00" H</b> (355.6mm x 254.0mm)	PAS1014D73 PAS1014D79
<b>20.00" W x 14.00" H</b> (508.0mm x 355.6mm)	PAS1420D75
<b>24.00" W x 18.00" H</b> (609.6mm x 457.2mm)	PAS1824D72

### Custom Printed Aluminum Signs

<b>10.00" W x 7.00" H</b> (254.0mm x 177.8mm)	GPAS0710*
<b>14.00" W x 10.00" H</b> (355.6mm x 254.0mm)	GPAS1014*
<b>20.00" W x 14.00" H</b> (508.0mm x 355.6mm)	GPAS1420*
<b>24.00" W x 18.00" H</b> (609.6mm x 457.2mm)	GPAS1824*

\*Replace asterisks at the end of part number with the designation for the type of sign option desired; see order form GA-0053 for additional ordering information.

# Aluminum Signs

## Pre-Printed Aluminum signs



PAS0710D72  
PAS1824D72



PAS1014D73



PAS1420D75



PAS1014D79

Part Number	Width (A)		Height (B)		Hole Spacing Width (C)		Hole Spacing Height (D)	
	(In.)	(mm)	(In.)	(mm)	(In.)	(mm)	(In.)	(mm)
PAS0710D72	10.00	254.0	7.00	177.8	9.50	241.3	6.50	165.10
PAS1014D73	14.00	355.6	10.00	254.0	13.50	342.9	9.50	241.3
PAS1014D79	14.00	355.6	10.00	254.0	13.50	342.9	9.50	241.3
PAS1420D75	20.00	508.0	14.00	355.6	19.50	495.3	13.50	342.9
PAS1824D72	24.00	609.6	18.00	457.2	23.50	596.9	17.50	444.5

## Sign Headers, Colored Blanks, and Text Options for Printing Custom Aluminum Signs



\*D



\*W



\*N



\*C




\*D-A



\*C-A




\*W-A



\*B-BO



\*B-BW




\*B-BY



\*B-RW

Part Number	Width (A)		Height (B)		Hole Spacing Width (C)		Hole Spacing Height (D)	
	(In.)	(mm)	(In.)	(mm)	(In.)	(mm)	(In.)	(mm)
GPAS0710*	10.00	254.0	7.00	177.8	9.50	241.3	6.50	165.10
GPAS1014*	14.00	355.6	10.00	254.0	13.50	342.9	9.50	241.3
GPAS1420*	20.00	508.0	14.00	355.6	19.50	495.3	13.50	342.9
GPAS1824*	24.00	609.6	18.00	457.2	23.50	596.9	17.50	444.5

\*Replace asterisks at the end of part number with the designation for the type of sign option needed; see custom order form GA-0053 for additional ordering information.



### WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA  
Markham, Ontario  
cs-cdn@panduit.com  
Phone: 800.777.3300

PANDUIT EUROPE LTD.  
London, UK  
cs-emea@panduit.com  
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.  
Republic of Singapore  
cs-ap@panduit.com  
Phone: 65.6305.7575

PANDUIT JAPAN  
Tokyo, Japan  
cs-japan@panduit.com  
Phone: 81.3.6863.6000

PANDUIT LATIN AMERICA  
Guadalajara, Mexico  
cs-la@panduit.com  
Phone: 52.33.3777.6000

PANDUIT AUSTRALIA PTY. LTD.  
Victoria, Australia  
cs-aus@panduit.com  
Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to [www.panduit.com/warranty](http://www.panduit.com/warranty)

For more information

Visit us at [www.panduit.com](http://www.panduit.com)

Contact Customer Service by email: [cs@panduit.com](mailto:cs@panduit.com)  
or by phone: 800.777.3300

**PANDUIT**

© 2013 Panduit Corp.  
ALL RIGHTS RESERVED.  
SFSP02--WW-ENG  
4/2013

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wire Ducting & Raceways](#) category:*

*Click to view products by [Panduit](#) manufacturer:*

Other Similar products are found below :

[FG5EI25-A](#) [PED12](#) [PED8](#) [PEVEP](#) [FXOE3-10M3](#) [FZD3-3M2](#) [FZLE10-10M2](#) [FZOE10-10M1](#) [FZOLE10-10M2](#) [FZPE3-10M2](#) [923223-000](#)  
[PRAF6WH-X](#) [A0405538](#) [1301150342](#) [1301230083](#) [1301150343](#) [1301230086](#) [1301240054](#) [AX101472](#) [AX102652](#) [AX102653](#) [AX102737](#)  
[S62DS](#) [S65DS](#) [S75DSH](#) [A0405536](#) [A0405537](#) [A0649869](#) [FXOD3-3M1](#) [FXOE10-10M2](#) [FZLD3-3M2](#) [FZOE3-10M1](#) [FZOE3-10M2](#)  
[FZOLE3-10M2](#) [FZOPE10-10M1](#) [FZPD3-3M2](#) [PZRFE4](#) [PZWIFIEN](#) [PZWIFIENA](#) [CNPSNH](#) [CNSPC](#) [5400ES](#) [WDLT-1216-72](#) [655287-000](#)  
[S75DS](#) [1301180028](#) [801A-LSP](#) [206461-000](#) [853425-000](#) [3066](#)