



[All Products](#) [Solutions](#) [Support](#)

[Bill of Materials](#)

Home / Products / Copper Systems / Industrial Copper Systems / Industrial Copper Cable / [IUC5C04ABL-CG-S](#)



IUC5C04ABL-CG-S [Share](#)

Copper Cable

Black Industrial, 4-pair, unshielded U/UTP; conductors are stranded, 24/7 AWG, HDPE insulation, twisted in pairs; jacket is PVC, flame retardant CM; 1000 Ft/305M reel.

[Find A Distributor](#)

Qty

[Specifications](#)

[Packaging Detail](#)

[Resources](#)

[Related Products](#)

[Top of Page](#)

Specifications

Jacket Material	Polyvinyl chloride
Maximum Installation Temperature (°C)	75
Minimum Installation Temperature (°C)	-20
Minimum Installation Temperature (°F)	-4
Part Features	Third party tested, Descending length cable markings, Packaged on a reel

Performance Level	Category 5e
RoHS Compliancy Status	Compliant
Min. Order Qty.	1,000

Packaging Detail

UPC	07498388005
Std. Pkg. Qty.	1000
Std. Pkg. Volume (cf)	1.7778
Std. Ctn. Qty.	0
Std. Ctn. Volume (cf)	0.0000

Related Products



ISFX5502ATL-LED

Category 5e, industrial, 2-pair, SF/UTP copper cable; stranded copper conductors are 24/7 AWG with PE



ISFCH5C04ABL-XG

Category 5e, industrial (CM/CMX), 4-pair, SF/UTP copper cable; stranded copper conductors are 24/7 AWG with



ISFCH5C04ATL-XG

Category 5e, industrial (CM/CMX), 4-pair, SF/UTP copper cable; stranded copper conductors are 24/7 AWG with

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Multi-Conductor Cables](#) category:

Click to view products by [Panduit](#) manufacturer:

Other Similar products are found below :

[89182-010-1000](#) [89705-008-500](#) [6000FE-877-1000](#) [CS2885-000](#) [M27500-20SP2S23](#) [6300FE-877-U1000](#) [6309UE-877-1000](#) [M3905-BK005](#)
[6502FE 8771000](#) [6541PA-008-U1000](#) [CV6807-000](#) [CW9530-000](#) [CX6543-000](#) [CXA-0066-20-4-9CS2973](#) [CXA-0078-16-1-9CS2405](#) [CXA-](#)
[0078-22-4-9CS2405](#) [CXA-0078-24-4-9CS2405](#) [CXA-0140-16-6/9-9CS2405](#) [CY0660-000](#) [720451-000](#) [752687-000](#) [768146-000](#) [773159-000](#)
[82841-877-5000](#) [83318E-009-500](#) [8348-060-500](#) [83559-002-1000](#) [83653-002-5000](#) [83659-002-1000](#) [83709-002-1000](#) [8404-060-500](#) [8469](#)
[060100](#) [858171-000](#) [8628-060-500](#) [868361-001](#) [8730-060-1000](#) [8737-060-U1000](#) [8747-060-100](#) [8747-060-1000](#) [8769-060-1000](#) [8775-060-](#)
[500](#) [8780-060-1000](#) [8782-001-U1000](#) [88444-002-1000](#) [9159-060-500](#) [939870-000](#) [9423 060U500](#) [9444 060U1000](#) [9497 0001000](#) [9515-060-](#)
[1000](#)