NetManager[™] High Capacity Horizontal Cable Managers



specifications

The high capacity horizontal cable managers shall be capable of managing high performance cable on the front and rear of any 19" EIA rack. The high capacity horizontal cable managers shall be molded plastic with bend radius fingers that protect the cable. The fingers shall be inset towards the rack to allow easy access to patch cords and terminations. Standard pass through holes shall incorporate bend radius control. Dual hinged covers shall allow access to the cable pathway.



Part Number	RU	Height in (mm)	Width in (mm)	Depth in (mm)
NM1	1	1.7 (44)	19 (482)	13.1 (332)
NM2	2	3.5 (88)	19 (482)	13.1 (332)
NM3	3	5.2 (133)	19 (482)	13.1 (332)
NM4	4	7.0 (177)	19 (482)	13.1 (332)
NMF1	1	1.7 (44)	19 (482)	6.2 (157)
NMF2	2	3.5 (88)	19 (482)	6.2 (157)
NMF3	3	5.2 (133)	19 (482)	6.2 (157)
NMF4	4	7.0 (177)	19 (482)	6.2 (157)

key features and benefits

Inset fingers	Fingers slope inward offering greater access to network cabling for easier moves, adds, and changes
Deep channel opening	Provides increased cable capacity in less rack space
Front finger spacing	Wide front finger openings easily accommodate Category 6A and Category 6 copper cables speeding installation and reducing maintenance costs
Rear finger spacing	Rear cable management finger spacing utilizes open D-rings for greater accessibility
Dual hinged cover	Opens 110 degrees to the top or bottom to provide complete access to the horizontal pathway without having to remove the cover
Flush appearance with NetRunner [™] High Capacity Vertical Cable Manager	Used together to improve data center and telecommunication room aesthetics

applications

Panduit[®] NetManager[™] High Capacity Horizontal Cable Managers provide an efficient way to manage high performance copper, fiber optic, or coaxial cables on any 19" rack. Fixed inset fingers on the front and back allow easier access to the ports for moves, adds, and changes. Fixed bend radius fingers organize and protect patch cords as they exit patch panels and as they transition into the vertical pathway. All of these features combine to

provide the user with a horizontal cable management solution that simplifies cable routing in a finished professional appearance. When used with Panduit[®] Mini-Com[®] Patch Panels, patch cords, vertical cable managers, and racks, the user receives a total system that satisfies functional and aesthetic requirements for data centers and telecommunications rooms.

2000 ministra

NetManager[™] High Capacity Horizontal Cable Managers

Front and Rear	
1 RU manager,	
front and rear:	NM1*
2 RU manager,	
front and rear:	NM2*
3 RU manager,	
front and rear:	NM3*
4 RU manager,	ININIO
front and rear:	NM4*
	111014
Front Only	
1 RU manager	
front only:	NMF1*
2 RU manager	
front only:	NMF2*
3 RU manager	
front only:	NMF3*
4 RU manager	
front only:	NMF4*
Front to Rear Pass	
Through Blanking	Panels
1 RU:	NM1B
2 RU:	NM2B
2 RU:	NM3B
4 RU:	NM4B
4 NO.	NIVI4D
NetRunner [™] Vertica	al Managers
NetRunner [™] Vertica Front and rear	al Managers
	al Managers WMPVHC45E
Front and rear	
Front and rear vertical manager:	
Front and rear vertical manager: Front only vertical manager:	WMPVHC45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails:	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30"	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24	WMPVHC45E WMPVHCF45E d R2P*
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails:	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23"	WMPVHC45E WMPVHCF45E d R2P*
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24	WMPVHC45E WMPVHCF45E d R2P* R4P^*
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24 threaded rails:	WMPVHC45E WMPVHCF45E d R2P*
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24 threaded rails: 4 post rack 7' 36"	WMPVHC45E WMPVHCF45E d R2P* R4P^*
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails:	WMPVHC45E WMPVHCF45E d R2P* R4P^*
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails: 4 post rack 7' 42"	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails: 4 post rack 7' 42" depth with #12-24	WMPVHC45E WMPVHCF45E
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails: 4 post rack 7' 42" depth with #12-24 threaded rails:	WMPVHC45E WMPVHCF45E d R2P* R4P^* R4P23^ R4P23^ R4P36^* R4P42^
Front and rear vertical manager: Front only vertical manager: Panduit Racks 2 Post EIA Standar Rack 7' 19" Width with #12-24 threaded rails: 4 post rack 7' 30" depth with #12-24 threaded rails: 4 post rack 7' 23" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails: 4 post rack 7' 36" depth with #12-24 threaded rails: 4 post rack 7' 42" depth with #12-24	WMPVHC45E WMPVHCF45E d R2P* R4P^* R4P23^ R4P23^ R4P36^* R4P42^


*Part number shown as Black. Add Suffix WH for White.

2 RU:

^ For racks with cage nut rails, add "CN" to end of part number.

PFR2

NetManager[™] High Capacity Horizontal Cable Managers



Dimensions are in inches. [Dimensions in brackets are metric.]

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT CANADA Markham, Ontario cs-cdn@panduit.com Phone: 800.777.3300 PANDUIT EUROPE LTD. London, UK cs-emea@panduit.com Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD. Republic of Singapore cs-ap@panduit.com Phone: 65.6305.7575 PANDUIT JAPAN P. Tokyo, Japan G cs-japan@panduit.com cs Phone: 81.3.6863.6000 P

PANDUIT LATIN AMERICA Guadalajara, Mexico cs-la@panduit.com Phone: 52.33.3777.6000 PANDUIT AUSTRALIA PTY. LTD. Victoria, Australia cs-aus@panduit.com Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to www.panduit.com/warranty

For more information



Visit us at www.panduit.com

Contact Customer Service by email: cs@panduit.com or by phone: 800.777.3300 ©2018 Panduit Corp. ALL RIGHTS RESERVED. Printed in the U.S.A. **RKSP149-WW-ENG** Replaces WW-RKSP23 12/2018

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wire Ducting & Raceways category:

Click to view products by Panduit manufacturer:

Other Similar products are found below :

 800A-LB
 801I-LSP
 802A-ECSP
 802I-ICSP
 923223-000
 PRAF6WH-X
 A0405538
 1301150342
 1301160034
 1301170070
 1301180011

 1301230083
 1301230153
 1301240273
 1301250006
 1302261238
 1302261321
 1302262552
 1302263103
 1302263178
 1302263259

 1302263816
 1302263860
 1302264375
 1302264390
 1301150343
 1301160030
 1301170051
 1301170061
 1301180013

 1301230086
 1301230130
 1301240054
 1302260055
 1302260376
 1302261343
 1302262674
 1302263095
 1302263166

 1302263209
 1302263513
 1302263870
 1302264137
 1302264218
 DD1/J
 AX102007
 AX102411