

A. System Overview

Pre-Printed Marker Cards PCM Type

B1. Cable Ties

- Marker cards printed in a variety of legends allows “kitting” for project builds

- Plastic liner provides easy removal of markers while protecting unused markers

B2. Cable Accessories



B3. Stainless Steel Ties

Material Chart

| Material | Print Method | Temperature Range | Features |
|--------------------|--------------|-----------------------------------|--|
| Vinyl Cloth, White | Pre-Printed | -50°F to 170°F (-46°C to 77°C) | Indoor/outdoor rated; conformable material with repositionable adhesive allows label to be removed and reused or used in temporary applications; provides durability, high temperature resistance, and dimensional stability for rough or textured surfaces; resists oil and abrasion. |

C1. Wiring Duct

| Part Number | Legend | Width | | Length | | Markers Per Card | Std. Pkg. Card(s) | Std. Ctn. Card(s) | | | | | | | |
|--------------------|--------------|-------|------|--------|-------|------------------|-------------------|-------------------|------|------|------|-------|----|----|-----|
| | | In. | mm | In. | mm | | | | | | | | | | |
| PCM-0 | 0 | 0.25 | 6.35 | 1.50 | 38.1 | 36 | 25 | 100 | | | | | | | |
| thru | thru | | | | | | | | | | | | | | |
| PCM-99 | 99 | | | | | | | | | | | | | | |
| PCM-100 | 100 | 0.36 | 9.14 | 1.50 | 38.1 | 25 | 25 | 100 | | | | | | | |
| thru | thru | | | | | | | | | | | | | | |
| PCM-202 | 202 | | | | | | | | | | | | | | |
| PCMH-0 | 0 | 0.25 | 6.35 | 1.50 | 38.1 | 72 | 25 | 100 | | | | | | | |
| thru | thru | | | | | | | | | | | | | | |
| PCMH-25 | 25 | | | | | | | | | | | | | | |
| PCM-1-3 | 1 thru 3 | 0.25 | 6.35 | 1.50 | 38.10 | 36 | 25 | 100 | | | | | | | |
| PCM-1-4 | 1 thru 4 | | | | | | | | | | | | | | |
| PCM-1-5 | 1 thru 5 | | | | | | | | | | | | | | |
| PCM-1-6 | 1 thru 6 | | | | | | | | | | | | | | |
| PCM-1-8 | 1 thru 8 | | | | | | | | | | | | | | |
| PCM-1-9 | 1 thru 9 | | | | | | | | | | | | | | |
| PCM-0-9 | 0 thru 9 | | | | | | | | | | | | | | |
| PCM-1-10 | 1 thru 10 | | | | | | | | | | | | | | |
| PCM-1-12 | 1 thru 12 | | | | | | | | | | | | | | |
| PCM-1-16 | 1 thru 16 | | | | | | | | | | | | | | |
| PCM-1-18 | 1 thru 18 | | | | | | | | | | | | | | |
| PCM-19-36 | 19 thru 36 | | | | | | | | | | | | | | |
| PCM-1-33 | 1 thru 33 | | | | | | | | 0.27 | 6.91 | 1.50 | 38.10 | 33 | 25 | 100 |
| PCM-34-66 | 34 thru 66 | | | | | | | | | | | | | | |
| PCM-67-99 | 67 thru 99 | | | | | | | | | | | | | | |
| PCM-100-124 | 100 thru 124 | | | | | | | | | | | | | | |
| PCM-125-149 | 125 thru 149 | | | | | | | | | | | | | | |
| PCM-150-174 | 150 thru 174 | | | | | | | | | | | | | | |
| PCM-175-199 | 175 thru 199 | | | | | | | | | | | | | | |
| PCM-200-224 | 200 thru 224 | | | | | | | | | | | | | | |
| PCM-225-249 | 225 thru 249 | | | | | | | | | | | | | | |
| PCM-250-274 | 250 thru 274 | | | | | | | | | | | | | | |
| PCM-275-299 | 275 thru 299 | | | | | | | | | | | | | | |
| PCM-300-324 | 300 thru 324 | 0.36 | 9.14 | 1.50 | 38.10 | 25 | 25 | 100 | | | | | | | |
| PCM-325-349 | 325 thru 349 | | | | | | | | | | | | | | |
| PCM-350-374 | 350 thru 374 | | | | | | | | | | | | | | |
| PCM-375-399 | 375 thru 399 | | | | | | | | | | | | | | |
| PCM-400-424 | 400 thru 424 | | | | | | | | | | | | | | |
| PCM-425-449 | 425 thru 449 | | | | | | | | | | | | | | |
| PCM-450-474 | 450 thru 474 | | | | | | | | | | | | | | |
| PCM-475-499 | 475 thru 499 | | | | | | | | | | | | | | |
| PCM-500-524 | 500 thru 524 | | | | | | | | | | | | | | |

C2. Surface Raceway




PCM-7

C3. Abrasion Protection

C4. Cable Management

D1. Terminals



PCM-1-6

D2. Power Connectors

D3. Grounding Connectors

E1. Labeling Systems

E2. Labels

E3. Pre-Printed & Write-On Markers

E4. Permanent Identification

E5. Lockout/Tagout & Safety Solutions

F. Index

Pre-Printed Marker Cards PCM Type (continued)



PCM-A1

| Part Number | Legend | Width | | Length | | Markers Per Card | Std. Pkg. Card(s) | Std. Ctn. Card(s) |
|--------------------------|----------------------|-------|------|--------|------|------------------|-------------------|-------------------|
| | | In. | mm | In. | mm | | | |
| PCM-A thru PCM-Z | A thru Z | 0.25 | 6.35 | 1.50 | 38.1 | 36 | 25 | 100 |
| PCM-A-Z | A thru Z | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-A-Z-0-9 | A thru Z 0 thru 9 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-A1 thru PCM-A4 | A1 thru A4 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-B1 thru PCM-B5 | B1 thru B5 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-C1 thru PCM-C4 | C1 thru C4 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-E1 thru PCM-E3 | E1 thru E3 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-F1 thru PCM-F4 | F1 thru F4 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-H1 thru PCM-H5 | H1 thru H5 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-L1 thru PCM-L5 | L1 thru L5 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-M1 thru PCM-M2 | M1 thru M2 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-P1 thru PCM-P3 | P1 thru P3 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-R1 thru PCM-R5 | R1 thru R5 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-S1 thru PCM-S5 | S1 thru S5 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-T1 thru PCM-T9 | T1 thru T9 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |
| PCM-X1 thru PCM-X4 | X1 thru X4 | 0.25 | 6.35 | 1.50 | 38.1 | | 25 | 100 |

Table continues on page E3.6

A.
System
Overview

B1.
Cable Ties

B2.
Cable
Accessories

B3.
Stainless
Steel Ties

C1.
Wiring
Duct

C2.
Surface
Raceway

C3.
Abrasion
Protection

C4.
Cable
Management

D1.
Terminals

D2.
Power
Connectors

D3.
Grounding
Connectors

E1.
Labeling
Systems

E2.
Labels

E3.
Pre-Printed
& Write-On
Markers

E4.
Permanent
Identification

E5.
Lockout/
Tagout
& Safety
Solutions

F.
Index

A. System Overview

Pre-Printed Marker Cards PCM Type (continued)

B1. Cable Ties

B2. Cable Accessories

B3. Stainless Steel Ties

C1. Wiring Duct

C2. Surface Raceway

C3. Abrasion Protection

C4. Cable Management

D1. Terminals

D2. Power Connectors

D3. Grounding Connectors

E1. Labeling Systems

E2. Labels

E3. Pre-Printed & Write-On Markers

E4. Permanent Identification


E5. Lockout/Tagout & Safety Solutions

F. Index



PCM-1T1

| Part Number | Legend | Width | | Length | | Markers Per Card | Std. Pkg. Card(s) | Std. Ctn. Card(s) |
|-------------|--------|-------|------|--------|-------|------------------|-------------------|-------------------|
| | | In. | mm | In. | mm | | | |
| PCM-1L1 | 1L1 | | | | | 25 | 25 | 100 |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-1L3 | 1L3 | | | | | | 25 | 100 |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-2L1 | 2L1 | | | | | | 25 | 100 |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-2L3 | 2L3 | | | | | | 25 | 100 |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCMH-3L1 | 3L1 | | | | | | 25 | 100 |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCMH-3L3 | 3L3 | | | | | | 25 | 100 |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-4L1 | 4L1 | | | | | 25 | 100 | |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-4L3 | 4L3 | | | | | 25 | 100 | |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-1T1 | 1T1 | | | | | 25 | 100 | |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-1T3 | 1T3 | | | | | 25 | 100 | |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-3T1 | 3T1 | | | | | 25 | 100 | |
| thru | thru | 0.36 | 9.14 | 1.50 | 38.10 | | | |
| PCM-3T3 | 3T3 | | | | | | | |



| Part Number | Color | Width | | Length | | Markers Per Card | Std. Pkg. Card(s) | Std. Ctn. Card(s) |
|-------------|-------------|-------|------|--------|-------|------------------|-------------------|-------------------|
| | | In. | mm | In. | mm | | | |
| PCM-BLK | Black | .25 | 6.35 | 1.50 | 38.10 | 36 | 25 | 100 |
| PCM-BRN | Brown | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-DBL | Dark Blue | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-DGN | Dark Green | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-GRY | Gray | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-LBL | Light Blue | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-LGN | Light Green | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-ORN | Orange | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-PNK | Pink | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-PUR | Purple | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-RED | Red | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-TAN | Tan | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-WHT | White | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |
| PCM-YEL | Yellow | .25 | 6.35 | 1.50 | 38.10 | | 25 | 100 |

Marker size:

Full size marker – 1.50" (38.10mm). Maximum wire O.D., .38" (9.50mm).

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Wire Labels & Markers](#) category:

Click to view products by [Panduit](#) manufacturer:

Other Similar products are found below :

[89078GBEST](#) [89082GBESR](#) [89082GBEST](#) [PCL025-4](#) [5761-2SF](#) [58400](#) [586R734H02](#) [M1.040.0000.6](#) [CRS-CM5M](#) [CRS-M18M](#) [CS1836-000](#) [CS8626-000](#) [CU6337-000](#) [CU6342-000](#) [CU6343-000](#) [CWD01-0](#) [CWD012-0](#) [CWD012-7](#) [CWD015-3](#) [CWD015-7](#) [CWD02-0](#) [CWD02-3](#) [CWD02-4](#) [CWD02-6](#) [CWD02-8](#) [CWD02-A](#) [CWD02-D](#) [CWD02-H](#) [CWD02-K](#) [CWD02-L](#) [CWD02-M](#) [CWD02-P](#) [CWD02-Q](#) [CWD02-R](#) [CWD02-U](#) [CWD02-W](#) [CWD02-Y](#) [CWD03-+](#) [CWD03-0](#) [CWD03-P](#) [CWD06-0](#) [CWD06-8](#) [CWD06-9](#) [CWD06-L](#) [CWD06-N](#) [CWD09-0](#) [CWD09-5](#) [CWD09-7](#) [6806810001](#) [CZ2857-000](#)