

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES:


1. LOOM LENGTH (L) IS DEFINED AS THE MAXIMUM LENGTH FOR ANY CASSETTE, JACK, PLUG, OR UN-TERMINATED END CONFIGURATION.
2. THE LOOM LABELS CONTAIN AN 18-CHARACTER FIELD FOR CUSTOM TEXT, LOOM PART NUMBER, LOOM LENGTH AND CABLE PERFORMANCE, AND A UNIQUE LOOM SERIAL NUMBER.
3. THE CABLE LABELS CONTAIN THE CABLE #1-6 OR UP TO 15 CHARACTERS OF CUSTOM TEXT.
4. EACH CABLE IS PRINTED WITH NUMBERS 1-6 ALONG THE ENTIRE LENGTH OF THE LOOM FOR EASY IDENTIFICATION.
5. PLASTIC CASSETTES ARE COMPATIBLE WITH QPP/QAPP FAMILY OF QUICKNET PATCH PANELS. DIE CAST CASSETTES ARE COMPATIBLE WITH QSP/QASP FAMILY OF QUICKNET PATCH PANELS.

LOOM LENGTH (L)	LENGTH TOLERANCE
10-100 FT. (3-30M)	+6"/-0" (+.15M/-0)
101-200 FT. (31-60M)	+12"/-0" (+.3M/-0)
201-295 FT. (61-90M)	+24"/-0" (+.6M/-0)

A

B

C



C SHOWN FOR EXAMPLE CONFIGURATION. SEE OPTIONS ON PAGE 3

SIZE

A

DRAWING FILENAME M02582CG_DC34/00C

QuickNET PRE-TERM CABLE ASSEMBLY CUSTOMER DRAWING

PANDUIT™ CORP.
TINLEY PARK, ILL 60477


ALL DIMENSIONS ARE GIVEN IN INCHES, UNLESS OTHERWISE SPECIFIED.
DIMENSIONAL TOLERANCES ARE:
(.X) ±.03 (.XXX) ±.005
(.XX) ±.01 ANGLES ± 1°

THIRD ANGLE PROJECTION
DRAWN BY MDJr
DATE 12-14-06
REVIEW DRAWING NUMBERS
PART NO. SEE SHEET 3

CHK'D WFM1
MAT'L
DRAWING NO. 02582-34 SHEET 1 OF 3

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
I	4-1-10	BJN	CEF	D. ADDED KEYED & SD OPTIONS ON SH3 B. REVD NOTE 5 C. ADDED EXAMPLE CONFIG A. ADDED METRIC CONVERSION	02582-34	CEF		CEF	CEF
R	3-18-08	MDJr	WFM1	RELEASED TO PRODUCTION	02582-34		TRW		

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



QUICKNET PRE-TERMINATED SOLUTION	PERFORMANCE LEVEL	FIRE RATING	CABLE COLOR
Q	A-UTP CAT 6A	P-PLENUM	B-BLUE
OK (OUICKNET KEYPED JACKS)	B-UTP CAT 6e	R-RISER	W-WHITE
	C-UTP CAT 6	L-LSZH	G-GREEN
	D-UTP CAT 5e	C-CM	Y-YELLOW
	E-STP CAT6A U/FTP		R-RED
	F-STP CAT 6 JACKS		I-INT. GRAY
	H-SHIELDED CAT6A S/FTP (IEEA ONLY)		L-BLACK
	I-SHIELDED CAT6A S/FTP (IEEA ONLY)		O-ORANGE
	J-SHIELDED CAT6A E/UTP (IEEA ONLY)		D-DARK GRAY
	K-SHIELDED CAT6A S/FTP (IEEA ONLY)		
	L-SHIELDED CAT6 E/UTP (IEEA ONLY)		
	N-UTP CAT6A 3 CABLE LOOM		
	O-UTP CAT6A 2 CABLE LOOM		
	P-UTP CAT6A 4-WAY		
	Q-UTP CAT6e 4-WAY		
	R-UTP CAT 6 4-WAY		
	S-UTP CAT 5e 4-WAY		
	T-UTP CAT6A U/FTP		
	U-STP CAT6A PATCH CORD CABLE		
	V-UTP CAT6A PATCH CORD CABLE		
	X-UTP CAT6A SD MATRIX CABLE		
	Y-		
	Z-UTP CAT6A MATRIX CABLE		

TERMINATION TYPE	JACK COLOR
C-CASSETTE	A-ARCTIC WHITE(AW)
J-JACK NO STAGGER	H-OFF WHITE(IW)
L-JACK STAGGER LT.	E-ELECTRIC IVORY
K-JACK STAGGER RT.	W-WHITE(WH)
P-PLUG NO STAGGER	I-INTERNATIONAL GRAY
S-PLUG STAGGER LT.	L-BLACK (FOR SHIELDED)
O-PLUG STAGGER RT.	O-ORANGE
T-PLUG STAGGER RT. FOR CISCO SWITCH	R-RED
V-PLUG STAGGER LT. FOR CISCO SWITCH	B-BLUE
	G-GREEN
	Y-YELLOW
	V-VIOLET
	T-TRI-COLOR
	X-IF NOT A JACK

TERMINATION TYPE	JACK COLOR
J-JACK NO STAGGER	H-OFF WHITE(IW)
L-JACK STAGGER LT.	E-ELECTRIC IVORY
K-JACK STAGGER RT.	W-WHITE(WH)
P-PLUG NO STAGGER	I-INTERNATIONAL GRAY
S-PLUG STAGGER LT.	L-BLACK (FOR SHIELDED)
O-PLUG STAGGER RT.	O-ORANGE
T-PLUG STAGGER RT. FOR CISCO SWITCH	R-RED
V-PLUG STAGGER LT. FOR CISCO SWITCH	B-BLUE
	G-GREEN
	Y-YELLOW
	V-VIOLET
	T-TRI-COLOR
	X-IF NOT A JACK

TERMINATION TYPE	JACK COLOR
C-CASSETTE	A-ARTIC WHITE(AW)
J-JACK NO STAGGER	H-OFF WHITE(IW)
L-JACK STAGGER LT.	E-ELECTRIC IVORY
K-JACK STAGGER RT.	W-WHITE(WH)
M-MUTOA BOX	-----
N-JACKS W/CASSETTE IN SEPARATE BOX	-----
P-PLUG NO STAGGER	I-INTERNATIONAL GRAY
S-PLUG STAGGER LT.	L-BLACK (FOR SHIELDED)
O-PLUG STAGGER RT.	O-ORANGE
U-UN-TERMINATED WITH OPTIONAL CASSETTE AND JACKS	R-RED
	B-BLUE
	G-GREEN
U-UN-TERMINATED	Y-YELLOW
T-PLUG STAGGER RT. FOR CISCO SWITCH	V-VIOLET
V-PLUG STAGGER LT. FOR CISCO SWITCH	T-TRI-COLOR
	X-IF NOT A JACK
A-6 SIX PACK PLUG	B-BLUE PACK
	L-BLACK PACK
	R-RED PACK
	W-WHITE PACK
F-RECESSED PLUG PACK	

ASSEMBLY OPTIONS	LABEL OPTIONS	LENGTH OPTIONS	OVERWRAP OPTIONS
P-PULLING EYE (WILL APPEAR IF UN-TERMINATED, JACK, PLUG OR PLUG PACK)	B-BOTH CUSTOM LOOM AND CABLE LOOMS	10-295 FT. INCREMENTS OF ONE FOOT	BLANK-LOOMED
X-NO LOOM OPTIONS	C-CUSTOM CABLE LABEL UP TO 15 CHARACTERS	3M-90M	T-TAK-TY
S-TSB 155 INTERNAL TESTING ONLY	L-CUSTOM LOOM LABEL UP TO 18 CHARACTERS	IF IN METERS, NUMBER SHOWN AS LENGTH IS FOLLOWED BY "M" EXAMPLE: 90 METERS IS 90M	E-EXPANDABLE SLEEVING
A-TS88A TERMINATION FOR CAT6 & 6A	X-NO CUSTOM LABELS	PLACE A "0" AFTER THE "M" TO INDICATE ZERO ADDITIONAL LENGTH. PLACE A "5" AFTER THE "M" TO INDICATE 0.5M ADDITIONAL LENGTH. 1.E.: 90M: 90 METERS LONG 90M5: 90.5 METERS LONG	


ASSEMBLY OPTIONS	LABEL OPTIONS	LENGTH OPTIONS	OVERWRAP OPTIONS
P-PULLING EYE (WILL APPEAR IF UN-TERMINATED, JACK, PLUG OR PLUG PACK)	B-BOTH CUSTOM LOOM AND CABLE LOOMS	10-295 FT. INCREMENTS OF ONE FOOT	BLANK-LOOMED
X-NO LOOM OPTIONS	C-CUSTOM CABLE LABEL UP TO 15 CHARACTERS	3M-90M	T-TAK-TY
S-TSB 155 INTERNAL TESTING ONLY	L-CUSTOM LOOM LABEL UP TO 18 CHARACTERS	IF IN METERS, NUMBER SHOWN AS LENGTH IS FOLLOWED BY "M" EXAMPLE: 90 METERS IS 90M	E-EXPANDABLE SLEEVING
A-TS88A TERMINATION FOR CAT6 & 6A	X-NO CUSTOM LABELS	PLACE A "0" AFTER THE "M" TO INDICATE ZERO ADDITIONAL LENGTH. PLACE A "5" AFTER THE "M" TO INDICATE 0.5M ADDITIONAL LENGTH. 1.E.: 90M: 90 METERS LONG 90M5: 90.5 METERS LONG	

*NOTE: THE LENGTH OPTIONS FOR THE SD TYPE PRODUCTS I.E., OX____, WILL BE 10-195 FT (3-60M)

*CONSULT FACTORY FOR AVAILABLE CONFIGURATIONS

DRAWING FILENAME		M02582CG_DC34/00C	SIZE A
<i>QuickNet</i> PRE-TERM CABLE ASSEMBLY CUSTOMER DRAWING			
		PANDUIT TM CORP. TINLEY PARK, ILL 60477	I.I. NUMBER
THIRD ANGLE PROJECTION		ALL DIMENSIONS ARE GIVEN IN INCHES, UNLESS OTHERWISE SPECIFIED.	PRODUCT SPEC/ PKG SPEC
DIMENSIONAL TOLERANCES ARE: (.X) ±.03 (.XXX) ±.005 (.XX) ±.01 ANGLES ± 1°		ASSY METHOD/ TEST METHOD	SCALE
DRAWN BY MDJr		REVIEW DRAWING NUMBERS	NONE
DATE 12-14-06		MAT'L	PART NO. SEE TABLES
CHK'D WFM1			DRAWING NO. 02582-34 SHEET 3 OF 3



REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
I	4-1-10	BJN	CEF	SEE SHEET 1 FOR CHANGES.	02582-34	CEF		CEF	CEF
R	3-18-08	MDJr	WFM1	SEE SHEET 1 FOR CHANGES.	02582-34		TRW		



FOR CISCO SWITCH (PLUG ONLY)	PLUG OR JACK	PLUG OR JACK	FOR CISCO SWITCH (PLUG ONLY)
---------------------------------	--------------	--------------	---------------------------------

STAGGER LEFT OPTION (END 1 AND/OR END 2)		STAGGER RIGHT OPTION (END 1 AND/OR END 2)	
---	--	--	--

**PLUG PACK OPTION
(END 2 ONLY)**



**PULLING EYE OPTION
(END 2 ONLY)**

MODEL FILENAME	SIZE
DRAWING FILENAME	A
M02582CG_DC34/00C	

QuickNET PRE-TERM CABLE ASSEMBLY
CUSTOMER DRAWING

<p>PANDUIT™ CORP. TINLEY PARK, ILL 60477</p>	I.I. NUMBER
	PRODUCT SPEC/ PKG SPEC
<p>THIRD ANGLE PROJECTION</p>	ASSY METHOD/ TEST METHOD
	SCALE NONE

DRAWN BY MDJr	REVIEW DRAWING NUMBERS	PART NO. SEE SHEET 3
DATE 12-14-06	MAT'L	DRAWING NO. 02582-34 SHEET 2 OF 3
CHK'D WFM1		

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
I	4-1-10	BJN	CEF	SEE SHEET 1 FOR CHANGES.	02582-34	CEF		CEF	CEF
R	3-18-08	MDJr	WFM1	SEE SHEET 1 FOR CHANGES.	02582-34		TRW		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [Panduit](#) manufacturer:

Other Similar products are found below :

[0152660053](#) [603020002](#) [73-7797-25](#) [73-8890-10](#) [73-8890-14](#) [73-8891-14](#) [73-8891-25](#) [73-8892-50](#) [73-8894-10](#) [73-8894-3](#) [73-8895-14](#) [73-8896-7](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [9QA0-111-12-3.00](#) [1200650742](#) [1200700174](#) [1200860368](#) [1200650013](#) [1201080008](#) [1-21919-1](#) [1300500373](#) [1300101844](#) [1300101845](#) [130050-0004](#) [1300500014](#) [1410147](#) [E16A06002M030](#) [E200102-009-S1](#) [MT14-187L](#) [17-103530](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#) [NK5EPC1GRY](#) [NK5EPC30BLY](#) [NK5EPC30VLY](#) [NK5EPC30YLY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [NK6PC30BUY](#) [NK6PC30GRY](#) [NK6PC30RDY](#) [NK6PC30Y](#) [NK6PC30YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#)