


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PLUG PACK	CUSTOMER DRAWING#
6-POSITION	02802-19
8-POSITION	02802-25
12-POSITION	02802-26
RECESSED	03073-06

NOTES:

1. HARNESS IS AVAILABLE IN PLUG PACK/CASSETTE OR LOOSE JACK AND PLUG/CASSETTE OR LOOSE JACK CONFIGURATIONS. SEE CHART ON SHEET 4 FOR PRODUCT OPTIONS.
2. PATCH CORDS ARE BUNDLED USING HLS VELCRO STRAPS AT 12" [305mm] SPACING.
3. EACH PATCH CORD IS SEQUENTIALLY NUMBERED AT BOTH ENDS WITH PORT I.D. LABELS.
4. PATCH CORD I.D. LABELS CONTAIN PATCH CORD PERFORMANCE, PART#, LENGTH (L), AND QC#.
5. PLUG PACK I.D. LABELS AND PLFIMA MARKER TIES ARE INCLUDED FOR CUSTOMER APPLIED SWITCH AND PORT IDENTIFICATION. FOR PRINTABLE LABEL OPTIONS, REFER TO PANDUIT C125X030FJJ, C125X030YPT AND C125X030FJC.
6. CORDS ARE 100% PERFORMANCE TESTED.
7. SEE CATALOG FOR OPTIONAL REMOVAL TOOL (QPRT) AND LOCK-IN DEVICE (QPPLD*)




QPC*****
6-CABLE ASSEMBLY
PLUG PACK TO
CASSETTE SHOWN

PART NUMBER	QPC*****;QPJ*****	PRODUCT SPEC/PKG SPEC	N/A
I.I. NUMBER	N/A	WORK INSTRUCTION	N/A
TITLE			
QUICKNET SWITCH PORT HARNESS			
CUSTOMER DRAWING			
ITEM REVISION NAME		M02802ES/00	
DATASET FILE NAME		M02802ES_DC43/00D	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]		MATERIAL:	
.x ± .1 [2.54] .xxx ± .005 [.127]		DRAWING NUMBER: 02802-43	
.xx ± .01 [.25] ANGLES ± 5 °			
		THIRD ANGLE PROJECTION	
DRAWN BY	DATE	CHK	SCALE
BJN	12-19-13	WFMI	NONE
SHT 1 OF 4			SIZE A


REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
3	12-11-18	BJN	SGO	TMBA	REMOVED LENGTH TOLERANCE FROM DRAWING DIMENSIONS ADDED AS NOTE ON PAGE 4	02802-43
2	8-22-18	MDJR	ROJC	SRSE	C. UPDATED MATRIX ON SHEET 4 TO MATCH AVAILABLE OPTIONS.	02802-43
1	1/28/14	BJN	WFMI	TMBA	B. CORRECTED DATE ON TITLE BLOCK ON SH2 A. CORRECTED TITLE BLOCK ON SH3 TO READ CUSTOMER DWG	02802-43
R	12-19-13	BJN	WFMI	TMBA	RELEASED TO PRODUCTION	02802-43

D10100DA/14

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



PLUG PACK END



CASSETTE LABEL
(BOTH CASSETTES)

CASSETTE END

QPC*****
12-CABLE ASSEMBLY WITH
CASSETTES (SD CASSETTE SHOWN
FOR 28AWG CABLE ONLY)

PART NUMBER	PRODUCT SPEC/PKG SPEC
QPC***** ; QPJ*****	N/A
I.I. NUMBER	WORK INSTRUCTION
N/A	N/A

TITLE	QUICKNET SWITCH PORT HARNESS
CUSTOMER DRAWING	
ITEM REVISION NAME	M02802ES/00

DATASET FILE NAME	M02802ES_DC43/00D	PANDUIT
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm)		


.x ± .1 [2.54]	.xxx ± .005 [.127]	DRAWING NUMBER: 02802 - 43
.xx ± .01 [.25]	ANGLES ± 5 °	
THIRD ANGLE PROJECTION		

DRAWN BY	DATE	CHK	SCALE	SHT 2 OF 4	SIZE
BJN	12-19-13	WFMI	NONE		A

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
3	12-11-18	BJN	SGO	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43
2	8-22-18	MDJR	ROJC	SRSE	SEE SHEET 1 FOR REVISION HISTORY	02802-43
1	1-28-14	BJN	WFMI	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43
R	12-19-13	BJN	WFMI	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43

D10100DA/14

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



(QPJ*****) 6-CABLE ASSEMBLY PLUG PACK TO LOOSE JACKS SHOWN

PART NUMBER	QPC***** ; QPJ*****	PRODUCT SPEC/PKG SPEC	N/A
I.D. NUMBER	N/A	WORK INSTRUCTION	N/A

TITLE	QUICKNET SWITCH PORT HARNESS
	CUSTOMER DRAWING

ITEM REVISION NAME	M02802ES/00
DATASET FILE NAME	M02802ES_DC43/00D

UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]	MATERIAL:
.x ± .1 [2.54] .xxx ± .005 [.127]	
.xx ± .01 [.25] ANGLES ± 5 °	
THIRD ANGLE PROJECTION	DRAWING NUMBER: 02802-43

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
3	12-11-18	BJN	SGO	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43
2	8-22-18	MDJR	ROJC	SRSE	SEE SHEET 1 FOR REVISION HISTORY	02802-43
1	1-28-14	BJN	WFMI	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43
R	12-19-13	BJN	WFMI	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43

DRAWN BY	DATE	CHK	SCALE	SHT 3 OF 4	SIZE
BJN	12-19-13	WFMI	NONE		A

D10100DA/14


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

QUICKNET SWITCH HARNESS (QPC/QPJ SERIES) - PART NUMBER SET-UP

BASIC PART NUMBER FORMAT

POSITION IN P/N	1	2	3	4	5	6	7	8	9	10	11
DESCRIPTION	QUICKNET HARNESS ASSEMBLY			CABLE PERFORMANCE LEVEL	CABLE FLAME/ SMOKE RATING	CABLE COLOR	PLUG PACK CONFIGURATION	PLUG PACK COLOR	JACK COLOR	ASSEMBLY LENGTH IN FT/M	
EXAMPLE	QPC			S	D	B	A	B	B	05	
OPTIONS	QPC QUICKNET PATCH CORD ASSEMBLY WITH CASSETTE QPJ QUICKNET PATCH CORD ASSEMBLY WITH LOOSE JACKS			C - CAT 6 UTP	C - CM	B - BLUE	A - 6 POSITION	B - BLUE	B - BLUE	05=5 FEET	
				D - CAT 5e UTP	L - LOW SMOKE ZERO HALOGEN (LSZH)	W - WHITE	B - 12 POSITION	W - WHITE	W - WHITE	07=7 FEET	
				E - CAT 6A (10Gig)/ CAT 6 STP	D - DUAL RATING (MEETS BOTH CM AND LSZH)	G - INTERNATIONAL GRAY (FOR STP ONLY)	D - 8 POSITION FOR QPJ ONLY	R - RED	R - RED	10=10 FEET	
				S - CAT 6 SD UTP (28AWG) USE SD CASSETTE		N - GREEN	R - 6 POSITION RECESSED	L - BLACK	L - BLACK (ALL STP JACKS)	14=14 FEET	
				T - CAT 5e SD UTP (28AWG) USE SD CASSETTE		R - RED	P - TWO 6 POSITION ON 12 CABLE HARNESS	S - SILVER (RECESSED ONLY)		20=20 FEET	
				U - CAT 6A SD UTP (28AWG)		Y - YELLOW	S - TWO 6 POSITION RECESSED ON 12 CABLE HARNESS	X - NO PLUG PACK	I - INTERNATIONAL GRAY	2M=2 METERS	
				V - CAT 6A SD STP (28AWG)		O - ORANGE	4 - 4 CABLES (IF NO PLUG PACK)		G - GREEN	3M=3 METERS	
				X - CAT 6A UTP MATRIX SD		V - VIOLET	6 - 6 CABLES (IF NO PLUG PACK)		Y - YELLOW	4M=4 METERS	
				A - CAT 6A UTP MATRIX		L - BLACK	8 - 8 CABLES (IF NO PLUG PACK)		O - ORANGE	5M=5 METERS	
						A - GRAY (FOR UTP SD ONLY)	W - 12 CABLES (IF NO PLUG PACK)		V - VIOLET	6M=6 METERS	
						P - PASTEL BLUE (AP ONLY)	E - (3) 8 POSITION PLUG PACK TO (4) 6 POSITION CASSETTES			#=# FEET	
						S - PASTEL GREEN (AP ONLY)	F - (4) 6 POSITION PLUG PACK TO (4) 6 POSITION CASSETTES			#M=# METERS	

*LENGTH TOLERANCE: +2'/-0" (+51mm/-0mm) FOR LENGTHS UP TO (& INCLUDING) 20 FEET (6.1m)
 +3'/-0" (+76mm/-0mm) FOR LENGTHS GREATER THAN 20 FEET (6.1m)

PART NUMBER	QPC*****;QPJ*****	PRODUCT SPEC/PKG SPEC	N/A
I.I. NUMBER	N/A	WORK INSTRUCTION	N/A
TITLE			
QUICKNET SWITCH PORT HARNESS			
CUSTOMER DRAWING			
ITEM REVISION NAME	M02802ES/00	PANDUIT	
DATASET FILE NAME	M02802ES_DC43/00D		
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]			
.x ± .1 [2.54] .xxx ± .005 [.127]		MATERIAL:	
.xx ± .01 [.25] ANGLES ± 5 °		DRAWING NUMBER:	
		02802-43	
DRAWN BY	DATE	CHK	SCALE
BJN	12-19-13	WFMI	NONE
SHT 4 OF 4			SIZE
			A

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
3	12-11-18	BJN	SGO	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43
2	8-22-18	MDJR	ROJC	SRSE	SEE SHEET 1 FOR REVISION HISTORY	02802-43
1	1-28-14	BJN	WFMI	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43
R	12-19-13	BJN	WFMI	TMBA	SEE SHEET 1 FOR REVISION HISTORY	02802-43

D10100DA/14

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Wire Ducting & Raceways](#) category:

Click to view products by [Panduit](#) manufacturer:

Other Similar products are found below :

[800A-LB](#) [801I-LSP](#) [802A-ECSP](#) [802I-ICSP](#) [923223-000](#) [PRAF6WH-X](#) [A0405538](#) [1301150342](#) [1301160034](#) [1301170070](#) [1301180011](#)
[1301230083](#) [1301230153](#) [1301240273](#) [1301250006](#) [1302261238](#) [1302261321](#) [1302262552](#) [1302263103](#) [1302263178](#) [1302263259](#)
[1302263816](#) [1302263860](#) [1302264375](#) [1302264390](#) [1301150343](#) [1301160030](#) [1301170050](#) [1301170051](#) [1301170061](#) [1301180013](#)
[1301230086](#) [1301230130](#) [1301240054](#) [1302260055](#) [1302260376](#) [1302261343](#) [1302261344](#) [1302262674](#) [1302263095](#) [1302263166](#)
[1302263209](#) [1302263513](#) [1302263851](#) [1302263870](#) [1302264137](#) [1302264218](#) [DD1/J](#) [AX101472](#) [AX102007](#)