

PatchRunner™ 2 Vertical Cable Managers

specifications

The vertical cable manager shall consist of a metal backbone with cable management fingers that align with EIA rack spacing. The fingers shall be molded out of plastic and provide integral bend radius control throughout the entire length. The backbone shall have pass through holes for front to back cabling, with the option to blank off with a plug. The manager shall accept a metal, hinged, push-to-close door that can open to the right or left. The door support brackets shall be integrated into the manager with no assembly required. The manager shall accept plastic slack management spools that can be repositioned as required. The vertical panel shall be able to manage all the cable on the rack without the aid of horizontal cable managers.



key features and benefits

| | |
|---|--|
| NEW Improved door function | “Push-to-close” door design allows for easy operation |
| NEW Dual hinged doors are included | Doors ship with managers, simplifying ordering process with less packaging waste |
| NEW Integrated door brackets | No brackets to install; faster installation while reducing labor costs |
| NEW Color options | Managers and doors are available in black and white |
| NEW High Density with increased cable capacity | Up to 17% more usable capacity over existing PRV Vertical Managers |
| Curved fingers | Support cables as they transition to vertical pathway eliminating need for horizontal managers |
| Individual fingers | Aligns with rack spaces to simplify cable routing changes |
| Integral bend radius control | Maintains cable bend radius ensuring network performance and system reliability |
| Optional snap on vertical retainers | Can be placed on fingers to help retain cables in channel for improved cable management and appearance |
| Optional slack management spools | Organize and manage patch cord slack allowing for standardization of patch cord lengths |

applications

PatchRunner™ 2 Vertical Cable Managers are designed to manage high-density networking equipment in, up to, half the area required by traditional cable management systems. Molded cable management fingers, with integral bend radius control, combine with Panduit angled patch panels to eliminate the need for horizontal cable managers. This frees up rack space for additional patch panels, active equipment, or cable pathways reducing the

number of racks that may be required for the network layout. The reduction in square footage combined with fewer components ordered, inventoried and installed results in significant cost savings for the network infrastructure. When used with Panduit connectivity, patch cords, and racks, the user receives a complete cable management solution that maximizes density while minimizing the area required for their network.

Vertical Cable Managers w/doors – 6.5 foot

| | |
|------------------------------------|------------|
| Dual-sided with two doors: | |
| 6" wide: | PR2VD0679 |
| 12" wide: | PR2VD1279 |
| Dual-sided with one door: | |
| 6" wide: | PR2VSD0679 |
| 12" wide: | PR2VSD1279 |
| Single-sided with one door: | |
| 6" wide: | PR2VFD0679 |
| 12" wide: | PR2VFD1279 |

Standard EIA Racks – 6.5 foot

| | |
|--------------|---------|
| 2 post rack: | R2P79 |
| 4 post rack: | R4P79 |
| 4 post rack: | R4PCN79 |

Vertical Cable Managers w/doors – 7 foot

| | |
|------------------------------------|------------|
| Dual-sided with two doors: | |
| 6" wide: | PR2VD06^A |
| 8" wide: | PR2VD08^A |
| 10" wide: | PR2VD10^A |
| 12" wide: | PR2VD12^A |
| Dual-sided with one door: | |
| 6" wide: | PR2VSD06^A |
| 8" wide: | PR2VSD08^A |
| 10" wide: | PR2VSD10^A |
| 12" wide: | PR2VSD12^A |
| Single-sided with one door: | |
| 6" wide: | PR2VFD06^A |
| 8" wide: | PR2VFD08^A |
| 10" wide: | PR2VFD10^A |
| 12" wide: | PR2VFD12^A |

Vertical Cable Managers w/doors – 8 foot

| | |
|------------------------------------|--------------|
| Dual-sided with two doors: | |
| 6" wide: | PR2VD0696^A |
| 8" wide: | PR2VD0896^A |
| 10" wide: | PR2VD1096^A |
| 12" wide: | PR2VD1296^A |
| Dual-sided with one door: | |
| 6" wide: | PR2VSD0696^A |
| 8" wide: | PR2VSD0896^A |
| 10" wide: | PR2VSD1096^A |
| 12" wide: | PR2VSD1296^A |
| Single-sided with one door: | |
| 6" wide: | PR2VFD0696^A |
| 8" wide: | PR2VFD0896^A |
| 10" wide: | PR2VFD1096^A |
| 12" wide: | PR2VFD1296^A |

Standard EIA Racks – 7 foot

| | |
|---|---------|
| 2-Post aluminum rack with #12-24 threaded rails: | |
| | R2P^A |
| 4-Post steel rack with #12-24 threaded rails: | |
| | R4P^A |
| 4-Post steel rack with cage nut rails: | |
| | R4PCN^A |

Accessories

| | |
|--|-------------|
| 7" front slack management spool: | PRSP7 |
| 5" rear slack management spool: | PRSP5 |
| End panel: | PR2VEP^A |
| Cable retainer: | WR5E-X |
| Waterfall for use with 2-post or 4-post rack and PR2V managers: | PR2VWF^A |
| Pass-through hole blanking plugs (Kit of five plugs): | PR2VBPK |
| Pass-through bend radius grommets (Kit of five grommets): | PR2VGK |
| 15RU finger section replacement kit: | PR2VRFK15^A |
| 6RU finger section replacement kit: | PR2VRFK6^A |
| Rear Gate System Kits (for use with Single-sided managers) | |
| 6" wide: | PR2VRGSK06 |
| 8" wide: | PR2VRGSK08 |
| 9" wide: | PR2VRGSK10 |
| 10" wide: | PR2VRGSK12 |

*For part numbers 8 feet tall, add "96" to end of part number. Ex: PR2VEP96 or R2P96

^For part numbers in white, add "WH" to end of part number. Ex: PR2VD06WH or R2PWH

PatchRunner™ 2 Vertical Cable Managers

technical information

6.5 Foot Managers and Doors

| Part Number | RU | Height in (mm) | Width in (mm) | Depth in (mm) |
|---------------------|----|----------------|---------------|---------------|
| Dual Sided | | | | |
| PR2VD0679 | 42 | 78.9 (2003) | 6.0 (152) | 20.7 (526) |
| PR2VD1279 | 42 | 78.9 (2003) | 12.0 (305) | 20.7 (526) |
| Single Sided | | | | |
| PR2VFD0679 | 42 | 78.9 (2003) | 6.0 (152) | 12.0 (305) |
| PR2VFD1279 | 42 | 78.9 (2003) | 12.0 (305) | 12.0 (305) |

7 Foot Managers and Doors


| Part Number | RU | Height in (mm) | Width in (mm) | Depth in (mm) |
|---------------------|----|----------------|---------------|---------------|
| Dual Sided | | | | |
| PR2VD06* | 45 | 83.9 (2130) | 6.0 (152) | 20.7 (526) |
| PR2VD08* | 45 | 83.9 (2130) | 8.0 (203) | 20.7 (526) |
| PR2VD10* | 45 | 83.9 (2130) | 10.0 (254) | 20.7 (526) |
| PR2VD12* | 45 | 83.9 (2130) | 12.0 (305) | 20.7 (526) |
| Single Sided | | | | |
| PR2VFD06* | 45 | 83.9 (2130) | 6.0 (152) | 12.0 (305) |
| PR2VFD08* | 45 | 83.9 (2130) | 8.0 (203) | 12.0 (305) |
| PR2VFD10* | 45 | 83.9 (2130) | 10.0 (254) | 12.0 (305) |
| PR2VFD12* | 45 | 83.9 (2130) | 12.0 (305) | 12.0 (305) |

8 Foot Managers and Doors

| Part Number | RU | Height in (mm) | Width in (mm) | Depth in (mm) |
|---------------------|----|----------------|---------------|---------------|
| Dual Sided | | | | |
| PR2VD0696* | 52 | 95.9 (2435) | 6.0 (152) | 20.7 (526) |
| PR2VD0896* | 52 | 95.9 (2435) | 8.0 (203) | 20.7 (526) |
| PR2VD1096* | 52 | 95.9 (2435) | 10.0 (254) | 20.7 (526) |
| PR2VD1296* | 52 | 95.9 (2435) | 12.0 (305) | 20.7 (526) |
| Single Sided | | | | |
| PR2VFD0696* | 52 | 95.9 (2435) | 6.0 (152) | 12.0 (305) |
| PR2VFD0896* | 52 | 95.9 (2435) | 8.0 (203) | 12.0 (305) |
| PR2VFD1096* | 52 | 95.9 (2435) | 10.0 (254) | 12.0 (305) |
| PR2VFD1296* | 52 | 95.9 (2435) | 12.0 (305) | 12.0 (305) |

* Add "WH" to end of part numbers for white products

* Add "WH" to end of part numbers for white products



1.R2P - 19" Standard EIA Rack 19" x 7", 45 RU

PatchRunner™ 2 Vertical Cable Managers and Doors

2a. PR2VD06 - 6" wide

2b. PR2VD08 - 8" wide

2c. PR2VD12 - 12" wide

Angled Modular Patch Panels

3a. CPPLA48WBLY - 2 RU, 48-Port

3b. CPPA48HDWBLY - 1 RU, High Density 48 - Port

Cable Management Accessories

4.NM4 - Cable Manager, 4 RU

5.CMT4 - Trough, 4 RU

6.PR2VEP - End Panel

7.PR2VWF - Waterfall

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT US/CANADA
Phone: 800.777.3300

PANDUIT EUROPE LTD.
London, UK
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.
Republic of Singapore
Phone: 65.6305.7575

PANDUIT JAPAN
Tokyo, Japan
Phone: 81.3.6863.6000

PANDUIT LATIN AMERICA
Guadalajara, Mexico
Phone: 52.33.3777.6000

PANDUIT AUSTRALIA PTY. LTD.
Victoria, Australia
Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to www.panduit.com/warranty

For more information

Visit us at www.panduit.com

Contact Customer Service by email: cs@panduit.com
or by phone: 800.777.3300

PANDUIT®

© 2019 Panduit Corp.
ALL RIGHTS RESERVED.
RKSP172--WW-ENG
7/2019

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Racks & Rack Cabinets](#) category:

Click to view products by [Panduit](#) manufacturer:

Other Similar products are found below :

[1440-0133-36](#) [5231308-07](#) [UNC-23/4-6-6-PLAIN](#) [UPR 525-17-14 BLU/WHT](#) [RM2U19BKFP](#) [RM3U19BKFP](#) [RM2U1918SBK](#)
[RM4U1922SBK](#) [RM4U1918SBK](#) [RM1U1922SBK](#) [HDR6UBK](#) [RM4U1908VBK](#) [RM1UMTGFL](#) [DN-W19 06U/450](#) [DN-W19 12U/450](#)
[G17083UBK](#) [P32180011](#) [P32180012](#) [P32180021](#) [P32180022](#) [P32180031](#) [P32180132](#) [G17081UG](#) [G17082UG](#) [G17083UG](#) [C2F193523BK1](#)
[C2F193531BK1](#) [C2F197031LG1](#) [C2RR194231LG1](#) [C4RR247731DBK1](#) [DNRR1963LDK](#) [DNRR1970LDK](#) [DNRR1977DCK](#)
[HDME20610BK](#) [HWMR1920UBK](#) [HWMR1932UBK](#) [RB-2P77](#) [RB-AV18](#) [RB-AV27](#) [RB-FW6](#) [RB-WR2](#) [RCHV1901717LG1](#)
[RM1U0804SBK](#) [RM1U0804VBK](#) [RM1U0808VBK](#) [RM1U1908SBK](#) [RM1U1908VBK](#) [RM1U1913SBK](#) [RM1U1913VBK](#) [RM1U1918SBK](#)