





BUY NOW

DESIGN / INSTALL



S4-38R-T

Tubular Ring Terminal, 4 AWG, 3/8" stud size, non-insulated, bulk package.

Specs Packaging Details Tools Documents [★ Add to Favorites](#) [Add to BOM](#)

Specs	Packaging Details	Tools	Documents
Product Type		Loose Piece Ring Terminal	
Stud Size		3/8"	
Wire Range		4 AWG	
Wire Range (mm ²)		25	
Barrel Configuration		Beveled	
Barrel Type		Seamless Tubular	
Base Material		Copper	
Insulation		Non-Insulated	
Panduit Color Code		Metallic	
Plating Type		Tinned	
Part Number Series		S	
Clearance		—	
Clearance (mm)		—	
Length (In.)		1.5	
Length (mm)		38.1	
Stock		0.07	
Stock (mm)		1.778	
Width (In.)		0.62	
Width (mm)		15.748	
Wire Strip Length (In.)		1/2" (0.50)	
Wire Strip Length (mm)		12.7	
Flammability Rating		—	
Max. Voltage Rating		UL-CSA Voltage Rating 35KV	
Temperature Rating		UL-CSA Temperature Rating 90 Degrees Celsius	
CA-800/EZ Series Crimp Die		—	
CA9 Series Crimp Die		—	
Tool		CT-1700,CT-720,CT-930,CT-930CH,CT-940CH,CT-2001,CT-2002,CT-980,CT-2980,CT-980CH	

Stud Hole Size (In.)	3/8"
Tongue Width (In.)	0.62
Barrel Length (In.)	0.48
Barrel O.D.	0.38
CSA Certified	C22.2 No. 65
Mil. Std. Part Number	—
UL Listed	UL486A-486B
Packaging Type	Box
Angle	Straight
Barrel I.D.	0.28
Part Features	<ul style="list-style-type: none">• Seamless tubular barrel provides a consistent high performance quality crimp• Round double thick tongue for reliable power applications• Barrel of terminal internally beveled to provide quick and easy wire insertion• Inspection window allows visual inspection of proper wire insertion
Tongue Thickness	0.07
RoHS Compliancy Status	Compliant
Min. Order Qty.	200.0000

[Back to Top](#)[LEGAL INFORMATION](#) | [PRIVACY POLICY](#) | [CONTACT US](#) | [SITE MAP](#) | [WHERE TO BUY](#) | [JOBS](#) | [UNSUBSCRIBE](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [Panduit](#) manufacturer:

Other Similar products are found below :

[00-054007-01074-6](#) [00-054007-70206-1](#) [00-054007-70210-8](#) [00-054007-70217-7](#) [00-054007-70226-9](#) [00-054007-70228-3](#) [00-054007-70248-1](#) [00-054007-70256-6](#) [00-054007-70301-3](#) [00-054007-70316-7](#) [0-0320562-0](#) [00-054007-49560-4](#) [00-054007-70209-2](#) [00-054007-70225-2](#) [00-054007-70227-6](#) [00-054007-70231-3](#) [00-054007-70241-2](#) [00-054007-70242-9](#) [00-054007-70244-3](#) [00-054007-70246-7](#) [00-054007-70263-4](#) [00-054007-70288-7](#) [00-054007-70290-0](#) [00-054007-70300-6](#) [00-054007-70304-4](#) [01-2065-1-0216](#) [01-2900-1-04412](#) [00581P0075](#) [600TS-10](#) [60205-1](#) [604200-1](#) [605601-1](#) [60598-1-CUT-TAPE](#) [61314-6-C](#) [61810-3](#) [61-S](#) [61-SN](#) [626-0194](#) [62-NBM-A](#) [62-SN](#) [62-SP](#) [63-S](#) [640179-1](#) [M55155/059I03](#) [M55155/079C01](#) [M55155/099H02](#) [M55155/109H01](#) [M55155/109H02](#) [M55155/12XH05](#) [M55155/16XH02](#)