


SPECIFICATIONS

Model	5 lights	WE-502FB			WEP-502FB						
	4 lights	WE-402FB			WEP-402FB						
	3 lights	WE-302FB			WEP-302FB						
Surface of cover		Chromium plating			Not plating (Light gray)						
Rated voltage		24V AC/DC (50/60Hz)									
Operating voltage		Rated voltage±10%									
Current consumption	Per light										
	Red	Amber	Green	Blue	White						
	Typ.	24 mA		17 mA		40 mA					
Max.	28 mA	27 mA	23 mA			50 mA (Rush current : 250mA)					
	Operating temperature range (Relative humidity)					- 30°C ~ + 60°C (Less than 90%)					
Mounting place		Indoor only									
Mounting direction		Upright,Updown,Sideways									
Protection rating		IP54 (Mounting direction : Upright)									
Vibration proof		19.6 m/s ² (30Hz)									
Insulation resistance		To be measured by an insulation measuring device of 500VDC between the terminals and the chassis.				More than 1MΩ					
Withstand voltage		500VAC being applied between the terminals and the chassis for 1 minute. Not braking insulation									
Flashing cycle		60±12 flashes per minute									
Buzzer	Sound level	90dB (at 1m)									
	Tone	Buzzer1 : pipipi Buzzer2 : beep beep									
Luminous intensity	Red	Amber	Green	Blue	White						
	600 mcd or more	800 mcd or more	2000 mcd or more	600 mcd or more	1800 mcd or more						
Mass	3 lights		4 lights		5 lights						
	0.30 kg		0.33 kg		0.35 kg						
No. WE-502FB-W18A-1_2											
<ul style="list-style-type: none"> ● This product confirms to the CE requirements and CE Marking is indicated. ● Recognized as UL standard. (Standard No.UL508, File No. E215660) ● This product complies with the RoHS Directive(DIRECTIVE 2002/95/EC) 											

PATLITE Corporation



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Patlite manufacturer:

Other Similar products are found below :

[LA6-3DTNWB-RYG](#) [LR4-302QJBW-RYG](#) [LR6-E-B](#) [LR7-02WTNU](#) [NH-WST](#) [VSST-LR6-502LJBW-RYGB](#) [NE-ILTB-M](#) [NE-ILXB-M](#)
[NE-M1ANN-M](#) [NE-M1ATB-M](#) [NE-24A-R](#) [WME-402DFB-RYGB](#) [PFH-BT-R](#) [PFH-BT-Y](#) [WEP-302-RYG](#) [WEP-302FB-RYG](#) [WEP-402FB-RYGB](#) [WEP-502-RYGB](#) [CLA1S-24A-CD-30](#) [CLA2S-24A-CD-30](#) [CLA3S-24A-CD-30](#) [CLK3C-24AG-CD](#) [CLN-24A-CD-PT](#)
[CLN-24A-CD-T](#) [CWF3S-24-CD](#) [CWK2S-24-CD](#) [CWK3C-24-CD+FL008](#) [CWK3S-24-CD](#) [CWK6S-24-CD](#) [LA6-3DTNUB-RYG](#) [LA6-3DTNUN-RYG](#) [LA6-5DTNUB-RYGB](#) [LA6-5DTNUN-RYGB](#) [LA6-5DTNWB-RYGB](#) [LFH-24-R](#) [LFH-24-Y](#) [LR4-302QJNW-RYG](#)
[LR4-402LJBW-RYGB](#) [LR5-02KTNK](#) [LR5-02KTNU](#) [LR5-02KTNW](#) [LR5-02WTNW](#) [LR6-202WJBW-RG](#) [LR6-302PJB](#) [LR6-302WJB](#) [LR6-302WJNU-RYG](#) [LR6-302WJNW-RYG](#) [LR6-3USBK-RYG](#) [LR6-3USBW-RYG](#) [LR6-402WJBW-RYGB](#)