22mm LED Illuminated Mushroom Metal Operators







Certified for NEMA Type 4X 12 environment.




with LED bulb, bulb holder and mounting bracket

Dimensional Drawings All dimensions shown in millimeters.

To convert to inches multiply by 0.03937

Illuminated Mushroom Momentary



Switch Contacts (sold separately)



- · Heavy-duty contact blocks with mounting screws. Blocks can be stacked 2 blocks across by 3 blocks deep for a total of 6 circuits.
- · Contact blocks are available with silver contacts or gold plated contacts
- · Self-wiping contacts

Panel Mount

| S1 |
|------------|
| S2 |
| S 3 |
| S 4 |
| |

Base Mount*

| Normally Open Silver | S 5 |
|-----------------------------|------------|
| Normally Closed Silver | S6 |
| Normally Open Gold Plated | S7 |
| Normally Closed Gold Plated | S 8 |

* For use with non-illuminated operators in thermoplastic or aluminum enclosures listed on pages 30 and 36-37.

| Color | Description | Cat No. |
|-------------|---------------------|-------------|
| _ 12V AC/DC | | |
| White | 40mm Head, 12VAC/DC | 2ALM1LB-012 |
| Green | 40mm Head, 12VAC/DC | 2ALM3LB-012 |
| Red | 40mm Head, 12VAC/DC | 2ALM4LB-012 |
| Amber | 40mm Head, 12VAC/DC | 2ALM5LB-012 |
| Blue | 40mm Head, 12VAC/DC | 2ALM6LB-012 |
| Clear | 40mm Head, 12VAC/DC | 2ALM7LB-012 |
| Yellow | 40mm Head, 12VAC/DC | 2ALM8LB-012 |
| 24V AC/DC | | |
| □ White | 40mm Head, 24VAC/DC | 2ALM1LB-024 |
| Green | 40mm Head, 24VAC/DC | 2ALM3LB-024 |
| Red | 40mm Head, 24VAC/DC | 2ALM4LB-024 |
| Amber | 40mm Head, 24VAC/DC | 2ALM5LB-024 |
| Blue | 40mm Head, 24VAC/DC | 2ALM6LB-024 |
| Clear | 40mm Head, 24VAC/DC | 2ALM7LB-024 |
| Yellow | 40mm Head, 24VAC/DC | 2ALM8LB-024 |
| 48V AC/DC | | |
| □ White | 40mm Head, 48VAC/DC | 2ALM1LB-048 |
| Green | 40mm Head, 48VAC/DC | 2ALM3LB-048 |
| Red | 40mm Head, 48VAC/DC | 2ALM4LB-048 |
| Amber | 40mm Head, 48VAC/DC | 2ALM5LB-048 |
| Blue | 40mm Head, 48VAC/DC | 2ALM6LB-048 |
| Clear | 40mm Head, 48VAC/DC | 2ALM7LB-048 |
| Yellow | 40mm Head, 48VAC/DC | 2ALM8LB-048 |
| 110V AC* | | |
| □ White | 40mm Head, 110VAC* | 2ALM1LB-110 |
| Green | 40mm Head, 110VAC* | 2ALM3LB-110 |
| Red | 40mm Head, 110VAC* | 2ALM4LB-110 |
| Amber | 40mm Head, 110VAC* | 2ALM5LB-110 |
| Blue | 40mm Head, 110VAC* | 2ALM6LB-110 |
| Clear | 40mm Head, 110VAC* | 2ALM7LB-110 |
| Yellow | 40mm Head, 110VAC* | 2ALM8LB-110 |
| 230V AC* | | |
| □ White | 40mm Head, 230VAC* | 2ALM1LB-230 |
| Green | 40mm Head, 230VAC* | 2ALM3LB-230 |
| Red | 40mm Head, 230VAC* | 2ALM4LB-230 |
| Amber | 40mm Head, 230VAC* | 2ALM5LB-230 |
| Blue | 40mm Head, 230VAC* | 2ALM6LB-230 |
| Clear | 40mm Head, 230VAC* | 2ALM7LB-230 |
| Yellow | 40mm Head, 230VAC* | 2ALM8LB-230 |

*110V DC and 230V DC version is available on request.

Exploded Assembly View

S1

S1

52

- Up to four switch contacts can be installed with any illuminated operators.
- Switch contacts and operators are sold separately. Preassembled push buttons are available on request. S^2

Altech Corp.® • 35 Royal Road • Flemington, NJ 08822-6000 • Phone (908)806-9400 • FAX (908)806-9490 • www.altechcorp.com

Altech Corp.

22mm LED Illuminated Mushroom Metal Operators








Mushroom Illuminated Push-Pull

with LED bulb, bulb holder and mounting bracket

Dimensional Drawings All dimensions shown in millimeters.

All dimensions shown in millimeters. To convert to inches multiply by 0.03937

Illuminated Mushroom Push-Pull



Switch Contacts (sold separately)



- Heavy-duty contact blocks with mounting screws.
 Blocks can be stacked 2 blocks across by 3 blocks deep for a total of 6 circuits.
- Contact blocks are available with silver contacts or gold plated contacts
- · Self-wiping contacts

Panel Mount

| Normally Open Silver | S1 |
|-----------------------------|------------|
| Normally Closed Silver | S2 |
| Normally Open Gold Plated | S 3 |
| Normally Closed Gold Plated | S4 |

Base Mount*

| Normally Open Silver | S 5 |
|-----------------------------|------------|
| Normally Closed Silver | S6 |
| Normally Open Gold Plated | S7 |
| Normally Closed Gold Plated | S8 |

* For use with non-illuminated operators in thermoplastic or aluminum enclosures listed on pages 30 and 36-37.

| Color | Description | Cat No. |
|-----------|------------------------------------|---------------|
| 12V AC/DC | | |
| White | 40mm Head, 12VAC/DC | 2ALMPP1LB-012 |
| Green | 40mm Head, 12VAC/DC | 2ALMPP3LB-012 |
| Red | 40mm Head, 12VAC/DC | 2ALMPP4LB-012 |
| Amber | 40mm Head, 12VAC/DC | 2ALMPP5LB-012 |
| Blue | 40mm Head, 12VAC/DC | 2ALMPP6LB-012 |
| Clear | 40mm Head, 12VAC/DC | 2ALMPP7LB-012 |
| Yellow | 40mm Head, 12VAC/DC | 2ALMPP8LB-012 |
| 24V AC/DC | | |
| White | 40mm Head, 24VAC/DC | 2ALMPP1LB-024 |
| Green | 40mm Head, 24VAC/DC | 2ALMPP3LB-024 |
| Red | 40mm Head, 24VAC/DC | 2ALMPP4LB-024 |
| Amber | 40mm Head, 24VAC/DC | 2ALMPP5LB-024 |
| Blue | 40mm Head, 24VAC/DC | 2ALMPP6LB-024 |
| Clear | 40mm Head, 24VAC/DC | 2ALMPP7LB-024 |
| Yellow | 40mm Head, 24VAC/DC | 2ALMPP8LB-024 |
| 48V AC/DC | | |
| White | 40mm Head, 48VAC/DC | 2ALMPP1LB-048 |
| Green | 40mm Head, 48VAC/DC | 2ALMPP3LB-048 |
| Red | 40mm Head, 48VAC/DC | 2ALMPP4LB-048 |
| Amber | 40mm Head, 48VAC/DC | 2ALMPP5LB-048 |
| Blue | 40mm Head, 48VAC/DC | 2ALMPP6LB-048 |
| Clear | 40mm Head, 48VAC/DC | 2ALMPP7LB-048 |
| Yellow | 40mm Head, 48VAC/DC | 2ALMPP8LB-048 |
| 110V AC* | | |
| White | 40mm Head, 110VAC* | 2ALMPP1LB-110 |
| Green | 40mm Head, 110VAC* | 2ALMPP3LB-110 |
| Red | 40mm Head, 110VAC* | 2ALMPP4LB-110 |
| Amber | 40mm Head, 110VAC* | 2ALMPP5LB-110 |
| Blue | 40mm Head, 110VAC* | 2ALMPP6LB-110 |
| Clear | 40mm Head, 110VAC* | 2ALMPP7LB-110 |
| Yellow | 40mm Head, 110VAC* | 2ALMPP8LB-110 |
| 230V AC* | | |
| White | 40mm Head, 230VAC* | 2ALMPP1LB-230 |
| Green | 40mm Head, 230VAC* | 2ALMPP3LB-230 |
| Red | 40mm Head, 230VAC* | 2ALMPP4LB-230 |
| Amber | 40mm Head, 230VAC* | 2ALMPP5LB-230 |
| Blue | 40mm Head, 230VAC* | 2ALMPP6LB-230 |
| Clear | 40mm Head, 230VAC* | 2ALMPP7LB-230 |
| Yellow | 40mm Head, 230VAC* | 2ALMPP8LB-230 |
| **** | 2001/ DO manian ia available an ar | , |

*110V DC and 230V DC version is available on request.

Exploded Assembly View

- Up to four switch contacts can be installed with any illuminated operators.
- Switch contacts and operators are sold separately. Preassembled push buttons are available on request. S1 S2 S2 S1 S1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Actuators category:

Click to view products by Altech manufacturer:

Other Similar products are found below :

LW1B-M0 61-1330.0 61-2607.0/D 680-4000-00 704.411.018I 704.412.0 704.633.1 704.730.1 704.733.0 79452124 84-1221.7 G6083 9PA24 120-1867-000 ADC-418G 12MA7 HW1M-L2222 200-.704-00 JS-10008 JS-10083 JS-10118 JS-10133 JS-116 JS-150 JS-552 JS-555 JS-68 JS-6-B JS-91 JS-94 22-211.011 9001KXSDC KRR22NW3XX03 SAPT654133 2PA3 STKLBU STKLWH SW53AA2 302561 3E-10.4 3E-12.0 468-10243-001 51-030.002 51-030.005 JM-13 JS-10120 JS-138-B JS-143-B JS-49 JS-551