

Suggested New Additions

Presented to:

Newark

elementi



Performance Tool

Quotation Form - Page 2 of 8

	3-in-1 Multi-Cutter							
Part No.	Inner	Master	Min	L	IPC			
W2045	6	24		039564132759				
Mst Pack	12.5 D x 14.	.2 W x 21.2 H	Weight	37.4	Carded			

Three tools in one - anvil cutter, wire cutter and box cutters. Razor sharp blades cut easily through plastic, linoleum, shrubs, thick leather, all types of hoses, automotive belts, soft metal, tubing, pipe, dowels, hobby & craft items and more. Heat treated and hardened carbon steel blades are stronger and last longer. Titanium coated wire cutter makes it easy to trim 7mm diameter copper, aluminum and soft steel wire or cable and up to 4mm diameter nails. Retractable anvil exposes 3/8 inch (10mm) of the blade for cutting boxes, carpet, drywall and more. Comfortable slip

6 Replacement Blades for W2045						
Part No. Inner Master Min UPC					IPC	
W2045-1	12	144		039564013294		
Mst Pack	11 D x 11.	5 W x 15 H	Weight	30.8	Carded	

Razor sharp blades cut easily through plastic, linoleum, shrubs, thick leather, all types of hoses, automotive belts, soft metal, tubing, pipe, dowels, hobby & craft items and more. Heat treated and hardened carbon steel blades are stronger and last longer. Includes 2 cartridges with 3 blades each, designed to slide directly into Multi-Cutter handle. For use with Performance Tool 3-in-1 Multi-Cutter model W2045.

Razor Blade Scraper						
Part No.	No. Inner Master Min UPC					
W1513	6	72		039564132773		
Mst Pack	20.5 D x 15 W x 15.5 H		Weight	30.55	Carded	

Ergonomic non slip molded grip for improved comfort and control. Comes with 5 steel and 1 plastic blade. Handy for removing stickers, labels, and other debris. US Patent Number D693201.







4" Universal-Joint Bit Holder						
Part No.	Inner	Master	Min	UPC		
W9034	10	100		039564133237		
Mst Pack	0 D x 0	W x 0 H	Weight	Hang Tab		
			0	0		

Unique locking and swivel design provides a 30^o angle for hard to reach fasteners. Universal joint feature can also be disengaged and used as a straight extension. Free spinning collar allows you to maintain a positive grip while fastening. Durable Cr-Mo construction with black phosphate finish.



Presented To:



Unless noted all quoted prices are valid for 30 days. Prepared on 6/13/2019

) AT





Quotation Form - Page 3 of 8

3pc 8" Socket Adapter Set							
Part No. Inner Master Min UPC							
W9036	10 60 039564133251				4133251		
Mst Pack	11.2 D x 11.9 W x 8.5 H		Weight	49.2	Hang Tab		

Transforms your power drill into a power nut/socket driver. Free spinning collar allows you to maintain a positive grip while fastening. Durable Cr-V construction with black phosphate finish. Ball bearing ensures sockets are securely seated. Color coded 1/4, 3/8 and 1/2 inch drive sizes. 8 inch total length (200mm).





6pc Hook and Pick Set							
Part No.	Inner	Master	Min	UPC			
W947 6 24 039564110498							
Mst Pack 0 D x 0 W x 0 H Weight Carded							
Durable double-injection molded handles for grip and durability. Multi-functional hook and pick set for uses such as removing fuses, separating wires and marking metals and plastics.							



4pc Double Ended Pick & Hook							
Part No. Inner Master Min UPC							
W80749	24	96		039564133190			
Mst Pack	15.5 D x 10	.2 W x 9.1 H	Weight	ght 21.15 Car			

Use for precision assembly, hobby, pulling O-rings, cotter pins, springs, washers, etc. Set includes four different tools, each with a different sharp stainless steel tipped end. Pick and hook types: Small angle hook, straight pick, full hook and 90 degree hook. These instruments are ideal for jewelers, mechanics, fishermen, gun repairs and many more. 4pc set has knurled handles for a sure grip and a handy vinyl storage pouch.





Presented To:



Unless noted all quoted prices are valid for 30 days. Prepared on 6/13/2019



RD"



Quotation Form - Page 4 of 8

3pc Wire Brush Set						
Part No.	Inner	Master	Min	U	PC	
W4990	6	24	1	039564	4132285	
Mst Pack	19.3 D x 13.	4 W x 11.4 H	Weight	13.2	Blister	

An assortment of three different wire brushes" 201 Stainless, Galvanized and Brass, to suit most common applications. The unique curved profiles with a narrow face are perfect for accessing those hard-to-reach places. Contoured plastic handles allow users to comfortably apply higher pressure than with conventional wire brushes. Brushes have 33 gauge 7/8" long steel bristles.

6-in-1 Tapping Driver Tool							
Part No. Inner Master Min UPC							
W8650 6 36 039564132025							
Mst Pack	Pack 10.5 D x 13.3 W x 9.8 H Weight 18.5 Carde				Carded		
Double sided shaft includes 6 different tap sizes in one tool. Tap sizes: #6-32, #8-32,							
#10-32, #10-24, #12-24 and 1/4-20. Comfortable double-injection molded handle.							



2pk Diamond Tip Screwdrivers						
Part No.	Part No. Inner Master Min UPC					
W1730 6 36 039564126802					4126802	
Mst Pack 14 D x 12.7 W x 15.6 H Weight 31.2 Clamsh					Clamshell	
Diamond coated tips provide superior gripping power to resist slippage and allow						
for greater torque. Ergonomic non-slip molded grips for improved comfort and control. Go-through solid shafts with hex drive strike end caps. Heat treated oil						
resistant black	ophosphate short shor	afts with magr	etic tips. Inclu	des #2 x 4" p	hillips and	



1/4" Dr Mini Ratchet w/ bits						
Part No. Inner Master Min UPC						
W475	6	48	6	039564118333		
Mst Pack	19.7 D x 9 W x 12.6 H		Weight	17.1	Carded	

Low-profile oval head and compact size are great for tight work spaces. Chrome vanadium alloy steel construction for strength and durability. Polished nickel chrome plated finish resists corrosion. 72 gear teeth for precise 5 degree sweep. 1/4" hex with 1/4" drive socket adaptor. Includes 10pc bits and holder: Phillips #0, #1, #2, Slotted 5/32, 3/16, 1/4", Square S1, S2, S3, 1/4" adaptor.



Presented To:

1/4" x 4" slotted.



Unless noted all quoted prices are valid for 30 days. Prepared on 6/13/2019

) Fotter (attight) (1999) ATAI



Quotation Form - Page 5 of 8

8" Angled Multi-Wire Strippers									
Part No.	Inner	Master	Min	ι	IPC				
W86505	10	60		03956	4013102				
Mst Pack	15.2 D x 12.	9 W x 20.1 H	Weight	37	Carded				

Multifunction tool allows you to cut, strip, crimp, twist and shear for a range of electrical projects. Strip and cut 10-18 AWG solid wire and stranded and 12-20 AWG stranded wire. Offset long nose provides extra reach and a more comfortable grip. Crimper for insulated and non-insulated connectors. Built-in cutter for 6-32 and 8-32 bolts/screws. Professional forged construction with ergonomic non-slip molded grips.

17pc Soldering Accessory Kit								
Part No. Inner Master Min UPC					UPC			
W2080	6	36		039564001314				
Mst Pack	12.5 D x 19	9.5 W x 13 H	Weight	21	Color Box			

Complete assortment of tools and accessories for most soldering applications. Soldering iron stand designed for most pencil style irons features heavy weighted base, coiled holder and solder sponge. Tools include solder vacuum, curved and straight tweezers, 6 double sided solder tools including straight and angled picks, chisel, tamper, pry tool, brush and flat blade,. Replacement solder and 5 assorted replacement soldering tips: straight and angle flat, straight and angled point and chisel tip. Storage / carrying case keeps everything together and organized.

LED Helping Hands Magnifier								
Part No. Inner Master Min UPC					UPC			
W2004	6	12		03956	54001321			
Mst Pack	19 D x 15.7	' W x 19.5 H	Weight	21	Clamshell			

Dual magnifiers: 2.5X, 3.25 inch (90mm) acrylic magnifying lens with integrated 6X 0.75 inch (20mm) precision lens. LEDs provide additional light when needed. Adjustable clamps and ball joint swivel arm position and hold work at any angle. Two alligator clamps hold light materials steady. Heavy duty cast iron base with pencil type soldering iron holder. Frees hands for soldering, gluing, positioning, fastening, and assembly. Requires 3AAA batteries (included).

1000 lumen 120V LED Drop Light								
Part No.	Inner	Master	Min	ι	JPC			
W2237	4	16		03956	4126987			
Mst Pack	17.9 D x 15.	8 W x 13.3 H	Weight	30.6	Color Box			

All the durability of a traditional drop light with the efficiency of LED technology. Produces over 1000 lumens of bright white light. Impact resistant handle with nonslip rubber grip. Powder coated metal lamp shield with swivel hang hook. 25ft 18GA grounded cord with built-in 120V outlet (500W MAX).









Presented To:



Unless noted all quoted prices are valid for 30 days. Prepared on 6/13/2019

FINITER (AUTIGHT) 🍕



Quotation Form - Page 6 of 8

12 + 1 SMD LED Slim Work Light								
Part No.	Inner	Master	Min	ι	JPC			
W2419	8	16		039564126543				
Mst Pack	15.3 D x 15	.4 W x 9.1 H	Weight	10.95	Color Box			

High output area light and spotlight in one tool. Comfortable lightweight housing with ergonomic grip. Thin, low profile light bar body for access in confined areas. Light bar adjusts 120° for precise illumination. Swivel hook and magnetic base for hands free use. Specifications: 542 lumens on high, 258 lumens on low, 78 lumen spot light, 470 cd beam intensity, 43m beam distance, 4.25 Hr runtime (high).



max

FirePoint X Li-Ion Flashlight								
Part No.	Inner	Master	Min	U	PC			
W2655	6	24		039564	128813			
Mst Pack	18.8 D x 12.	3 W x 13.2 H	Weight	26.75	Carded			

Adjustable DuoFocus beam goes from spot to flood. Super Bright Cree LED never needs replacing. Anodized tactical aluminum housing. Water and impact resistant. Specifications: 3061 lumens on high, 754 lumens on low, 3 hour runtime on high, 6 hour runtime on low, 16000cd, 253m beam, 208mm total length. Requires (2) 18650 Li-ion batteries (included). Includes USB battery charger. FirePoint X flashlights feature a heavy duty design with improved thermal efficiency resulting in up to 20% better performance than comparable flashlights.

Li-Ion Brim Clip Light								
Part No.	Inner	Master	Min	U	PC			
W2336	12	72		039564130731				
Mst Pack	17.2 D x 15.	5 W x 18.3 H	Weight	19.15	Carded			

Clips on to brim of hat for hands free use. Adjustable head for precise illumination. Wide angle LEDs provide a flood of light. Internal rechargeable li-ion battery. Includes micro USB cord. Specifications: Lumens: 200 (high), 60 (low), Runtime: 1.5hr (high), 4hr (low), Ipx4 Water resistance, Beam distance: 17.8M (high), 10M (low), Beam intensity: 79cd (high), 24.6 (low). Battery: 3.7V 450 mAh.



6pc Multi Wedge Tool Set								
Part No.	Inner	Master	Min	L	IPC			
W80647	6	24		03956	4806476			
Mst Pack	25 D x 15.	6 W x 11 H	Weight	t 13.8 Carde				
• .		е е	tly remove doo	•	-			

consoles, and more. Works well to remove trim molding, bezels, and various clips and plastic fastens. Features different wedge shapes allowing you to get under and lift pieces away without damage. Durable non-marring nylon prevents scratching to painted surfaces and delicate panel surfaces. Perfect set for body shops, electronics installers and the home garage. Use the black wedges for hard prying, and the orange wedges for soft prying.

Presented To:



Unless noted all quoted prices are valid for 30 days. Prepared on 6/13/2019





Quotation Form - Page 7 of 8

130 LM Rechargeable Penlight									
Part No.	Inner	Master	Min	U	РС				
623	6	24	1	815823	3016233				
Mst Pack	16.6 D x 11.	2 W x 12.2 H	Weight	10.1	Blister				

IP67 rated. 130 LM output, 3.5 hr runtime. Powered by (1) 14500 700mAh rechargeable lithium ion battery, included with USB charging cable.



102pc Drill and Driver Bit Set									
Part No.	Inner	Master	Min		UPC				
W9060	4	8	1	039564130878					
Mst Pack	8.5 D x 12.	5 W x 8.8 H	Weight	21	Color Label				

60pcs 1" CRV Bits: Slotted: 1/8", 3/16", 7/32", 1/4", 5/16" Phillips: 0, 1(2), 2(4), 3. Star: T8, T9, T10, T15, T20, T25, T27, T30, T35, T40 Star (Tamper-proof): T10, T15, T20, T25, T27, T30, T35 . Hex(MM): 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6 Hex(Tamperproof): 2, 2.5, 3, 4, 5, 6, 7 . Hex SAE (Tamper-proof): 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4",5/16" Square: 1, 2, 3, 4. 12PCS 2" CRV Bits: Slotted: 3/16", 1/4" Phillips: 1, 2(3), 3 Square: 2, 4(2) Hex: 2.5(2). 2PCS 5" CRV Long Bits: PH2(2), 1PC 2" Magnetic Bit Holder, 3PCS Socket Adapter Set: 1/4",3/8",1/2".

Digital Automotive Multimeter								
Part No.	Inner	Master	Min	U	PC			
W2969	6	36		039564	1012914			
Mst Pack	21.6 D x 11.	5 W x 20.1 H	Weight	28.6	Blister			

Perform all standard tests for on the car or bench troubleshooting. Safely troubleshoot a variety of automotive, household and shop electrical circuits. Test electrical components for faulty wiring and voltage. Verify voltage on engine sensors, ignition, fuel systems and charging systems. Large digital LED display, UL listed leads and probes. Test Leads are 42" or 3.5' Long.



7pc Electrical Screwdriver Set								
Part No.	Inner	Master	Min	ι	JPC			
W30897	6	24		03956	4023811			
Mst Pack	20.9 D x 21.	1 W x 16.8 H	Weight	39.65	Clamshell			

Insulated blades for applications up to 1000V AC and 1500V DC. Comfortable nonslip molded grips. Tested according to IEC 60900 : 2012. Slotted: 3/32" X 3", 5/32" X 4", 7/32" X 5", 1/4" X 6", Phillips: #0 X 3", #1 X 4", #2 X 4".





Unless noted all quoted prices are valid for 30 days. Prepared on 6/13/2019

) AT/






Quotation Form - Page 8 of 8

14pc Nutdriver bit set					
Part No.	Inner	Master	Min	UPC	
W473	10	40	10	039564106293	
Mst Pack	11.1 D x 10.2 W x 11.2 H		Weight	21.9	Storage Case

Compact bit holder with belt clip. Hardened chrome vanadium with black phosphate finish. Sizes: 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, and 7/16 in., 5, 5.5, 6, 7, 8, 10, and 12mm.







Unless noted all quoted prices are valid for 30 days. Prepared on 6/13/2019



) Fother align (IIII) ATAK

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by PERFORMANCE TOOLS manufacturer:

Other Similar products are found below :

 1406504-2
 272012M
 271001M
 HMM-HH
 00-8987-YWPP
 9918560000
 32024
 92270
 72820
 72905
 72741
 32061
 30751
 KLEIN TOOLS

 SCREWDRIVER 4-IN-1
 612020B
 35-045
 6951
 83
 9977
 EMF
 99833
 S3166V
 X103V
 XTD10TP
 HS7N
 HS618N
 LN25MMN

 XST1010N
 P4N
 P12SN
 R5324N
 99764N
 P8N
 99312N
 R3163N
 SX101N
 LN22N
 XTD10N
 9955MMN
 996MMN
 LN25N

 THS9N
 R3166N
 R144N
 RB2N
 HS10N
 99964BPN
 HS11N
 HS12N