

# Battery module - SF-ASD 16/ACCU 1,5 AH - 1200297

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Replacement battery, 1.5 Ah, lithium-ion, 3.6 V, for SF-ASD 16 cordless screwdriver

## Your advantages

- reverse polarity protected
- 3.6 V
- 1.5 Ah

## Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 666457
GTIN	4055626666457

## Technical data

### Dimensions

Length (b)	82 mm
------------	-------

### Ambient conditions

Ambient temperature (operation)	5 °C ... 40 °C
---------------------------------	----------------

### General

Note	packed in cardboard
Power consumption	5.4 W
Battery-operated voltage	3.6 V
Battery charging	60 min.


### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 5
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings


## Battery module - SF-ASD 16/ACCU 1,5 AH - 1200297

Schematic diagram



# Battery module - SF-ASD 16/ACCU 1,5 AH - 1200297

Schematic diagram



## Classifications

eCl@ss

eCl@ss 10.0.1	21059207
eCl@ss 7.0	21059207
eCl@ss 8.0	21059207
eCl@ss 9.0	21059207

ETIM

ETIM 6.0	EC001199
ETIM 7.0	EC001199

## Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approval details

# Battery module - SF-ASD 16/ACCU 1,5 AH - 1200297

## Approvals

EAC



RU C-  
DE.AI30.B.01750

## Accessories

### Accessories

#### Charger

Charger - SF-ASD 16/CHARGER - 1200296



Charger, for 100 ... 240 V mains voltage, recognition of battery and parameter check, rapid charging, short-circuit resistant, polarized, operating mode display

## Torque tool

Battery-powered screwdriver - SF-ASD 16 - 1200294



Cordless screwdriver, incl. battery, two-speed gearbox, forward/reverse running and 16-stage clutch up to 450 rpm, hexagonal quick connection.

Battery-powered screwdriver set - SF-ASD 16 SET - 1200295



Cordless screwdriver in case, incl. battery, charging device 100 ... 240 V, 2 bits, two-speed gearbox, forward/reverse running and 16-stage clutch up to 450 rpm, hexagonal fast connection.

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Electronic Battery](#) category:*

*Click to view products by [Phoenix Contact](#) manufacturer:*

Other Similar products are found below :

[R88A-BAT02W](#) [TL5902/T](#) [TL-5104/SBP](#) [E300781900](#) [E300782100](#) [1200297](#) [BR-435/BN](#) [B73180A0101M199](#) [13299-0001](#) [R88A-BAT01G](#) [R88A-BAT01W](#) [G4BATT32](#) [M4T32-BR12SH6](#) [LR03AD/4P](#) [13331-0001](#) [ER14505](#) [ER14250](#) [3G2A9BAT08](#) [LR03AD/B](#)  
[LR20AD/B](#) [036506R](#) [BR-2/3ASSPN](#)