

Replacement die - CRIMPFOX-M SC 2,5/DIE - 1212084

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Die, for Crimpfox-M, for non-insulated slip-on sleeves 0.5 - 2.5 mm²

Key Commercial Data

| | |
|--------------|---------------|
| Packing unit | 1 pc |
| GTIN | |
| GTIN | 4046356454544 |

Technical data

Dimensions

| | |
|------------|---------|
| Length (b) | 114 mm |
| Width (a) | 75 mm |
| Height (c) | 25.5 mm |

General

| | |
|--------------------|---------------------|
| Color | black |
| Compression | B crimp |
| Type of contact | Slip-on sleeve |
| Designation | Crimping position 1 |
| Min. cross section | 0.5 mm ² |
| Max. cross section | 1 mm ² |
| AWG min | 22 |
| AWG max | 16 |
| Designation | Crimping position 2 |
| Min. cross section | 1.5 mm ² |
| Max. cross section | 2.5 mm ² |
| AWG min | 16 |
| AWG max | 14 |
| Weight | 63 g |
| Min. cross section | 0.5 mm ² |
| Max. cross section | 2.5 mm ² |

Replacement die - CRIMPFOX-M SC 2,5/DIE - 1212084

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 21019290 |
| eCl@ss 4.0 | 21040300 |
| eCl@ss 4.1 | 21040300 |
| eCl@ss 5.0 | 21040300 |
| eCl@ss 5.1 | 21040300 |
| eCl@ss 6.0 | 21043800 |
| eCl@ss 7.0 | 21043811 |
| eCl@ss 8.0 | 21043811 |
| eCl@ss 9.0 | 21019290 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC001186 |
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC001282 |
| ETIM 5.0 | EC001282 |
| ETIM 6.0 | EC001282 |
| ETIM 7.0 | EC001282 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 27112118 |
| UNSPSC 7.0901 | 27111518 |
| UNSPSC 11 | 23171604 |
| UNSPSC 12.01 | 27111518 |
| UNSPSC 13.2 | 27111518 |
| UNSPSC 19.0 | 27111518 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

| | | |
|-----|--|--------------------------|
| EAC | | RU x- DE.xx08.B.02974 |
|-----|--|--------------------------|

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Punches & Dies](#) category:

Click to view products by [Phoenix Contact](#) manufacturer:

Other Similar products are found below :

[58510-1](#) [63454-1601](#) [63457-0056](#) [63457-3401](#) [730-5/8](#) [730BB-1-3/8](#) [PV-670508-001](#) [1328](#) [1338](#) [13782656](#) [13782673](#) [13782686](#) [AR-19](#)
[AR-24](#) [1528-TL](#) [1583609-1](#) [1720](#) [1762951-1](#) [2063500-2](#) [19031-0168](#) [AR-20](#) [AR-23](#) [CD5-8](#) [313336-3](#) [11-19-3122](#) [539663-1](#) [63446-2241](#)
[TL-18](#) [0634451912](#) [1762674-1](#) [63454-0123](#) [68240-1](#) [68247-1](#) [734252](#) [313183-1](#) [PA2029](#) [119174-001](#) [23846-1](#) [11-40-5342](#) [68010-2](#)
[690370015](#) [730BB-1-1/8](#) [730BB-1-1/16](#) [19032-0048](#) [63465-0023](#) [11-40-4438](#) [63457-0041](#) [19032-0202](#) [11-11-0054](#) [11-11-0052](#)