

## Stripping machine - WF 1000 - 1212149

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Stripping machine with integrated graphic display, for conductors and cables up to 6 mm in diameter, 230 V version

### Your advantages

- ✓ The clamping force automatically adjusts itself to the required extraction force
- ✓ Compact stripping machine for automatically stripping conductors with a cross section of 0.08 to 6 mm<sup>2</sup>
- ✓ Even special types of insulation, such as PTFE and silicone, can be stripped in addition to standard types
- ✓ Pressure points on sensitive insulation are avoided
- ✓ The stripping dimensions are set individually via knobs and are shown on the large display
- ✓ Multi-strand cables with a diameter of up to 6 mm can also be stripped
- ✓ Partial stripping is supported

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 457026
GTIN	4046356457026

### Technical data

#### Dimensions

Length (b)	363 mm
Width (a)	141 mm
Height (c)	221 mm
Diameter, conductor entry opening	6 mm

#### General

Power consumption	160 VA
Maximum throughput	6
Min. cross section	0.08 mm <sup>2</sup>
Max. cross section	6 mm <sup>2</sup>

# Stripping machine - WF 1000 - 1212149

## Technical data

### General

Minimum stripping length	2 mm
Maximum stripping length	20 mm
Partial stripping length range minimum	2 mm
Partial stripping length range maximum	20 mm
Insertion length minimum	14 mm
Weight	9.5 kg
Min. cross section	0.08 mm <sup>2</sup>
Max. cross section	6 mm <sup>2</sup>
AWG min	32
AWG max	14

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Classifications

### eCl@ss

eCl@ss 10.0.1	17130102
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	17130100
eCl@ss 6.0	17130100
eCl@ss 7.0	17130101
eCl@ss 8.0	17130101
eCl@ss 9.0	17130102

### ETIM

ETIM 2.0	EC000142
ETIM 3.0	EC000142
ETIM 4.0	EC000163
ETIM 5.0	EC002778
ETIM 6.0	EC002778
ETIM 7.0	EC002778

### UNSPSC

UNSPSC 6.01	23171604
UNSPSC 7.0901	23171604
UNSPSC 11	23171604

# Stripping machine - WF 1000 - 1212149

## Classifications

### UNSPSC

UNSPSC 12.01	23171604
UNSPSC 13.2	27111518
UNSPSC 19.0	27111518

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

EAC		RU C- DE.AI30.B.01549
-----	--	--------------------------

## Accessories

### Accessories

#### Knife

Spare knife - WF 1000/SB - 1212279



Spare knife for stripping machine

### Magazine

Accessories - WF 1000/COV - 1212417



Waste holder for stripping machine

### Mounting material

## Stripping machine - WF 1000 - 1212149

### Accessories

Replacement retaining jaw - WF 1000/CJ - 1212415



Replacement jaws for stripping machine

---

### Operating stylus

Accessories - WF 1000/TR - 1212416



Start key trigger for stripping machine

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wire Stripping & Cutting Tools](#) category:*

*Click to view products by [Phoenix Contact](#) manufacturer:*

Other Similar products are found below :

[6-690504-4](#) [693855-1](#) [813066-2](#) [844764-5](#) [844765-5](#) [1-240642-7](#) [133900-001](#) [1-356885-4](#) [1424635-1](#) [1424649-1](#) [1424650-1](#) [1440-0013-84](#)  
[1-458031-5](#) [1-458030-5](#) [MT10-250Q](#) [1755](#) [2-539783-7](#) [L-5211](#) [1633578-3](#) [F10-10Q](#) [1-844765-9](#) [251465-1](#) [R282066100](#) [313808-1](#)  
[CST596711](#) [458031-9](#) [462839-1](#) [467281-1](#) [4-690504-2](#) [406339-3](#) [L-4994](#) [45-265](#) [453653-1](#) [45-418](#) [455177-1](#) [455671-4](#) [458144-8](#) [462548-](#)  
[1](#) [464661-1](#) [224186-1](#) [679746-1](#) [809687-1](#) [852080-2](#) [856695-8](#) [11-40-4082](#) [458030-1](#) [679326-7](#) [605744-1](#) [690784-2](#) [844764-1](#)