

# Docking frames - HC-B 24-ANDOCK-MOD-T - 1587470

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Docking frame for six module slots, floating assembly, plastic without PE. Rack compensation of +/-2.0 mm in the x/y-axis, for M4 cylinder head screws.

## Product Description

Docking frame, fitted floating. Made from plastic without PE. Slide-in offset x/y axis ±2.0 mm



## Key Commercial Data

Packing unit	2 pc
GTIN	 4 046356 526456
GTIN	4046356526456

## Technical data

### General

Material	PC
Flammability rating according to UL 94	V0
Type	B24
Assembly instructions	Due to the plastic frame without PE, a metal attachment panel must be grounded separately.

### Standards and Regulations

Flammability rating according to UL 94	V0
--	----


### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings


## Docking frames - HC-B 24-ANDOCK-MOD-T - 1587470

Dimensional drawing



Dimensional drawing of HC-B 24-ANDOCK-MOD...

Dimensional drawing



Mounting cutout for HC-B 24-ANDOCK-MOD...

# Docking frames - HC-B 24-ANDOCK-MOD-T - 1587470

## Classifications

### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143400
eCl@ss 6.0	27261200
eCl@ss 7.0	27440210
eCl@ss 8.0	27440210
eCl@ss 9.0	27440206

### ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC002312
ETIM 4.0	EC000437
ETIM 5.0	EC002310
ETIM 6.0	EC002310

### UNSPSC

UNSPSC 6.01	43172601
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121408
UNSPSC 13.2	39121421
UNSPSC 19.0	39121421

## Accessories

### Accessories

#### Mounting material

Washer - HC-MOD-ANDOCK-USCH - 1587496



Special washer for floating mounting of docking frame

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Heavy Duty Power Connectors](#) category:*

*Click to view products by [Phoenix Contact](#) manufacturer:*

Other Similar products are found below :

[647757-1](#) [6643411-1](#) [6646058-2](#) [6646137-1](#) [6646138-1](#) [6646479-1](#) [6646608-1](#) [6646786-1](#) [6646940-1](#) [6651091-1](#) [6651525-1](#) [6651529-1](#)  
[6651788-1](#) [696475-1](#) [702-32-01109](#) [703-25-02205](#) [73000005059](#) [73000005642](#) [765-15-0080A](#) [765-16-0080B](#) [765-18-0080D](#) [829992-1](#)  
[902-77-02113](#) [PS00/A0620/6300](#) [129-1J](#) [1409400](#) [AN0024023](#) [E6374G1](#) [e6389g2](#) [157-43GW8](#) [MS3117-14AC](#) [1643543-1](#) [1650540-1](#)  
[1651811-2](#) [1766260-1](#) [1766282-1](#) [1766966-1](#) [1791340000](#) [NLDFT-3-BL-L-S120-M40A](#) [NLDFT-N-W-L-C240-M40B](#) [NLS-2-R-C240-](#)  
[M40B](#) [NLS-N-W-C240-M40B](#) [NPS-3-BL-T6](#) [1986615-1](#) [2-1589900-8](#) [2199314-1](#) [KA8102](#) [9300480317](#) [SBS50BRN#6](#) [29131](#)