

Cable connector - RC-12S2S8A800K - 1600340

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Cable connector, straight, shielded: yes, Screw locking, M23, cable diameter range: 7.5 mm ... 9.5 mm

RoHS

Key Commercial Data

Packing unit	20 pc
GTIN	4 046356 229654
GTIN	4046356229654

Technical data

Data of the insulating body

Note Order information: Order crimp contacts Ø 1 mm separately
--

Housing data

Housing material	Metal
Type of locking	Screw locking
Degree of protection (when plugged in)	IP67
Thread type	M23

Cable seal data

Cable diameter	7.5 mm 9.5 mm
Sealing material	NBR

Environmental Product Compliance


REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings



Cable connector - RC-12S2S8A800K - 1600340

Dimensional drawing



Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC

EHC

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com B.01742

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below :

600X518037XMA1EAF12006STD15PCR99B70A8R4000A16M0208R4A00A18M0208R5000A16M005120091000812009100111300140094130203-00541300150099RF-12S1N8A90DU1-3637-600-520516126188R4006A16M0108R5006A18A12016042321R3006A20M005RF-12P1N8A80DURF-12P1N8A90DU41-0101641-4001141-4001742-010154-22279-44-22281-14-22284-943-0000243-0116641-4000541-4001643-0016143-01191XS3P-M421-2600X518050XSACC-DSI-FS-5P-PG9-L180 SC8R4006A16A1208R4000A16M010RKC 50/161R3004A20A12016-22279-3N03FA031441300140077XS8A-0441859RD04-103R004860RD04-113R004860RD04-213R004860-X08-213R0041-213245-22273142-22273142-2444