

Cable connector - RC-16S1N12T007 - 1601012

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Cable connector, angled, shielded: yes, Screw locking, M23, No. of pos.: 16, type of contact: Socket, Solder connection, cable diameter range: 7.5 mm ... 9.5 mm



The figure shows the 12-pos. product version



Key Commercial Data

| Packing unit | 8 pc |
|--------------|-----------------|
| GTIN | 4 046356 232807 |
| GTIN | 4046356232807 |

Technical data

Environmental Product Compliance

| REACh SVHC | Lead 7439-92-1 |
|------------|--|
| China RoHS | Environmentally Friendly Use Period = 50 |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Drawings




Cable connector - RC-16S1N12T007 - 1601012

Schematic diagram

$\begin{array}{c} N \\ Y \\ 2^{\circ} 1_{3} \\ 3^{\circ} 1_{6} \\ 14 \\ 5^{\circ} 6^{\circ} \\ 5^{\circ} 6^{\circ} \end{array}$

Dimensional drawing



Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC

EHE

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com B.01742

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below :

600X518037XMA1EAF12006STD15PCR99B70A8R4000A16M0208R4A00A18M0208R5000A16M005120091000812009100111300140094130203-00541300150099RF-12S1N8A90DU1-3637-600-520516126188R4006A16M0108R5006A18A12016042321R3006A20M005RF-12P1N8A80DURF-12P1N8A90DU41-0101641-4001141-4001742-010154-22279-44-22281-14-22284-943-0000243-0116641-4000541-4001643-0016143-01191XS3P-M421-2600X518050XSACC-DSI-FS-5P-PG9-L180 SC8R4006A16A1208R4000A16M010RKC 50/161R3004A20A12016-22279-3N03FA031441300140077XS8A-0441859RD04-103R004860RD04-113R004860RD04-213R004860-X08-213R0041-213245-22273142-22273142-2444