

# Device connector, front mounting - RC-16S1N8A2300 - 1601070

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Device connector for front wall, straight, shielded: yes, Screw locking, M23, No. of pos.: 16, type of contact: Socket, Crimp connection, Flat gasket, 4x Ø 3.2

The figure shows the 12-pos. product version



## Key Commercial Data

Packing unit	40 pc
GTIN	4 046356 381055
GTIN	4046356381055

### Technical data

#### **Environmental Product Compliance**

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

### Drawings

#### Schematic diagram





## Device connector, front mounting - RC-16S1N8A2300 - 1601070

## Approvals

oprovals AC	
Approvals	
oproval details	
EAC	B.01742

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com

12/06/2018 Page 2 / 2

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below :

600X518037XMA1EAF12006STD15PCR99B70A8R4000A16M0208R4A00A18M0208R5000A16M005120091000812009100111300140094130203-00541300150099RF-12S1N8A90DU1-3637-600-520516126188R4006A16M0108R5006A18A12016042321R3006A20M005RF-12P1N8A80DURF-12P1N8A90DU41-0101641-4001141-4001742-010154-22279-44-22281-14-22284-943-0000243-0116641-4000541-4001643-0016143-01191XS3P-M421-2600X518050XSACC-DSI-FS-5P-PG9-L180 SC8R4006A16A1208R4000A16M010RKC 50/161R3004A20A12016-22279-3N03FA031441300140077XS8A-0441859RD04-103R004860RD04-113R004860RD04-213R004860-X08-213R0041-213245-22273142-22273142-2444