

# Device connector, front mounting - RC-1RS1NRA2300 - 1603230

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Device connector for front wall, straight, shielded: yes, Screw locking, M23, No. of pos.: 16+2+PE, type of contact: Socket, Crimp connection, Flat gasket, 4x Ø 3.2

The figure shows the 12-pos. product version



## Key Commercial Data

Packing unit	40 pc
GTIN	4 046356 244305
GTIN	4046356244305

### Technical data

#### **Environmental Product Compliance**

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

### Drawings

Schematic diagram



Approvals



## Device connector, front mounting - RC-1RS1NRA2300 - 1603230

### Approvals

provals	
Approvals	
proval details	
EAC	B.01742

http://www.phoenixcontact.com PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg

Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below :

600X518037XMA1EAF12006STD15PCR99B70A8R4000A16M0208R4A00A18M0208R5000A16M005120091000812009100111300140094130203-00541300150099RF-12S1N8A90DU1-3637-600-520516126188R4006A16M0108R5006A18A12016042321R3006A20M005RF-12P1N8A80DURF-12P1N8A90DU41-0101641-4001141-4001742-010154-22279-44-22281-14-22284-943-0000243-0116641-4000541-4001643-0016143-01191XS3P-M421-2600X518050XSACC-DSI-FS-5P-PG9-L180 SC8R4006A16A1208R4000A16M010RKC 50/161R3004A20A12016-22279-3N03FA031441300140077XS8A-0441859RD04-103R004860RD04-113R004860RD04-213R004860-X08-213R0041-213245-22273142-22273142-2444