

## Contact removal tool - CK4,0-EWZ - 1662735

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Contact removal tool, for rotated CK-4,0-... contacts

### **Key Commercial Data**

Packing unit	1 pc
GTIN	4 017918 128883
GTIN	4017918128883

### Technical data

#### General

	The CK4,0-EWZ tool (order no. 1662735) is required for removing the
	crimp contacts.  At every "C" contact chamber, the position of the contact retaining springs is marked with two black markings on the connection side.
Connection	From the connection side, the tool is pushed over the contact in a position-oriented manner, so that it touches both the retaining springs.
	Then insert it up to the limit stop. Do not turn the inserted tool. Push the conductor out of the insulating body along with the tool from the connection side.

Approval	S

Approvals

Approvals

EAC


Ex Approvals

Approval details



# Contact removal tool - CK4,0-EWZ - 1662735

### **Approvals**



Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300

Fax +49 5235 3 41200 http://www.phoenixcontact.com

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Extraction, Removal & Insertion Tools category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below:

M8196914-08 768211-2 809-131 844751-2 8-59558-2 91018-1 12014013 12093647 1-21048-0 R282867020 12093078 12180559 121048-6 12121897 DCF.91.405.5LT 1322 15314260 15350698 15350707 15430130 1579018-4 1643916-1 1-679532-0 1976593-3

OUTEXT-0321 2-1579008-3 2-1579008-4 229694-7 231106-1 241469 91040-3 91040-7 965004-000 965069-000 1738219-1 ET-JL05-16

FG 0300 146 3000 FIT-6 210S048 2-1579007-9 231879-1 312138-3 RJ11FODE 356-162 M8196914-10 4-1579018-0 430395-001 483249-1 5-1579007-2 5-1579007-9