


## Crimping pliers - CRIMPFOX-1,6-ER-1,50-GH - 1772793

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Crimping pliers, for IBS DSUB.../C

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 037406
GTIN	4017918037406
Sales Key	01

### Technical data

#### Dimensions

Length (b)	193 mm
Width (a)	64 mm

#### General

Color	black
Weight	358 g
Min. cross section	0.14 mm <sup>2</sup>
Max. cross section	1.5 mm <sup>2</sup>

#### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

### Classifications

#### eCl@ss

eCl@ss 10.0.1	21043811
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300

# Crimping pliers - CRIMPFOX-1,6-ER-1,50-GH - 1772793

## Classifications

### eCl@ss

eCl@ss 6.0	21043800
eCl@ss 7.0	21043811
eCl@ss 8.0	21043811
eCl@ss 9.0	21043811

### ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001186
ETIM 5.0	EC000168
ETIM 6.0	EC000168
ETIM 7.0	EC000168

### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518
UNSPSC 18.0	27111518
UNSPSC 19.0	27111518
UNSPSC 20.0	27111518
UNSPSC 21.0	27111518

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

EAC		RU x- DE.xx08.B.02974
-----	--	--------------------------

## Crimping pliers - CRIMPFOX-1,6-ER-1,50-GH - 1772793

### Accessories

#### Accessories

#### Crimp contact

##### Crimp contact - HC-D STC 1,5 - 1772560



Rolled pin contact (with BO crimp zone), for conductors with a cross section of 0.75 mm<sup>2</sup> ... 1.5 mm<sup>2</sup>. For contact insert order number 1580257 and 1580076

---

##### Crimp contact - HC-D BUC 1,5 - 1772544



Rolled socket contact (with BO crimp zone), for conductors with a cross section of 0.75 mm<sup>2</sup> - 1.5 mm<sup>2</sup>. For contact insert order number 1580079

---

##### Accessories - MCC-MT 0,2-0,35 - 1859988



Female contact, is inserted into the plug after crimping the conductor, for the module plug housing MCC 1...-STZ-3,81 and MCC 1...-STZF-3,81, for cross sections of 0.2 mm<sup>2</sup> to 0.34 mm<sup>2</sup>

---

##### Female insert - MCC-MT 0,5-1,0 - 1859991



Female contact, is inserted into the plug after crimping the conductor, for the module plug housing MCC 1...-STZ-3,81 and MCC 1...-STZF-3,81, for cross sections of 0.5 mm<sup>2</sup> to 1 mm<sup>2</sup>

---

##### Contact - HC-D STC 0,6 - 1772557



Rolled male contact (with BO crimp zone), for conductors with a cross section of 0.3 mm<sup>2</sup> - 0.6 mm<sup>2</sup>

---

## Crimping pliers - CRIMPFOX-1,6-ER-1,50-GH - 1772793

### Accessories

Contact - HC-D BUC 0,6 - 1772531



Rolled female contact (with BO crimp zone), for conductors with a cross section of 0.3 mm<sup>2</sup> - 0.6 mm<sup>2</sup>

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Crimpers / Crimping Tools](#) category:*

*Click to view products by [Phoenix Contact](#) manufacturer:*

Other Similar products are found below :

[010-0096](#) [M225201-06](#) [M225202-37](#) [6-1579015-5](#) [CT150-6-RH07](#) [622-6441LF](#) [M322](#) [6-304052-1](#) [63456-0054](#) [63484-3701](#) [63800-8355](#)  
[63819-1875](#) [63819-2875](#) [63819-4475](#) [63823-3475](#) [63827-5375](#) [64001-0975](#) [64001-4175](#) [64005-0175](#) [662903-2](#) [690602-6](#) [7-1579001-9](#) [7-](#)  
[23471-1](#) [762637-1](#) [808714-1](#) [811242-5](#) [999-50-020083](#) [1-21002-3](#) [1-21002-7](#) [12085270](#) [1-21002-6](#) [1-21113-6](#) [1-22548-4](#) [125442-1](#)  
[DCE.91.073.BVC](#) [DCE.91.090.3MVM](#) [DCE.91.130.5MVU](#) [DCE.91.202.BVCM](#) [1338300-1](#) [1-354003-0](#) [1338301-1](#) [DF62/RE-MD](#) [142321](#)  
[1456088-1](#) [1490794-1](#) [1-45804-6](#) [1490357-2](#) [1490357-3](#) [AX100749](#) [1-59619-7](#)