

## Side element - UM-ALU 4-72 COVERLID 75 AL - 2202085

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Press-drawn section housings, Side elements (left and right) incl. snap-on foot and screws for profile cover UM-ALU 4 AU..L..., width: 75.4 mm, height: 2 mm, color: aluminum color



### Your advantages

- ✔ Item is from the UM-ALU product range
- ✔ Aluminum press-drawn section
- ✔ Available in lengths from 42.5 mm ... 990 mm, can be cut to any length
- ✔ Available in overall widths of 75 mm and 105 mm
- ✔ Variety of connection technologies
- ✔ Can be mounted on the DIN rail
- ✔ EMC protection

### Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356987424

### Technical data

#### Product properties

Brief article description	Side element
Type	UM-ALU 4-72 COVERLID 75 AL
Order No.	2202085
Housing type	Press-drawn section housings
Type	Side elements (left and right) incl. snap-on foot and screws for profile cover UM-ALU 4 AU..L..
Max. IP code to attain	IP40
Mounting type	Screw mounting

#### Dimensions

## Side element - UM-ALU 4-72 COVERLID 75 AL - 2202085

### Technical data

#### Dimensions

Width [ w ]	75.4 mm
Height [ h ]	2 mm
Depth [ d ]	73.5 mm

#### Material specifications

Material	Aluminum
Color	aluminum color
Surface characteristics	anodized

#### Ambient conditions

Ambient temperature (storage/transport)	-40 °C ... 55 °C
Ambient temperature (assembly)	-5 °C ... 100 °C
Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)

#### Note on mounting

Tightening torque / rotational speed	Screw connection with header/profile cover: 0.8 Nm-1 Nm / rpm- rpm
--------------------------------------	--

#### Packaging specifications

Type of packaging	packed in cardboard
Pieces per package	1
Denomination packing units	Pcs.
Outer packaging type	Carton

#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Classifications

#### eCl@ss

eCl@ss 10.0.1	27182701
eCl@ss 5.0	27180500
eCl@ss 5.1	27180500
eCl@ss 6.0	27182000
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701
eCl@ss 9.0	27182701

#### ETIM

ETIM 5.0	EC002779
ETIM 6.0	EC002779
ETIM 7.0	EC002779

# Side element - UM-ALU 4-72 COVERLID 75 AL - 2202085

## Classifications

### UNSPSC

UNSPSC 13.2	31261501
UNSPSC 18.0	31261501
UNSPSC 19.0	31261501
UNSPSC 20.0	31261501
UNSPSC 21.0	31261501

## Approvals

### Approvals

---

#### Approvals

EAC

---

Ex Approvals

---

### Approval details

EAC		B.01742
-----	--	---------

## Accessories

### Accessories

#### Component housing cover

Profile cover - UM-ALU 4 AU75 L42,5 - 2200963



Press-drawn section housings, Profile cover, width: 75.6 mm, profile width (internal): 71.5 mm, length: 42.5 mm, color: aluminum color

---

Profile cover - UM-ALU 4 AU75 L60 - 2200964



Press-drawn section housings, Profile cover, width: 75.6 mm, profile width (internal): 71.5 mm, length: 60 mm, color: aluminum color

---

## Side element - UM-ALU 4-72 COVERLID 75 AL - 2202085

### Accessories

Profile cover - UM-ALU 4 AU75 L95 - 2200965



Press-drawn section housings, Profile cover, width: 75.6 mm, profile width (internal): 71.5 mm, length: 95 mm, color: aluminum color

---

Profile cover - UM-ALU 4 AU75 L130 - 2200966



Press-drawn section housings, Profile cover, width: 75.6 mm, profile width (internal): 71.5 mm, length: 130 mm, color: aluminum color

---

Profile cover - UM-ALU 4 AU75 L165 - 2200967



Press-drawn section housings, Profile cover, width: 75.6 mm, profile width (internal): 71.5 mm, length: 165 mm, color: aluminum color

---

Profile cover - UM-ALU 4 AU75 L200 - 2200968



Press-drawn section housings, Profile cover, width: 75.6 mm, profile width (internal): 71.5 mm, length: 200 mm, color: aluminum color

---

Profile cover - UM-ALU 4 AU75 L235 - 2200969



Press-drawn section housings, Profile cover, width: 75.6 mm, profile width (internal): 71.5 mm, length: 235 mm, color: aluminum color

---

## Side element - UM-ALU 4-72 COVERLID 75 AL - 2202085

### Accessories

Profile cover - UM-ALU 4 AU75 L990 - 2200970



Press-drawn section housings, Profile cover, width: 75.6 mm, profile width (internal): 71.5 mm, length: 990 mm, color: aluminum color

---

### Component housing lower part

Profile - UM-ALU 4-72 PROFILE 42,5 - 2200917



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 42.5 mm, color: aluminum color

---

Profile - UM-ALU 4-72 PROFILE 60 - 2200918



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 60 mm, color: aluminum color

---

Profile - UM-ALU 4-72 PROFILE 95 - 2200919



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 95 mm, color: aluminum color

---

Profile - UM-ALU 4-72 PROFILE 130 - 2200920



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 130 mm, color: aluminum color

---

## Side element - UM-ALU 4-72 COVERLID 75 AL - 2202085

### Accessories

Profile - UM-ALU 4-72 PROFILE 165 - 2200921



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 165 mm, color: aluminum color

---

Profile - UM-ALU 4-72 PROFILE 200 - 2200922



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 200 mm, color: aluminum color

---

Profile - UM-ALU 4-72 PROFILE 235 - 2200923



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 235 mm, color: aluminum color

---

Profile - UM-ALU 4-72 PROFILE 990 - 2200924



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 990 mm, color: aluminum color

---

Profile - UM-ALU 4-72 PROFILE 111 - 2201930



Press-drawn section housings, Basic profile, profile width (internal): 72 mm, length: 111 mm, color: aluminum color

---

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for* [Enclosures, Boxes & Cases](#) *category:*

*Click to view products by* [Phoenix Contact](#) *manufacturer:*

Other Similar products are found below :

[585-R-WH-PK](#) [M-10-PLATED](#) [60221-01](#) [60566-01-000](#) [HPL-9VB BATT DOOR](#) [M18-PLTD](#) [M-21-PLATED](#) [63310-01-000](#) [6711GSKT](#)  
[71884-29-028](#) [LH45-100 Black](#) [72868-510-000](#) [CNS-0000 Black](#) [72883-510-000](#) [CNS-0101 Black](#) [72906-510-000](#) [CNS-0407 Black](#) [73092-](#)  
[510-000](#) [CNM-0101 Black](#) [73105-510-000](#) [CNL-0101 Black](#) [73108-510-000](#) [CNL-0303 Black](#) [73395-510-039](#) [CNS-0006 Bone](#) [74257-510-000](#)  
[CNL-0004](#) [MDC-1183-PLAIN-ALUM](#) [MDC-1183-PTD](#) [MDC-13104-PTD](#) [MDC-321-PTD](#) [MDC-973-PTD](#) [76](#) [77153-01-028](#) [FLX6030](#)  
[83535-01-508](#) [90026-501-000](#) [PS36-200](#) [116-508](#) [120-407](#) [120-910](#) [127-908](#) [130-008](#) [1301170079](#) [1322GSKTEP](#) [1325GSKT3](#) [1434-1210](#)  
[EAS-500 \(BLACK ANO\)](#) [1804RP-RB-PK](#) [190-005](#) [2202307](#) [KAB3321 BLACK](#) [KAB3421](#) [2697466](#) [S52213](#) [2901123](#) [2901699](#) [A0645271](#)  
[A20P20](#) [2106-IR](#) [PERF-850-PLN](#)