

Battery / accumulator - HMI BATTERY - 2701383

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Lithium battery



Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356745314

Technical data

Dimensions

Width	190 mm
Note on dimensions	(± 10 mm) including connecting cable

General

Battery technology	Lithium (Assembled with 2-pos. cable and 3-pos. connector (Molex type 51021-03))
Battery voltage	3 V
Battery capacity	540 mAh

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 10.0.1	27050403
eCl@ss 4.0	27050400

Battery / accumulator - HMI BATTERY - 2701383

Classifications

eCl@ss

eCl@ss 4.1	27050400
eCl@ss 5.0	27050400
eCl@ss 5.1	27050400
eCl@ss 6.0	27059200
eCl@ss 7.0	27059290
eCl@ss 8.0	27050403
eCl@ss 9.0	27050403

ETIM

ETIM 3.0	EC001435
ETIM 4.0	EC000358
ETIM 5.0	EC000357
ETIM 6.0	EC000357
ETIM 7.0	EC000357

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43232401
UNSPSC 13.2	43232401
UNSPSC 18.0	26111715
UNSPSC 19.0	26111715
UNSPSC 20.0	26111715
UNSPSC 21.0	26111715

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Consumer Battery & Photo Battery](#) category:

Click to view products by [Phoenix Contact](#) manufacturer:

Other Similar products are found below :

[6LR61AD/B](#) [2909830](#) [CR-2PA/1B](#) [CR-123APA/1B](#) [LR14XWA/B12](#) [LR6XWA/3SB](#) [6LF22XWA/B12](#) [6LF22XWA/B](#) [LR03XWA/B24](#)
[LR14XWA/B](#) [LR6XWA/B](#) [LR6XWA/B24](#)