

Slave protocol chip - IBS SUPI 3 LS - 2746977


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Slave protocol chip, for INTERBUS



RoHS

Key Commercial Data

| | |
|------------------------|---|
| Packing unit | 160 pc |
| Minimum order quantity | 160 pc |
| GTIN |  4 017918 472788 |
| GTIN | 4017918472788 |

Technical data

Dimensions

| | |
|--------|-------|
| Width | 12 mm |
| Depth | 12 mm |
| Length | 12 mm |

Ambient conditions

| | |
|---|--|
| Ambient temperature (storage/transport) | 5 °C ... 30 °C (at max. 60 %) |
| Ambient temperature (operation) | -40 °C ... 85 °C (at max. 75% humidity during operation) |

Module

| | |
|-----------------------------|--|
| IC power supply voltage | 5 V DC ±10 % (DC) |
| Typical current consumption | 40 mA |
| Connection method | Remote bus/local bus |
| Interface | INTERBUS |
| Internal data length | 32-bit internal, external expansion possible |

General

| | |
|------|---------|
| Type | TQFP 44 |
|------|---------|

Environmental Product Compliance

Slave protocol chip - IBS SUPI 3 LS - 2746977

Technical data

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27242605 |
| eCl@ss 4.0 | 27250200 |
| eCl@ss 4.1 | 27250200 |
| eCl@ss 5.0 | 27249200 |
| eCl@ss 5.1 | 27249200 |
| eCl@ss 6.0 | 27242600 |
| eCl@ss 7.0 | 27242608 |
| eCl@ss 8.0 | 27242608 |
| eCl@ss 9.0 | 27242605 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC001433 |
| ETIM 3.0 | EC001601 |
| ETIM 4.0 | EC001604 |
| ETIM 5.0 | EC001604 |
| ETIM 6.0 | EC001601 |
| ETIM 7.0 | EC001601 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 43172015 |
| UNSPSC 7.0901 | 43201404 |
| UNSPSC 11 | 43172015 |
| UNSPSC 12.01 | 43201404 |
| UNSPSC 13.2 | 32151602 |
| UNSPSC 18.0 | 32151602 |
| UNSPSC 19.0 | 32151602 |
| UNSPSC 20.0 | 32151602 |
| UNSPSC 21.0 | 32151602 |

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface - Specialised category:](#)

Click to view products by [Phoenix Contact manufacturer:](#)

Other Similar products are found below :

[CY7C910-51LMB](#) [MC33689DPEWR2](#) [MC33975ATEKR2](#) [MEC1632-AUE](#) [NVT4555UKZ](#) [RKSAS4](#) [HMC677G32](#) [LPC47N207-JV](#) [FTP-637DSL633R](#) [SM712GX04LF04-BA](#) [MC33689DPEW](#) [PCA9704PWJ](#) [MCW1001A-I/SS](#) [HOA6241-001](#) [SC74HC4066ADTR2G](#) [AS3935-BQFT](#) [NCN5120MNTWG](#) [NCN5150DR2G](#) [NCN8025MTTBG](#) [C100N50Z4A](#) [DG407AK/883B](#) [SRT2-ATT01](#) [TDA8035HN/C1/S1J](#) [LTC1694CS5#TRMPBF](#) [TLE9221SXXUMA2](#) [DS90UB947TRGCRQ1](#) [NCS2300MUTAG](#) [HMC677LP5E](#) [HMC677LP5ETR](#) [LTC1756EGN#PBF](#) [LTC1955EUH#PBF](#) [LT3669EUFD-2#PBF](#) [MXL1543BCAI](#) [MAX3170CAI+](#) [XL1192D](#) [TLE9221SX](#) [CP82C59AZ](#) [KTU1109EFAA-TR](#) [CH368L](#) [CH7307C-DEF](#) [LTC1694CS5#TRPBF](#) [LTC1694IS5#TRM](#) [73S8024RN-20IMF](#) [73S8024RN-IL/F](#) [78P2352-IGT/F](#) [DS2406+](#) [DS2413P+](#) [DS2413P+T&R](#) [DS28E17Q+](#) [DS8113-RNG+](#)