

Equipotential busbar - PAS-1 - 2765615

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Equipotential busbar


Product Description

The equipotential busbar, PAS-1 is designed for the main equipotential bonding in accordance with DIN VDE 0185. PAS-1 has a contact bar in the form of a comb. Nine loose slide-on terminal blocks are available for connecting round conductors with a cross section of 2.5 mm² to 95 mm². In addition, a 4 x 30 mm steel strip can be connected using the double terminal block (2), see figure below. A label can be found in the sealable plastic cover, on which the identification of the conductors connected can be entered. PAS-1 has the VDE mark of conformity in accordance with DIN VDE 0618-1:1989-08.

Your advantages

- ✔ Equipotential bonding strip for main equipotential bonding according to DIN VDE 0100 and lightning protection equipotential bonding according to DIN EN 62305
- ✔ Has a comb-shaped contact bar

Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 066475
GTIN	4017918066475

Technical data

Dimensions

Width	59 mm
Height	149 mm
Depth	49 mm


General

Color	black
-------	-------

Drawings

Equipotential busbar - PAS-1 - 2765615

Dimensional drawing



Classifications

eCl@ss

eCl@ss 10.0.1	27140307
eCl@ss 4.0	27140300
eCl@ss 4.1	27140300
eCl@ss 5.0	27140300
eCl@ss 5.1	27140300
eCl@ss 6.0	27140300
eCl@ss 7.0	27140307
eCl@ss 8.0	27140307
eCl@ss 9.0	27140307

ETIM

ETIM 2.0	EC001470
ETIM 3.0	EC001470
ETIM 4.0	EC001470
ETIM 5.0	EC001470
ETIM 6.0	EC001470
ETIM 7.0	EC001470

UNSPSC

UNSPSC 6.01	30212010
UNSPSC 7.0901	39121610
UNSPSC 11	39121613
UNSPSC 12.01	39121613
UNSPSC 13.2	39121613

Equipotential busbar - PAS-1 - 2765615

Approvals


Approvals

Approvals

VDE Zeichengenehmigung

Ex Approvals

Approval details

VDE Zeichengenehmigung		http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx	73234
mm ² /AWG/kcmil		95	

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminal Block Tools & Accessories](#) category:

Click to view products by [Phoenix Contact](#) manufacturer:

Other Similar products are found below :

[00171430102](#) [00171420102](#) [600HL](#) [600RJ-07](#) [600RJ-11](#) [600RJ-14](#) [600RJS-10](#) [600RJS-12](#) [600RJS-15](#) [600RJS-21](#) [601RJ-09](#) [602SP](#) [602Z](#)
[604J](#) [CSTSPC1-2](#) [7B941-7](#) [88943-2100](#) [QC102](#) [1437403-6](#) [1437403-9](#) [1437403-8](#) [1453128-1](#) [147832-1](#) [EC0037-000](#) [MT2/H--](#) [MT6/H-N](#)
[MT6/V-GRND](#) [MT8/H-51-60](#) [BC2-12](#) [BCC-1-8/10](#) [EP2.5/4UN/BG](#) [1707755](#) [1735590](#) [1755480](#) [1789281](#) [1840227](#) [1840230](#) [2-1437402-1](#)
[JA2-03](#) [JB1-03/J](#) [JB2-04](#) [JB2-05](#) [JB2-07](#) [JB2-09/J](#) [PARALLELJUMPERLINK](#) [JS601](#) [2204082](#) [2302463](#) [2305949](#) [8PCV-BUSHING](#)