

# Measuring instrument - PSM-FO-POWERMETER - 2799539

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Fiber optic measuring case, consisting of an optical power meter, F-SMA, B-FOC adapters, reference fibers and operating instructions

## Your advantages

- Suitable for termination devices with and F-SMA, B-FOC (ST<sup>®</sup>) connection
- Measurement at SC-RJ and SC duplex connection using add-on set
- The power meter can be switched between the following wavelengths: 660 nm, 780 nm, and 850 nm
- Reference cables with polymer fibers, PCF fibers, and fiberglass



## Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4017918126735

## Technical data

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 10.0.1	27144440
eCl@ss 4.0	24010400
eCl@ss 4.1	24010400
eCl@ss 5.0	19030300
eCl@ss 5.1	19030300
eCl@ss 6.0	27061800

# Measuring instrument - PSM-FO-POWERMETER - 2799539

## Classifications

### eCl@ss

eCl@ss 7.0	27061803
eCl@ss 8.0	27149249
eCl@ss 9.0	27144440

### ETIM

ETIM 2.0	EC001125
ETIM 3.0	EC001125
ETIM 4.0	EC002609
ETIM 5.0	EC002609
ETIM 6.0	EC002609
ETIM 7.0	EC002609

### UNSPSC

UNSPSC 6.01	26121607
UNSPSC 7.0901	26121607
UNSPSC 11	26121607
UNSPSC 12.01	26121607
UNSPSC 13.2	26121650
UNSPSC 18.0	26121650
UNSPSC 19.0	26121650
UNSPSC 20.0	26121650
UNSPSC 21.0	26121650

## Accessories

### Accessories

#### Data plug

Measuring device adapter - PSM-FO-POWERMETER SCRJ-SET - 2901560



Powermeter supplementary set for devices with SC-RJ interface, consisting of one-meter polymer reference fiber (SC Simplex connector to F-SMA connector), one-meter of PCF-GI reference fiber (SC Simplex connector to B-FOC (ST<sup>®</sup>) connector) and SC-RJ coupling

### Additional products

Measuring device adapter - PSM-FO-POWERMETER SCRJ-SET - 2901560



Powermeter supplementary set for devices with SC-RJ interface, consisting of one-meter polymer reference fiber (SC Simplex connector to F-SMA connector), one-meter of PCF-GI reference fiber (SC Simplex connector to B-FOC (ST<sup>®</sup>) connector) and SC-RJ coupling

## Measuring instrument - PSM-FO-POWERMETER - 2799539

### Accessories

---

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [DIN Rail Terminal Blocks](#) category:*

*Click to view products by [Phoenix Contact](#) manufacturer:*

Other Similar products are found below :

[00110420202](#) [8WA1011-1BH23](#) [8WA1011-1EF20](#) [91.010](#) [9102100000](#) [91.040](#) [9123140000](#) [9123140001](#) [RBO 5-T-B-HEX](#) [1333564](#) [DP25-GY-ND](#) [1431306](#) [1433306](#) [90.070](#) [91.020](#) [912314](#) [260-301\\_NR](#) [2757571](#) [280-331](#) [280-560](#) [280-564](#) [281-611/281-542](#) [281-673/281-411](#) [281-994](#) [283-317](#) [283-607](#) [2909798](#) [264-724](#) [264-726](#) [280-530](#) [280-555](#) [280-619](#) [281-610](#) [281-622/281-417](#) [284-317](#) [284-601](#) [2907033](#) [3048496](#) [5542152](#) [35956](#) [USK 10](#) [102510](#) [1025100000](#) [5520682](#) [5607102](#) [EMH 25-ZE30](#) [591620-2](#) [UM 45-SEFE M.NUT BK](#) [1-591651-1](#) [8671050000](#)