

Fuse - FUSE-10X38-30A-MR - 2903119

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Fuse, number: 10 Pcs., fuse type: Fuse (CC), nominal current: 30 A, tripping characteristic: fast-blow (F)



Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	4 0 4 6 3 5 6 7 1 3 3 2 0
GTIN	4046356713320

Technical data

General

Number of fuses in the set	10
Nominal voltage U _N	690 V
Nominal current I _N	30 A
Fuse	Fuse
Tripping characteristic	fast-blow (F)
Fuse rating	CC
Dimensions	10 x 38 mm

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 10.0.1	27142002



Fuse - FUSE-10X38-30A-MR - 2903119

Classifications

eCl@ss

eCl@ss 4.0	27142000
eCl@ss 4.1	27142000
eCl@ss 5.0	27142000
eCl@ss 5.1	27142000
eCl@ss 6.0	27142000
eCl@ss 7.0	27142002
eCl@ss 8.0	27142002
eCl@ss 9.0	27142002

ETIM

ETIM 3.0	EC000035
ETIM 4.0	EC002704
ETIM 5.0	EC002704
ETIM 6.0	EC002704
ETIM 7.0	EC002704

UNSPSC

LINODOO O OA	00044045
UNSPSC 6.01	30211915
UNSPSC 7.0901	39121514
UNSPSC 11	39121514
UNSPSC 12.01	39121514
UNSPSC 13.2	39121627
UNSPSC 18.0	39121627
UNSPSC 19.0	39121627
UNSPSC 20.0	39121627
UNSPSC 21.0	39121627

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details



Fuse - FUSE-10X38-30A-MR - 2903119

Approvals



Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Specialty Fuses category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below:

63NZ02GL 714125 722134 F02A-4AS F02B-1A 80NH00GR-6 FWH-200A FWP-32A14F 12LCT 12TDLSJ63 REN-3 15.5CAVH2E

ECF-1 ECF-2 ECF-3 ECF-4 170M0213 170M1369-D 170M3809D BK/F02B-1A N-2-1/2 N-3-2/10 NITD2 20D16 KAA-3 KAB-30

KAW-3 2D16 LKN-125B 16D27SB 16FC 170M1564D 170M2616 170M2668 170M4161 170M4241 170M4699 ESD63 ABS-30 ABS-8

ACF-15 ACF-30 ACO-30 F02A-10A SSD10 200NH1M FWP-25A14FI FWP-40A14FI FWP-500A FWP-63A22FI