

# Fuse - FUSE 10A/400V GRL - 2908358

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Fuse, nominal current: 10 A, length: 31.8 mm, diameter: 6.35 mm



## **Key Commercial Data**

Packing unit	1 pc
GTIN	4 055626 294773
GTIN	4055626294773

### Technical data

Product type	Fuse
Approval	EAC
Nominal current I <sub>N</sub>	10 A
Fuse type	fast blow

### Classifications

#### eCl@ss

eCl@ss 10.0.1	27142008
eCl@ss 4.0	27142000
eCl@ss 4.1	27142000
eCl@ss 5.0	27142000
eCl@ss 5.1	27142000
eCl@ss 6.0	27142000
eCl@ss 7.0	27142001
eCl@ss 8.0	27142008
eCl@ss 9.0	27142008



## Fuse - FUSE 10A/400V GRL - 2908358

## Classifications

### **ETIM**

ETIM 5.0	EC000035
ETIM 6.0	EC002298
ETIM 7.0	EC002298

#### **UNSPSC**

UNSPSC 13.2	39121629
UNSPSC 18.0	39121622
UNSPSC 19.0	39121622
UNSPSC 20.0	39121622
UNSPSC 21.0	39121622

## Approvals

Approvals			
Approvals			

EAC

Ex Approvals

### Approval details

EAC [A]	RU C- DE.BL08.B.00724
---------	--------------------------

Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300

Fax +49 5235 3 41200

http://www.phoenixcontact.com

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cartridge Fuses category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below:

5TT3A-R MBO-20 MDM-4/10 MDQ-V-15/100 MDX-1-6/10 MDX-2 MDX-3-2/10 MDX-6-1/4 FLSR-15 FLSR-30 FRS-1-1/4 FRS-1-6/10 FRS-4/10 H362003 ABC-2 1/2A AGC-1-1/2RX AGC-15EX AGC-V-3-12-R AGY-50 15019-G MSL-1-1/2 MSL-1-1/4 MSL-1/2 MSL-1/4 MSL-3 MSL-3/4 MSL-4 MSL-5 BK1/C436-2A BK1-GMA-1-6-R BK1-S505-1-R BK1-S506-3-15-R BK/MDM-15 BK/MDM-3/4 S501-V-10A S505-V-500MA SEF-1697-1-002 301030 303030 FLA10 FLA-4/10 FLNR-5 20.0M6.3X32F GBB-17-1/2 301001 301020 311008 313.25 313.75