

Fuse - FUSE 25A/32V ATOF - 2908366

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Fuse, nominal current: 25 A, length: 19.1 mm, width: 5 mm, height: 18.8 mm



Key Commercial Data

Packing unit	2 pc
Minimum order quantity	2 pc
GTIN	4 055626 296036
GTIN	4055626296036

Technical data

Product type	Fuse
Approval	EAC
Nominal current I _N	25 A
Fuse type	С

Classifications

eCl@ss

eCl@ss 10.0.1	27142008
eCl@ss 4.0	27142000
eCl@ss 4.1	27142000
eCl@ss 5.0	27142000
eCl@ss 5.1	27142000
eCl@ss 6.0	27142000
eCl@ss 7.0	27142008
eCl@ss 8.0	27142008
eCl@ss 9.0	27142008



Fuse - FUSE 25A/32V ATOF - 2908366

Classifications

ETIM

ETIM 5.0	EC002298
ETIM 6.0	EC002298
ETIM 7.0	EC002298

UNSPSC

UNSPSC 13.2	39121622
UNSPSC 18.0	39121622
UNSPSC 19.0	39121622
UNSPSC 20.0	39121622
UNSPSC 21.0	39121622

Approvals

Approvals	3
-----------	---

Approvals

EAC

Ex Approvals

Approval details

RU C-EAC DE.BL08.B.00724

Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300

Fax +49 5235 3 41200

http://www.phoenixcontact.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Industrial & Electrical Fuses category:

Click to view products by Phoenix Contact manufacturer:

Other Similar products are found below:

MTH-4 MTH-8 BP/NON-30 NLN2 NLN25 KTN-R-10 LPS-RK-2SP ABU-35 FLSR100 BLF6 KLK003 LPS-RK-100 LPS-RK-15 LPS-RK-20 LPS-RK-70 LPS-RK-90 NLS10 FRN-R-30ID FRS-R-20ID CHSF-80 LDFJ350.X FUSE 5A/32V FK-1 384515 381050 491655 492138 BAF-4 FRN-R-600 MIC-20 BBS-4/10 BBS-3/4 BBS-1/2 C10G32 C10M20 JJN-100 JJN-15 JJN-60L KRP-C-700SP KTK-R-1-1/2 3RU1136-1KB0 LP-CC-12 LP-CC-25 LP-CC-5-6/10 LP-CC-9 LPS-RK-3-2/10SP 0BLN012.T 0FLQ007.T 0NLN006.T 0NLN010.T 0NLN050.T