

## Configuration package - SAFECONF - 2986119

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Configuration software for SafetyBridge technology and PSR-TRISAFE modules, connecting cable for PSR-TRISAFE

### Your advantages

- Connecting cable also available separately
- SAFECONF software, USB connecting cable, and quick start guide for the PSR-TRISAFE safety module available as a configuration set
- The SAFECONF software is also available free of charge as a separate download at [phoenixcontact.com](http://phoenixcontact.com)

### Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356347006

### Technical data

#### General

Basic functions	Configuration software for PSR-TRISAFE and SafetyBridge technology
-----------------	--

#### System requirements

Operating system	Windows® 7 Professional SP1 (32-Bit/64-Bit) Windows® 8 (32 bit/64 bit) MS Windows XP (SP3) Multi-Language
Supported browsers	Internet Explorer 6 or higher
Operating equipment	Keyboard, mouse
CPU	Pentium, 2 GHz (recommended), 1 GHz (min.)
Main memory (RAM)	2 GByte (Under Unter Windows 7 / Windows 8: 1 GByte (min.) Under Windows XP 512 Mbytes (min.))
Hard disk	min. 250 Mbyte (Free hard disk memory space)
Optical drive	CD-ROM
Monitor resolution	800x600

# Configuration package - SAFECONF - 2986119

## Technical data

### System requirements

Interfaces	USB
Administrator rights required for installation	Yes, under MS Windows Vista
Languages supported	German, English, French, Spanish, Italian

## Articles in set

### Configuration package - SAFECONF - 2986119



Configuration software for SafetyBridge technology and PSR-TRISAFE modules, connecting cable for PSR-TRISAFE

---

### USB cable - CABLE-USB/MINI-USB-3,0M - 2986135

USB connecting cable: USB plug type A to USB plug type Mini-B; length: 3 m



---

## Classifications

### eCl@ss

eCl@ss 10.0.1	27242501
eCl@ss 4.0	40020600
eCl@ss 4.1	40020600
eCl@ss 5.0	27371900
eCl@ss 5.1	27371900
eCl@ss 6.0	27371800
eCl@ss 8.0	27242501
eCl@ss 9.0	27242501

### ETIM

ETIM 2.0	EC001449
ETIM 3.0	EC001449
ETIM 4.0	EC000809
ETIM 5.0	EC000809
ETIM 6.0	EC000809
ETIM 7.0	EC000809

## Configuration package - SAFECONF - 2986119

### Classifications

#### UNSPSC

UNSPSC 6.01	30211901
UNSPSC 7.0901	39121501
UNSPSC 11	39121501
UNSPSC 12.01	39121501
UNSPSC 13.2	43233603
UNSPSC 18.0	43233603
UNSPSC 19.0	43233603
UNSPSC 20.0	43233603
UNSPSC 21.0	43233603

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Development Software](#) category:*

*Click to view products by [Phoenix Contact](#) manufacturer:*

Other Similar products are found below :

[RAPPID-567XFSW](#) [SRP004001-01](#) [SW163052](#) [SYSWINEV21](#) [WS01NCTF1E](#) [W128E13](#) [SW89CN0-ZCC](#) [IPS-EMBEDDED](#) [IP-UART-16550](#) [MPROG-PRO535E](#) [AFLCF-08-LX-CE060-R21](#) [WS02-CFSC1-EV3-UP](#) [SYSMAC-STUDIO-EIPCPLR](#) [LIB-PL-PC-N-1YR-DISKID](#) [1120270005](#) [1120270006](#) [MIKROBASIC PRO FOR FT90X \(USB DONGLE\)](#) [MIKROC PRO FOR FT90X \(USB DONGLE\)](#) [MIKROBASIC PRO FOR AVR \(USB DONGLE LICEN](#) [MIKROBASIC PRO FOR FT90X](#) [MIKROC PRO FOR DSPIC30/33 \(USB DONGLE LI](#) [MIKROPASCAL PRO FOR ARM \(USB DONGLE LICE](#) [MIKROPASCAL PRO FOR FT90X](#) [MIKROPASCAL PRO FOR FT90X \(USB DONGLE\)](#) [MIKROPASCAL PRO FOR PIC32 \(USB DONGLE LI](#) [SW006021-2H](#) [ATATMELSTUDIO](#) [2400573](#) [2702579](#) [2988609](#) [2702546](#) [SW006022-DGL](#) [2400303](#) [2701356](#) [VDSP-21XX-PCFLOAT](#) [VDSP-BLKFN-PC-FULL](#) [88970111](#) [DG-ACC-NET-CD](#) [55195101-101](#) [55195101-102](#) [SW1A-W1C](#) [MDK-ARM](#) [SW006021-2NH](#) [SW006021-1H](#) [SW006021-2](#) [SW006022-2](#) [SW006023-2](#) [SW007023](#) [MIKROE-730](#) [MIKROE-2401](#)