


Protective hose - WP-SPIRAL PU C HF 10 - 3240856

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective hose, spring steel wire with PU coating, highly stranded

Key Commercial Data

| | |
|------------------------|---|
| Packing unit | 10 M |
| Minimum order quantity | 10 M |
| GTIN |  4 046356 736824 |
| GTIN | 4046356736824 |

Technical data

Dimensions

| | |
|--------------------|-------|
| Inner diameter (f) | 7 mm |
| Outside diameter | 10 mm |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 80 °C |
| Short-term temperature | 120 °C |
| Degree of protection | IP68 |

General

| | |
|-------------------------|--|
| Color | blue |
| Type | Spring steel wire with PU coating |
| Components | free from silicone, halogen, and cadmium |
| Material | PU |
| Bending radius, static | 8 mm |
| Bending radius, dynamic | 20 mm |
| Tensile strength | 100 N |

Standards and Regulations

Protective hose - WP-SPIRAL PU C HF 10 - 3240856

Technical data

Standards and Regulations

| | |
|----------------------------|-----|
| Resistance to UV radiation | no |
| Halogen-free | yes |

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27430304 |
| eCl@ss 4.0 | 27141100 |
| eCl@ss 4.1 | 27141100 |
| eCl@ss 5.0 | 27141100 |
| eCl@ss 5.1 | 27141100 |
| eCl@ss 6.0 | 27141100 |
| eCl@ss 7.0 | 27430304 |
| eCl@ss 8.0 | 27430304 |
| eCl@ss 9.0 | 27430304 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC001177 |
| ETIM 5.0 | EC001177 |
| ETIM 6.0 | EC001177 |
| ETIM 7.0 | EC001177 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211812 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121411 |
| UNSPSC 12.01 | 39121411 |
| UNSPSC 13.2 | 40141734 |
| UNSPSC 18.0 | 40141734 |
| UNSPSC 19.0 | 40141734 |
| UNSPSC 20.0 | 40141734 |
| UNSPSC 21.0 | 40141734 |

Approvals

Approvals

Protective hose - WP-SPIRAL PU C HF 10 - 3240856

Approvals

Approvals

VDE Zeichengenehmigung

Ex Approvals

Approval details

VDE Zeichengenehmigung



<http://www2.vde.com/de/Institut/Online-Service/VDE-gepruefteProdukte/Seiten/Online-Suche.aspx>

Accessories

Accessories

Corrugated pipe screw connection

Screw connection - WP-G PP HF PG7 - 3240988



Cable gland made from PP with Pg thread, IP65 protection

Screw connection - WP-G PP HF M10 - 3240995



Cable gland made from PP with metric thread, IP65 protection

Screw connection - WP-GT PP HF PG7 - 3241002



Cable gland made from PP with Pg thread, rotatable, IP54 protection

Protective hose - WP-SPIRAL PU C HF 10 - 3240856

Accessories

Screw connection - WP-GT PP HF M12 - 3241010



Cable gland made from PP with metric thread, rotatable, IP54 protection

Mounting material

Hose clamp - WP-BASE HF 9-10 - 3240965



Hose clamps

Protective cap

Cable protection end sleeve - WP-SC HF 10 - 3241016



End sleeves as cable protection

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Spiral Wraps, Sleeves, Tubing & Conduit](#) category:

Click to view products by [Phoenix Contact](#) manufacturer:

Other Similar products are found below :

[601203-000](#) [CTA-0053](#) [8426-11](#) [8429-9](#) [8445-7.5](#) [8450](#) [120-104-24](#) [120-113-16B](#) [120-116-1-1-09BE](#) [120-116-1-1-09BF](#) [120-116-1-1-09BP](#)
[120-116-1-1-12BE](#) [120-116-1-1-12BP](#) [120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-06](#) [120-123-10](#) [120-123-14](#) [120-123-16](#)
[120-125-12BL](#) [120-125-12R](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-20R](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#)
[120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-09](#) [120-126-09BL](#) [120-126-12](#) [120-126-12BL](#) [120-126-14](#) [120-126-16](#) [120-126-16BL](#) [120-](#)
[126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-126-52](#) [120-126-52BL](#) [120-104-12](#)