

Passive module - UM108-DV/SI/LA/BFI/24DC - 5604707

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


VARIOFACE input/output fuse module, 32 channels

Your advantages

- These system-specific interface modules for DeltaV modules are used in combination with the relevant system cables



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 683845
GTIN	4046356683845
Weight per Piece (excluding packing)	635.030 g
Custom tariff number	85369010
Country of origin	United States

Technical data

Note

Trade restriction	The products are offered exclusively for export outside the EU and the European Economic Area.
-------------------	--

Dimensions

Width	193 mm
Height	122.6 mm
Depth	76 mm

Ambient conditions

Ambient temperature (operation)	-20 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C

General

Nominal voltage U_N	24 V DC
Max. perm. current (per branch)	125 mA (in as-supplied state, with one 125 mAF fuse, max. 1 A permitted)
Mounting position	any
Assembly instructions	In rows with zero spacing

Connection data

Passive module - UM108-DV/SI/LA/BFI/24DC - 5604707

Technical data

Connection data

Connection name	Field level
Connection method	Screw connection
Stripping length	7 mm
Screw thread	M3
Conductor cross section solid	0.14 mm ² ... 2.5 mm ²
Conductor cross section flexible	0.14 mm ² ... 1.5 mm ²
Conductor cross section AWG	30 ... 14

Connection data 2

Connection name	Controller level
Connection method	IDC/FLK pin strip
Number of connections	2
Number of positions	20
Pitch	2.54 mm

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 10.0.1	27141152
eCl@ss 4.0	27250300
eCl@ss 4.1	27250300
eCl@ss 5.0	27242700
eCl@ss 5.1	27242700
eCl@ss 6.0	27242200
eCl@ss 7.0	27141152
eCl@ss 8.0	27141152
eCl@ss 9.0	27141152

ETIM

ETIM 4.0	EC002780
ETIM 5.0	EC002780
ETIM 6.0	EC002780
ETIM 7.0	EC002780

Passive module - UM108-DV/SI/LA/BFI/24DC - 5604707

Classifications

UNSPSC

UNSPSC 6.01	30211824
UNSPSC 7.0901	39121421
UNSPSC 11	39121421
UNSPSC 12.01	39121421
UNSPSC 13.2	39122114
UNSPSC 19.0	39122114

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminal Blocks - Unspecified](#) category:

Click to view products by [Phoenix Contact](#) manufacturer:

Other Similar products are found below :

[RST-20P](#) [TB200-15L1L2QC7 11368](#) [TB100-08BSL10J4 5606874](#) [LZW-B4.2 A12-4160](#) [LZW-B4.6 A12-4660](#) [FCR7900](#) [FCR79001](#)
[88486403](#) [ESKW 1/5 ST E3 88486708](#) [ESKW 1/5 KU 88545276](#) [ESKL 0E PA ST TRA 88838208](#) [ESKW 1/2 KU 88838304](#) [ESKW 1/2 ST](#)
[264-373](#) [LZW-B4.3 A12-4260](#) [HDFK 25 0707743](#) [HDFKV 50 0708522](#) [E.4203](#) [TSCB4-02P-15-01AH](#) [TSCB4-01P-15-01AH](#) [TSCB4-03P-](#)
[15-01AH](#) [294-4002](#) [E.4204](#) [5604707](#) [SLK3/2/D1-D2 88167524](#) [231-127](#) [262-142](#) [264-112](#) [294-4003](#) [FCR7901](#) [FCR79011](#) [CMDDB4/4/BG](#)
[HH-REC](#) [NSE3-WH](#) [ETBF60020H2FLZ](#) [GP+WP A12-6302](#) [4721-P4](#) [4721-P8](#) [2727608](#) [SLK3/3/N-E-L 88167527](#) [294-5012](#)