

Antenna - RAD-ISM-5250-ANT-OMNI-10-N - 5606761

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Omnidirectional antenna, 5.2 GHz, gain: 12 dBi, polarization: linear, opening angle: h/v 360°/8.5°, protection class: IP65, connection: N (female), incl. mounting bracket and mast clips




Your advantages

- For freely mobile applications
- For multipoint or mesh connections



Key Commercial Data

| | |
|--------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 570978 |
| GTIN | 4046356570978 |

Technical data

Dimensions

| | |
|--------|--------|
| Height | 419 mm |
|--------|--------|

Ambient conditions

| | |
|----------------------|------|
| Degree of protection | IP65 |
|----------------------|------|

General

| | |
|----------------------|---|
| Frequency range | 5.2 GHz 5.15 GHz ... 5.35 Hz |
| Horizontal beamwidth | 360 ° |
| Vertical beamwidth | 8.5 ° |
| Polarization | Linear vertical |
| Gain | 12 dBi |
| Wind velocity | 190 km/h |
| Connection method | N (female) |
| Material | Fiberglass-reinforced plastic (Antenna housing) |

Antenna - RAD-ISM-5250-ANT-OMNI-10-N - 5606761

Technical data

General

| | |
|-------------------|------------------------|
| | V2A (Bracket) |
| | V2A (U-shaped screw) |
| Mounting type | Mast mounting |
| External diameter | 38 mm ... 60 mm (Mast) |


Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Drawings

Antenna - RAD-ISM-5250-ANT-OMNI-10-N - 5606761


Schematic diagram



Installation example

Antenna - RAD-ISM-5250-ANT-OMNI-10-N - 5606761

Schematic diagram



Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 19070105 |
| eCl@ss 4.0 | 27250313 |
| eCl@ss 4.1 | 27250313 |
| eCl@ss 5.0 | 19070102 |
| eCl@ss 5.1 | 19070100 |
| eCl@ss 6.0 | 19070100 |
| eCl@ss 7.0 | 19070105 |
| eCl@ss 8.0 | 19070105 |
| eCl@ss 9.0 | 19070105 |

Antenna - RAD-ISM-5250-ANT-OMNI-10-N - 5606761

Classifications

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC001698 |
| ETIM 4.0 | EC001698 |
| ETIM 5.0 | EC001698 |
| ETIM 6.0 | EC001698 |
| ETIM 7.0 | EC001698 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 43171611 |
| UNSPSC 7.0901 | 43221706 |
| UNSPSC 11 | 43171611 |
| UNSPSC 12.01 | 43221706 |
| UNSPSC 13.2 | 43221715 |
| UNSPSC 18.0 | 43221715 |
| UNSPSC 19.0 | 43221715 |
| UNSPSC 20.0 | 43221715 |
| UNSPSC 21.0 | 43221715 |

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Phoenix Contact](#) manufacturer:

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [66089-2406](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [EXB144SM](#) [C37](#) [MAF94051](#) [P1744](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#) [MIKROE-2352](#)