

# Fixed bridge - FBI 10- 8 - 0203263

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Fixed bridge, Number of positions: 10, Color: silver

## Product description

Fixed bridge, Number of positions: 10, Color: silver

## Key commercial data

Packing unit	1
Minimum order quantity	10
Catalog page	Page 408 (CL1-2011)
GTIN	 4 017918 099053
Weight per piece (including packing)	0.0 GRM
Weight per Piece (excluding packing)	25.64 GRM
Country of origin	CHINA

## Technical data

Product type	Bridge
--------------	--------

## Classifications

### eclass

eClass 4.0	27141199
eClass 4.1	27141199
eClass 5.0	27141140
eClass 5.1	27141140
eClass 6.0	27141140

### etim

ETIM 2.0	EC000489
ETIM 3.0	EC000489
ETIM 4.0	EC000489

### unspsc

UNSPSC 6.01	30211829
-------------	----------

## Fixed bridge - FBI 10- 8 - 0203263

### Classifications

#### unspsc

UNSPSC 7.0901	39121426
UNSPSC 11	39121426
UNSPSC 12.01	39121426
UNSPSC 13.2	39121426

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Terminal Block Tools & Accessories](#) category:*

*Click to view products by [Phoenix Contact](#) manufacturer:*

Other Similar products are found below :

[600HL](#) [600RJ-07](#) [600RJ-11](#) [600RJ-14](#) [600RJS-10](#) [600RJS-12](#) [600RJS-15](#) [600RJS-21](#) [601RJ-09](#) [602SP](#) [604J](#) [CSTSPC1-2](#) [88943-2100](#)  
[QC102](#) [1437403-6](#) [1437403-9](#) [1437403-8](#) [1453128-1](#) [147832-1](#) [MT2/H--](#) [MT6/H-N](#) [MT6/V-GRND](#) [MT8/H-51-60](#) [BC2-12](#) [BCC-1-8/10](#)  
[EP2.5/4UN/BG](#) [1735590](#) [1840227](#) [1840230](#) [2-1437402-1](#) [JA2-03](#) [JB1-03/J](#) [JB2-04](#) [JB2-05](#) [JB2-07](#) [JB2-09/J](#) [PARALLELJUMPERLINK](#)  
[JS601](#) [2204082](#) [2302463](#) [2305949](#) [8PCV-BUSHING](#) [8TK2-24](#) [8WA1853](#) [91.201.1](#) [9200768](#) [2778.0](#) [281-421](#) [2MP/J](#) [2MV-06](#)